

MAY 1948

This Catalogue is necessarily abridged,
but we can supply ALL KNOWN
STANDARD LINES as listed by
reputable allied Trade Houses.

Prices indicated are now out of date
and we shall be pleased to quote
special export current rates for your
specific requirements.

*Richardsons,
Leicester.*

Veterinary Price List

WELLCOME INSTITUTE LIBRARY	
Coll.	wellMomeo
Coll.	pam
No.	V 26
	BE 5
	1948
	R52 v



22500454353

MAY, 1948

Telegrams :
"ANTIZYME"



Telephone :
LEICESTER 24571

JOHN RICHARDSON & Co. (Leicester) Ltd.

DIRECTORS : J. R. E. RICHARDSON, A. SKINNER

MANUFACTURING CHEMISTS

REGISTERED OFFICE : EVINGTON VALLEY ROAD, LEICESTER

Prices Current.

Satisfactory references required on opening New Accounts.

TERMS : Nett, except for Specialities, pages 4 to 12, on which
5% Discount is allowed for Monthly settlement.

ORDERS of £5 and upwards CARRIAGE PAID to any Railway
Station in England and Wales.

PRICES quoted in this List are subject to the fluctuations
of the market.

ALL REMITTANCES must be either by Cheque—crossed
"Westminster Bank, Limited," Bank Note, Post Order, or
Money Order.

PHARMACY & POISONS ACT, 1933, AND D.D.A. REGULATIONS.

We have indicated the Drugs and Preparations coming within the scope of the following
regulations, thus :—

PHARMACY AND POISONS ACT, 1933.

"First Schedule" Poisons	= S 1
"Fourth Schedule" Poisons	= S 4
Dangerous Drugs Act	= *

PURCHASE TAX	a = 33 $\frac{1}{3}$ per cent.
	b = 66 $\frac{2}{3}$ "
	c = 100 "
	e = Exempt

Veterinary Surgeons can only be supplied with articles coming under these regulations upon
a written order signed by the purchaser stating his name, address and profession, the name and
quantity of the article, and the purpose for which it is required.

Every care has been taken to ensure accuracy, but no responsibility can be accepted for errors or
omissions.

FOR INDEX—see back page.

Analyses.

	£	s.	d.
WATER. —Chemical Analyses, showing solid matter, chlorine, free and albuminoid ammonia, nitrogen as nitrates, and nitrites, and degrees of hardness, with opinion as to fitness for drinking and general domestic purposes	2	2	0
With bacteriological examination	3	13	6
Hardness only	1	0	0
Complete Analysis for Manufacturers, Brewers, etc.	4	4	0
A sample should be collected in a thoroughly cleansed glass stoppered Winchester quart, which should be washed out several times with the same water as intended for analysis. Samples for bacteriological examination should be collected in sterilised, glass stoppered pint bottles, supplied on application.			
URINE. —General Qualitative Analysis	0	15	0
„ Complete Analysis—microscopical and chemical	1	11	6
MILK. —Fat and Solids-not-Fat	1	5	0
„ Bacteriological Examination for Bacterial Count and the presence of Bacillus Coli	0	15	0
WINE, BEER AND SPIRITS. —Determination of Alcohol	1	1	0
URINE SEDIMENT. —For Epithelium, Blood, Pus, Calcium Oxalate, Uric Acid, Urates, etc.	0	10	6
URINE SEDIMENT. —Bacillus Tuberculosis or Streptococcus each	0	12	6
SPUTUM. —Examination for Bacillus Tuberculosis or Pneumococcus „	0	10	6
PUS. —Examination for Streptococcus or Gonococcus „	0	10	6
BLOOD. —Examination for Streptococcus. B. Anthracis or B. Tuberculosis „	0	10	6
„ Examination for Blood Sugar	1	11	6
ARSENIC and LEAD. —Examination for the presence of Arsenic and Lead in drugs and chemicals as required by the 1932 Pharmacopœia	1	11	6
Arsenic, Detection of, in wallpapers, dress materials, etc.	1	11	6
POISONED ANIMALS. —Examination for Arsenic and Mineral Poisons generally ...	2	15	0
„ „ „ „ Arsenic, Mineral Poisons and Strychnine... ..	4	4	0
„ „ „ „ Strychnine	2	0	0

N.B.—All industrial problems readily undertaken at rates proportionate to the time involved.

A LIBERAL DISCOUNT TO THE PROFESSION.

PREPARED BY THE VETERINARY RESEARCH LABORATORIES.

FOR SOCIETY											
a	Avian Mixed Vaccine	...	...	...	...	...	...	...	...	30 c.c.	5/-
	Avian Tuberculin	...	...	...	...	...	...	...	...	10 dose tube	2/8

VETERINARY SPECIALITIES

a	Acute Eczema Ointment	...	...	1-lb. carton	5/6	In bulk	5/- per lb.	7-lb.	4/9 per lb.
	Aether Anæsthetic Pur 720. (J. R. & Co.'s)	...	...	...	...	5/- per lb.	W.Qts.	4/9	per lb.
a	Alterative Dog Mixture	2½-oz. and 5-oz. bottles	...	...	...	...	12/6 and	21/6	per doz.
a	Antiseptic Dusting Powder	(in 2-oz. dredger tins)	...	...	...	...	...	6/-	"
a	Ambuline	...	...	...	...	1/4 per lb.	e 7-lb.	1/3	per lb.
a	Aqua Menth. Pip. Conc. (J. R. & Co.'s)	...	...	...	...	...	...	5/6	per lb.
a	Basic Aluminium Salicylate	...	...	...	...	9/- per lb.	...	...	...
a	Bisma Calna (J. R. & Co.'s)	...	...	...	...	4/6	"	7-lb.	4/3 per lb.
a	" " Cream (J. R. & Co.'s)	...	...	...	...	1/9	"	W. Qts.	1/6
a Sl	Blistering Oil (Ol. Vesicans)	...	...	...	...	4/6	"	W. Qts.	4/3
a Sl	Blistering Liquid	...	...	...	...	9/6	"	...	...
a	B.I.P. Paste (Bismuth and Iodoform Paste)	...	...	...	...	...	1-oz. tubes	...	24/- per doz.
							2-oz. tubes	...	42/-
							...	...	24/- per lb.
a	Bruasco's Cough Mixture	...	...	...	...	5/6 per lb.	W. Qts.	5/3	"
	Calcium Boro Gluconate Injection	in 12-oz. free bottles	...	...	...	...	...	...	33/- per doz.
	Calcium Boro Gluconate	2½-oz. (approx.) packets for making 12-oz. solution:	...	...	...	...	...	...	...
			Boxes of 6	...	...	...	8/-	per doz.	...
			Boxes of 12	...	...	...	15/-	"	...
			In bulk	6/3 lb.	7-lb.	...	6/-	per lb.	...
a	Calcium Boro Gluconate c. Magnes. Lact. Injection	In 12-oz. free bottles	...	...	...	...	36/-	per doz.	...
a	Canine Distemper. (J. R. & Co.'s)	In boxes containing 6 tubes of each tablet	...	...	...	...	7/6	per box	...
a	Canine Tonic. (J. R. & Co.'s)	2-oz. and 4-oz. bottles	...	...	...	...	10/6 &	18/-	per doz.
		8-oz. and 16-oz. bottles	...	...	...	...	2/6 &	5/-	each
a	Charges—Lead	...	...	...	...	...	...	33/-	per doz.
	" Mercury	...	...	...	...	...	...	33/-	"
	" Simple	...	...	...	...	...	...	33/-	"
a	Chevaliod. (J. R. & Co.'s)	...	...	...	...	5/6 per lb.	7-lb.	5/-	per lb.
a Sl	Chlorodyne. (J. R. & Co.'s)	Pink, Brown, White and Green	...	...	...	7/6	"	W. Qts.	7/3
a	Chlorodyne, No. 2, Brown	...	...	...	...	5/-	"	"	4/9
	Chloroform Pur. (J. R. & Co.'s)	Specially selected for Anæsthetic	...	...	...	6/- per lb.	W. Qts.	5/9	per lb.
			½-lb. 3d.; ¼-lb. 6d.	per lb. extra.	...	...	...	...	...
a	Chloro-San Kresyl. (J. R. & Co.'s)	...	...	...	...	1/6 per pint	...	2/9	per qt.
a	Chronic Eczema Ointment	...	...	...	...	5/- per lb.	7-lb.	4/9	per lb.
a	Creta Iodoform Co. 10%	...	...	...	...	...	...	4/-	per lb.
a	Dextro-Calcium Injection—30 c.c.	...	...	...	...	...	...	10/6	per doz.
	60 c.c.	...	...	...	...	...	...	16/6	"
a	Disinfecting Powder	...	...	...	...	In tins	10/6 per doz.	40/-	per cwt.
a	Elect. Belladonnæ Co.	A safe and efficient mode of administering Belladonna, etc., to horses.	...	...	...	...	...	...	...
		Containing Belladonna, Camphor, Potass Nit., Potass. Chlor., Pulv. Scillæ, Pulv. Myrrh, etc.	...	...	...	...	6/-	per lb.	...
		Put up in 1-oz. and 2-oz. pots	...	...	...	...	doz. 7/- &	12/6	...
a Sl	Elixir Ethyl. Morph c. Terpin Hydrate (J. R. & Co.'s)	...	...	...	...	5/- per lb.	W. Qt.	4/9	...
a Sl	Elixir Heroin c. Terpin Hydrate (J. R. & Co.'s)	...	...	...	...	5/-	"	W. Qt.	4/9 per lb.
	Elixir Luminal (J. R. & Co.'s)	...	...	...	...	...	...	5/6	" net.
a	Emulsion Filicis	...	...	...	...	...	...	12/-	"
a	" " c. Santonine	...	...	...	...	...	...	14/6	"
a	Eucalyptus Dog Shampoo.	In 2-oz. and 4-oz. bottles with sprinklers	...	...	...	...	...	...	per doz.
a	Exorrhoid	...	...	...	...	2/6 per tube.	24/-	per doz.	...
a	Fly and Maggot Oil.	8-oz. and 16-oz. bottles	...	...	...	...	9/6 &	15/-	per doz.
a	Foot Rot Ointment.	4-oz. tins	...	...	...	...	...	12/-	"
a	Fosco. (J. R. & Co.'s)	...	...	...	...	...	...	9/-	"
a	Gape Powder.	2-oz. tins	...	...	...	...	...	9/6	"
a	Heel Ointment (Pink)	...	...	...	...	...	...	2/9	per lb.
	2-oz. and 4-oz. tins	...	...	...	...	...	8/- &	12/-	per doz.
	8-oz. and 16-oz. tins	...	...	...	...	...	18/- &	30/-	"

a	Hoof Dressing Liq.	...	...	...	...	...	11/-	per gall.	5-gall.	10/6	per gall.
a	" " Black	...	...	...	...	...	...	...	...	2/6	per lb.
a	Hoof Ointment (Carter's)	...	...	...	...	...	...	...	...	2/-	"
a	" " (Gamgee's)	...	...	...	...	...	...	...	...	2/9	"
a	" " 4-oz., 8-oz. and 1-lb. tins	...	...	...	...	...	10/-	17/6	&	30/-	per doz.
a	Horse Blisters—										
	Cantharides 2-oz. pots	...	...	...	...	...	...	...	...	13/6	"
	Red (Hyd. Biniodid) 1-oz. and 2-oz. pots	...	...	...	...	...	...	9/-	&	15/-	"
a	Horse Spice	...	...	...	...	...	...	...	...	2/6	per lb.
a	Insufflatio Iodoform Co. 50%	...	...	...	...	...	...	...	...	12/-	per lb.
a	" " " 20%	...	...	...	...	...	...	...	...	6/-	"
a	Iodine Colloid (J. R. & Co.'s)	...	...	...	...	...	...	...	...	6/-	per lb.
a	" " In Oil (J. R. & Co.'s)	...	...	...	...	...	...	...	...	8/-	"
a	Iodised Phenol	...	...	...	...	...	...	...	...	7/6	"
a	Lamb Drink (containing Tar, Eucalyptus, Turpentine, etc.)	...	...	...	...	...	...	...	...	15/-	per gal.
a	Lamb Drinks	...	...	...	...	...	...	reputed pints	27/6	per doz.	
a	" "	...	...	...	...	...	...	" quarts	53/-	"	
a	Leicestershire Condition Powders, ½-lb. and 1-lb. tins	...	...	...	...	...	...	18/-	&	32/-	"
a	Lin. Saponis Myrrhæ et Benzoin Co.	...	...	...	...	...	...	...	...	4/6	per lb.
a	Sl* Linct. Tussi	...	...	...	...	...	4/6	per lb.	W. qt.	4/3	"
a	Sl Liq. Arsenici Bromidi	...	...	...	...	...	...	...	...	2/6	"
a	Liq. Chloral Hydrat. (1 fluid dram contains 1 dram Chloral Hydrat)	...	...	...	...	...	...	...	...	8/-	"
a	Liq. Filicis Co.	...	...	...	...	...	...	...	...	7/6	"
	" Flavus (for colouring)	...	...	...	...	...	...	...	...	3/6	"
a	" Pepsin c. Bismuth Co.	...	...	...	...	...	7/6	per lb.	W. qt.	7/-	"
a	" Picis Co.	...	...	...	...	...	3/-	"	"	2/9	"
a	" Potass. Iodinat.	...	...	...	...	...	3/-	"	"	2/10	"
	" Rosæ (for colouring)	...	...	...	...	...	...	...	...	5/-	"
	" " No. 2 (for colouring)	...	...	...	...	...	...	...	...	4/-	"
a	" Sodæ Iodinat.	...	...	...	...	...	...	...	...	4/-	"
	Liq. Virid. (for colouring)	...	...	...	...	...	...	...	...	3/8	"
a	Lotio Sulphuris Evaporans (J. R. & Co.'s)	...	...	...	...	...	2/6	per lb.	W. qts.	2/3	"
a	" Zinci Oxidi Evaporans (J. R. & Co.'s)	...	...	...	...	...	2/6	"	"	2/3	"
a	" Zinci Oxid. et Calamine (J. R. & Co.'s)	...	...	...	...	...	2/6	"	"	2/3	"
a	" Powder for Horses' Legs	...	...	...	...	...	...	...	...	12/-	per doz.
a	Lysol (J. R. & Co.'s) 4-oz., 8-oz., 16-oz. and 32-oz.	...	...	...	...	...	8/6	15/-	27/-	&	48/-
										11/6	per gal.
a	Mange Dressing Liq.	...	...	...	...	...	...	...	...	1/6	per lb.
a	" " " ½-pint bottles	...	...	...	...	...	...	...	...	14/6	per doz.
a	" " 2-oz., 4-oz. and 8-oz. cartons	...	...	...	...	...	...	5/6	8/6	&	14/6
							In bulk	2/1	per lb.	7-lb.	2/-
a	Metacarpaline	...	...	...	...	...	...	...	...	3/3	"
a	Sl Mikazone (J. R. & Co.'s)	...	...	...	...	...	...	...	...	6/6	"
a	Mist. Antispasmodic (J. R. & Co.'s)	...	...	...	...	...	4/-	per lb.	W. qt.	3/9	"
a	" Creosoti Co. (J. R. & Co.'s)	...	...	...	...	...	4/6	"	"	4/3	"
a	" Tonic Co. (J. R. & Co.'s)	...	...	...	...	...	5/-	"	"	4/9	"
a	" Sodii Salicylas Co. (J. R. & Co.'s)	...	...	...	...	...	2/6	"	"	2/3	"
a	" Hysteria Co.	...	...	...	...	...	2/9	"	"	2/6	"
a	" Bismuth Salicyl Co. c. Brilliant Green	...	...	...	...	...	4/6	"	"	4/3	"
a	Ox Spice	...	...	...	...	...	...	...	...	4/-	"
a	Sl Ol. Cantharidis Fort.	...	...</								

VETERINARY SPECIALITIES—Contd.

	San. Kresyl. In 16-oz. and 32-oz. bottles	...	...	...	...	...	2/- & 3/6 each
							10/6 per gall.
	Sanitary Fluid	...	...	...	5/6 per gall.	5 galls, 5/3 per gall.	10 galls, 5/-
	Sanitary Fluid (Odorant)	...	...	...	...	...	7/6
	Sanitary Powder	...	...	...	...	...	40/- per cwt.
a	Sapo Mollis c. Phenol	...	...	...	...	...	1/9 per lb.
a	Sapo San-Kresyl (J. R. & Co.'s)	...	...	...	...	2/6 per lb.	7 lbs. 2/3
a	Sapo Staphisagris Co. Liq.	...	...	...	...	...	...
a	Sapoline	...	...	...	...	...	...
a	Saposect	...	...	...	...	...	8/- per doz.
a	Scour Mixture for Calves and Sheep. 8-oz. and 16-oz. bottles	...	...	...	...	...	15/- & 27/6
b	Shampoo Powders for Dogs. In Envelopes—Wet or Dry	...	...	...	...	...	...
a	Skin Lotion for Dogs. 8-oz. and 16-oz. bottles	...	...	...	...	...	10/6 & 18/- per doz.
a	Sol. Aloes Conc. (1-8)	...	...	...	...	1/6 per lb.	W. qts. 1/5 per lb.
a	" " " (1-4)	...	...	...	...	2/9	" 2/7
a	Sol. Beta-Eucacaine c. Renalin	...	...	...	...	...	3/6 per oz.
	Soluble San-Kresyl (J. R. & Co.'s) 16-oz. and 32-oz. bottles	...	...	...	...	...	2/3 & 4/- each
							11/6 per gall.
a	Syr. Glycerophosph. Co. (J. R. & Co.'s)	...	...	...	...	4/- per lb.	W. qt. 3/9 per lb.
a	Strong Phenolated Solution of Iodine (same strength as Tinct. Iodi Fort.)	...	...	...	...	7/- per lb.	W. qt. 6/9
a	Tænicide. In 2-oz. and 4-oz. bottles	...	...	...	...	...	2/6 & 4/6 each
a	Teat and Udder Ointment	...	...	...	...	3/9 per lb.	7-lb. 3/6
	In 4-oz., 8-oz. and 1-lb. tins	...	...	...	...	13/6	25/- & 45/- per doz.
a	Thymolodyne Dressing	...	...	...	...	2/6 per lb.	7 lbs. 2/- per lb.
	In 4-oz., 8-oz. and 1-lb. tins	...	...	...	...	8/-	13/6 & 25/- per doz.
a	Thymolodyne Spray (J. R. & Co.'s)	...	...	...	...	5/- per gall.	5 galls. 4/9 per gall.
a	" " Sanitary Fluid (J. R. & Co.'s)	...	...	...	...	5/-	" 5 galls. 4/9
							10 galls 4/6
a Sl	Ung. Cantharidis (Greswell's)	...	...	...	...	5/- per lb.	7 lb. 4/9 per lb.
a Sl	" " Co. (Walder)	...	...	...	...	7/6	7 lb. 7/3
a Sl	" " Co. c. Mylabris	...	...	...	...	10/6	7 lb. 10/3
a Sl	" Chaulmoogra	...	...	...	...	3/8	7 lb. 3/6
a	" Chevaloid (J. R. & Co.'s)	...	...	...	...	5/6	7 lb. 5/-
a	" Digestive	...	...	...	...	...	2/9
a	" " c. Aeruginis	...	...	...	...	...	3/-
a Sl	" Epispasticus Virid.	...	...	...	...	...	7/-
a	" Eucalypti Co.	...	...	...	...	...	5/6
a Sl	" Hyd. Biniodid. 1-9	...	...	...	...	...	5/9
a	" Picis Co. for Chronic Eczema. Composed of Tar, Oxide of Zinc, Sulphur, etc.	...	...	...	...	...	3/-
a	" San Kresyl	...	...	...	...	...	2/-
a	" " Co.	...	...	...	...	...	3/6
a	" Sedativum (J. R. & Co.'s)	...	...	...	...	5/6 per lb.	7 lb. 5/3
a	" Staphisagriæ	...	...	...	...	...	6/-
a	" Cupri Oleat 20%	...	...	...	...	...	2/9
a	" Plumbi Oleat 20%	...	...	...	...	...	2/9
a	" Hydrarg. Oleat 20%	...	...	...	...	...	4/-
a	" Zinci Oleat 20%	...	...	...	...	...	2/9
a	Universal Cattle Medicine.	...	...	14/- doz.	3 doz., 13/9 doz.	6 doz., 13/6 doz.	1 gross 13/- doz.
a	Valtresol	...	...	...	...	1-lb. and 2-lb.	3/- & 5/3
						1/2-gall. and 1-gall.	9/- & 15/-
a	Veterinary Embrocation	...	...	...	...	...	17/- & 31/6 per doz.
a	Warble Fly Dressing	...	...	...	...	...	60/-
a Sl	Warwickshire "Tally Ho" Blistering Ointment	...	...	...	...	...	7/3 per lb.
a	Wytchlyne (J. R. & Co.'s)	...	...	...	...	...	4/-
a Sl	Yorkshire Blistering Ointment	...	...	...	...	...	5/6
a Sl	" " " Extra Strong	...	...	...	...	...	10/6

Veterinary Specialities.

(RICHARDSON)

THERAPEUTIC NOTES.

a **BISMA-CALNA (Veterinary)**

The Combined Carbonates of **BISMUTH, MAGNESIUM, CALCIUM** and **SODIUM**.

BISMA-CALNA will be found most effective in the treatment of Acute Gastritis.

Ordinary cases of Indigestion are speedily relieved, and in the more serious digestive troubles gratifying results will be obtained by the continued employment of **BISMA-CALNA**.

DOSE (for Dogs).—In acute cases half teaspoonful to two teaspoonfuls, according to size and breed, every two hours ; later reduced to twice daily. **Price**, 4/6 per lb.; 7 lb., 4/3 per lb.

a **BISMA-CALNA CREAM**

DOSE (for Dogs).—In acute cases half teaspoonful to one tablespoonful, according to size and breed, every two hours; later reduced to twice daily. **Price**, 1/9 per lb.; Winchester's, 1/6 per lb.

a **CHEVALIOD**

A safe and reliable Ointment containing Iodine.

NON-IRRITATING.

NON-DESQUAMATING.

Rapidly penetrates the Epidermis and induces a condition of local asepsis. Excellent for the treatment of Glandular Swellings and the relief of pain. Used immediately after Minor Surgical operations minimises the risk of Tetanus and Septicæmia.

Directions for Use.—Apply freely to the affected parts once or twice daily.

Price, 5/6 per lb.; 7 lbs., 5/- per lb.

a **FOSCO**

A stimulating tonic for Dogs and Cats. Recommended in cases of Debility, Loss of Weight, Fatigue, etc. **Price**, 9/- per doz.

a **TAENICIDE**

A Concentrated Extract of Areca Nut and an effectual remedy for worms in dogs. One minim should be given for each pound of the dog's weight; in milk or water.

In 2-oz. and 4-oz. bottles, 2/6 and 4/6 each, and in capsules, 10 min., 6/3 ; 15 min., 8/6; 30 min., 15/- per 100.

a **TEAT AND UDDER OINTMENT**

Will be found most effective for the treatment of Mammitis, or Inflamed Udders, rapidly reducing induration and restoring the tissue to normal health.

Directions for Use.—Well bathe the affected parts with warm water and apply the ointment freely night and morning. **Price**, 3/9 per lb.; 7 lbs., 3/6; 14 lbs., 3/3.

In 4 oz., 8 oz. and 1 lb. tins, 13/6, 25/- and 45/- per doz.

a **THYMOLODYNE DRESSING (Veterinary)**

Specially prepared from Native Silicates combined with Thymol, Glycerine, Iodide of Potassium, Boric and Salicylic Acids, and other suitable antiseptics.

A valuable non-greasy external application for all forms of congestion and inflammation. It is non-poisonous, soft, pliable and non-irritating, and constitutes an ever ready soothing and antiseptic poultice.

Directions for Use.—Gently warm the dressing by placing the vessel in hot water, then spread over the inflamed surface to the depth of about an eighth of an inch, cover with lint and bandage, if possible. If the part is very sensitive the Thymolodyne dressing may be spread on the lint and then gently applied.

Price, 2/6 per lb.; 5 lbs., 2/- per lb. In 4-oz., 8-oz. and 1-lb. Tins, 8/-, 13/6 and 25/- per doz.

a **VALTRESOL**

A powerful antiseptic and germicide, non-toxic and non-staining.

Price, In 1-lb., 3/3; 2-lb., 5/3; ½-gall., 9/-; 1-gall., 15/-; 2-gall., 29/-.

a BASIC ALUMINIUM SALICYLATE (Richardson).

A new and most effective remedy for White Scour in Calves, Gastric Distemper in Dogs, and for Horses and Cattle in all Gastric affections caused by bacterial invasion.

On entering the intestinal canal Alumina is precipitated as a jelly-like mass, having all the astringent properties of Hydrated Alumina in a Colloid form. The free Salicylic Acid liberated acts antiseptically on all the affected areas. Basic Aluminium Salicylate is **non-poisonous** and is not contra-indicated, its action is rapid and results certain. It forms an important addition to Veterinary Practice and will be found of great value in combating many diseases that have hitherto defied successful treatment.

Basic Aluminium Salicylate is best administered in milk or flour gruel.

Doses : Horses and Cattle, 3 to 6 drachms ; Calves, 3 to 9 months, 30 to 90 grains ; Calves, 1 to 3 months, 15 to 30 grains ; Dogs, according to size and weight, 15 to 45 grains.

Price : 9d. per ounce ; 9/- per lb.

a BELLADONNA ELECTUARY. (Veterinary).

Contains Extract of Belladonna combined with Chlorate and Nitrate of Potassium and demulcents.

A convenient preparation of Belladonna for ready administration in Paralysis, Sore Throat, Strangles and other disorders attended with difficult swallowing.

Dose for a horse, 2 to 4 drachms.

Price : 6/- per lb., in 1-oz. and 2-oz. pots, 7/- and 12/6 per doz.

a BISMA-CALNA (Veterinary).

The Combined Carbonates of Bismuth, Magnesium, Calcium and Sodium.

Bisma-Calna will be found most effective in the treatment of Acute Gastritis.

Ordinary cases of Indigestion are speedily relieved, and in the more serious digestive troubles gratifying results will be obtained by the continued employment of Bisma-Calna.

Dose (for Dogs) : In acute cases half teaspoonful to 2 teaspoonfuls, according to size and breed, every 2 hours ; later reduced to twice daily.

Price : 4/- per lb. ; 7 lbs., 3/9 per lb.

a BISMA-CALNA CREAM.

Dose (for Dogs).—In acute cases half teaspoonful to one tablespoonful, according to size and breed, every two hours ; later reduced to twice daily.

Price : 1/9 per lb. Winchesters, 1/6 per lb.

a CANINE TONIC.

A valuable medicine for all breeds of Dogs.

Ingredients :—Ext. of Meat, Ext. of Malt, Wine, and the Phosphates of Lime, Iron and Soda. Dose : 1 to 4 drachm according to size and age of dog.

In 2-oz. and 4-oz. bottles, 10/6 and 18/- per doz.

„ 8-oz. „ 16-oz. „ 2/6 „ 5/- each.

a CANINE DISTEMPER (Richardson).

A Combined Treatment of Colloidal Iodine and Thyroid Compounds.

This remedy has been extensively used and has proved most effective for the worst scourge known to Canine Breeders. Used according to directions a rapid cure may be expected.

In boxes containing 6 tubes of each tablet.

Price : 7/6 per box.

a CHEVALIOD (Richardson).

A safe and reliable Ointment containing Iodine.

Non-irritating. Non-desquamating.

Rapidly penetrates the Epidermis and induces a condition of local asepsis. Excellent for the treatment of Glandular Swellings and the relief of pain. Used immediately after Minor Surgical Operations, minimises the risk of Tetanus and Septicæmia.

Directions for use.

Apply freely to the affected parts once or twice daily.

Price : 5/6 per lb. ; 7 lbs., 5/- per lb.

a SI * CHLORODYNE BROWN (Veterinary).

Properties : Anodyne, Diaphoretic, Sedative, Astringent and Antispasmodic.

This popular medicine has been found as useful in Veterinary Practice as it has long been in the hands of the Medical Practitioner. It is of great value in the treatment of Spasms, Diarrhoea, and Dysentery ; and as a sedative in almost all cases for the alleviation of pain.

Price : 7/6 per lb. W.Qts. 7/3 per lb.

Also supplied Pink, White, and Green at the same price.

a CHLORO-SAN-KRESYL (Richardson).

A Non-Poisonous Chlorine Compound. Actively Deodorant, Disinfectant and Germicide.

Used in dilutions of one or two per cent. Specially recommended for Surgical Use. For washing suppurating wounds ; for swabbing the nostrils, mouth and throat. For sterilizing the genital organs of animals prior to service, and for general use, before, during, and after operations.

Price : Pint bottles, 1/6 ; Quart bottles, 2/9 ; Winchesters 4/6 each.

a EMULSIO PETROLEI (Veterinary).

We prepare an Emulsion of Purified Petroleum, combined with Hypophosphites, which is of a creamy consistency and palatable, and which is meeting with approval when an emulsion of this kind is required.

Price : 1/9 per lb. W. qt., 1/7 per lb.

a SI * ELIXIR HEROIN c. TERPIN. HYD.

A reliable combination, containing in each fluid dram, Heroin Hydrochlor. gr. $\frac{1}{8}$, Terpin. Hydrate gr. $\frac{1}{2}$ in combination with Glycerine, Aromatics, etc. It does not impede the secretions, affect the heart, or disturb the stomach, and is a specific sedative for the respiratory tract. Doses : Horses, half to one ounce every two or three hours. Dogs, ten to thirty drops every two to four hours.

Price : 5/- per lb.

INJECT. PROCAIN 5% (Richardson).

This preparation is said to be less toxic than Cocaine, and possesses the advantage of being non-irritating, and is useful in Canine Surgery and minor operations.

The subcutaneous dose for minor operations is from 5 to 15 minims injected around the area until anæsthesia is produced, which usually takes place in 5 to 10 minutes.

For major operations, 30 to 60 minims may be used according to the depth and extent of the area requiring anæsthesia.

It is prepared in the form of a sterile normal solution.

It is advisable to use the 1% solution in normal saline for local infiltration anæsthesia.

In 1 oz. amber bottles, rubber capped, 3/- each.

a SI LEICESTERSHIRE CONDITION POWDERS FOR HORSES.

These powders have been used for many years in the Hunting Stables of the Midland District, and have been found invaluable as a stimulant and tonic to all HORSES, especially to those who are occasionally "off their feed," and out of condition. Hunters and other horses are greatly benefited by a dose twice weekly during periods of extra exertion.

In $\frac{1}{2}$ -lb. and 1-lb. tins, 18/- and 32/- per dozen.

a LIN. SAPONIS, MYRRH et BENZOIN CO. (Veterinary).

A healing styptic, forming with water a permanent emulsion. Useful as a wash for foul smelling sores, etc.

Price : 4/6 per lb. W. qt. 4/3 per lb.

a SI * LINCTUS TUSSI.

An excellent preparation for the treatment of coughs in dogs.

Price : 3/6 per lb., W. qt., 3/3 per lb.

a SI LIQ. ARSEN. BROMID. (Veterinary).

A valuable tonic alternative which has been used with success in many troublesome skin diseases.

Price : 2/6 per lb. W. qt. 2/3 per lb.

a LIQ. CALCII IODINATI.

Similar in action to Iodide of Potassium and considered to be more quickly absorbed in consequence of the Iodine being in a loose state of combination. It has the properties of free Iodine without its irritating and staining effects. Given internally, it is a powerful antiseptic, and is useful in cases of ulcers of the throat and mouth, also in rapidly detaching diphtheritic membrane. It is also valuable in foot and mouth disease, and for injecting in enlarged glands and joints.

Price : 4/- per lb.

a LIQ. CHLORAL HYDRATE (Veterinary).

Chloral Hydrate has been successfully used in cases of Parturient Apoplexy or Milk Fever, and this Liquor will be found to be the most convenient form for its administration. Strength:—One fluid drachm contains one drachm of crystallized Chloral Hydrate.

Price : 8/- per lb.

a LIQ. NITRITUM.

It is generally believed that the therapeutic value of Spt. Aether Nit. is due chiefly to the Ethyl Nitrite it contains ; this when prepared according to the official method is an unstable solution, and being very volatile, loss of strength is continually taking place.

In order to have a reliable preparation of unvarying composition, we prepare a Nitrous Solution therapeutically equal to Spt. Aether Nit., for which it is an efficient and perfect substitute, at a greatly reduced cost. It is miscible with water in all proportions.

Price : 1/11 per lb. W. qt., 1/8 per lb.

a LIQ. PEPSINAE c. BISMUTH CO. (Richardson).

An extremely valuable preparation in Veterinary practice for the treatment of Gastritis, Muco-Enteritis and other intestinal affections, particularly the Gastric form of Distemper in dogs, for which it is specially recommended. Richardson's Liquor Pepsinæ c. Bismuth. Co. has been in extensive use for over 30 years with a constantly increasing sale.

"Acute Gastritis in the Dog." At a meeting of the West of England Veterinary Association recently held in Exeter, several well-known practitioners testified to the

value of Richardson's Liquor Pepsinæ c. Bismuth. Co., one member expressing the opinion that of all the Bismuth preparations on the market "**Richardson's is the Best.**" This opinion was cordially endorsed by other members.—*Vide Veterinary Record.*

Price : 6/6 per lb. Winchester Quarts, 6/- per lb.

a LIQ. PICIS CO. (Veterinary).

The great success which has attended the use of our Liq. Picis Co. in the treatment of the various forms of Eczema in the human subject, has induced us to prepare a cheaper form for Veterinary use. Its remedial powers are due to the Tar suspended in Alcohol, containing the active principles, Benzine and Carbolic Acid, and it is a most powerful Antiseptic and Disinfectant. For lotions for wounds, broken knees, etc., one part to be added to seven parts of water. For mange and other skin diseases add one part to five parts of water.

Price : 3/- per lb. W. qt., 2/9 per lb.

a LIQ. POTASSII IODINATI.

Similar in action to Iodide of Potassium, and considered to be more quickly absorbed in consequence of the Iodine being in a loose state of combination.

Price : 3/- per lb. W. qt., 2/10 per lb.

LIQ. VIRIDE.

An ideal colouring agent. This will be found an excellent, convenient and certainly one of the most economical colouring agents yet introduced, a few drops added to a half-pint mixture imparting a permanent rich green colour.

Price : 3/6 per lb.

LYSOL (Richardson).

The ideal Surgical Antiseptic and Disinfectant. As a dressing for wounds, for sterilizing surgical instruments and for general antiseptic purposes is equal to any Lysol on the market. It is freely soluble in water, forming a clear bright solution in all proportions.

In 4-oz., 8-oz., 16-oz. and 32-oz. bottles, 7/9, 13/6, 24/- and 42/- per doz. Per gallon, 11/3.

a MANGE DRESSING (Richardson).

A reliable Anti-Sarcoptic Dressing.

For Mange in Horses, Dogs, Cattle, etc. Kills Fleas, Lice and other Parasites.

Rapidly destroys the Acari, relieves the irritation, assists in the promotion of new growths of hair in bad cases, and prevents the casting of the coat in minor ones. A very important advantage of this preparation is that it effectually destroys Lice and Fleas, two of the most dangerous carriers of not only Mange but many other diseases.

A gentle Aperient during the treatment is recommended.

..... M.R.C.V.S. states that he has been using the Anti-Sarcoptic Dressing supplied by us for some years, and has no hesitation in saying that it is without question the best of the Anti-Sarcoptic washes he has ever tried.

He has tried others, but ours is the only one which he can give to a client with the assurance that "it will cure."

The above is an authentic unsolicited testimonial.

Price : In cartons, 2-oz. 5/6 per doz. ; 4-oz. 8/6 per doz. ; 8-oz. 14/6 per doz.

In bulk, 2/1 per lb. ; 7-lb. 2/- per lb.

a SI MIKOZONE (Veterinary).

A Combination of Chloral Hydrate, Potass. Brom., Cannab Ind., Ext. Hyoscy., etc. An excellent hypnotic, quickly produces natural sleep, gives immediate relief in pain, and, unlike Opiates, does not arrest secretions.

Price : 6/6 per lb.

a MIST. ANTISPASMODIC (Veterinary).

A reliable combination of Aloes with Aromatics and Sedatives, for the relief of Colic, Dyspepsia and Impaction in horses. Dose :—From four to six fluid ounces diluted with water and repeated in four hours if the pain is not relieved.

Price : 4/- per lb. W. qt., 3/9 per lb.

a MIST. CREOSOTI COMP. (Alexander's Formula).

An extremely valuable preparation in Veterinary Practice for Gastritis, Muco-Enteritis and other Intestinal Affections in Calves, Foals and other Young Animals. Strongly recommended in White Scour.

Principal ingredients : Creta Preparata, Catechu, Zingiberis, Creosotum, Hæmatoxylum, Opium, Ol. Menthæ Pip.

Before administering Mist. Creosoti Co. give the animal half to two ounces of Castor Oil in scalded milk, but not drawn from its dam.

DOSE (Morning and Night).

Calf or Foal : 1 day to 1 week old, 1 to 2 drachms ; 1 week to 1 month old, 2 to 3 drachms ; 1 to 3 months old, 3 drachms to 1 ounce ; over 3 months old, 1½ to 2 ounces. **Sheep :** 3 to 4 drachms. **Lambs :** 1 to 4 drachms. **Swine :** ½ to 1 ounce. **Young Pig :** 1 to 3 drachms.

Patients should be isolated and kept in a clean, warm, dry and well-ventilated stall or loose box.

Price : 4/6 per lb. Winchester quarts, 4/3 per lb.

a MIST. TONIC CO. (Veterinary).

This mixture is a reliable combination of Iron, Quinine and Strychnine combined with other tonics, and will be found of great value in debility and prostration, and as it is rapidly absorbed it can be administered in Anæmia, etc with beneficial results, and as an antipyretic it can be used whenever there is a marked elevation of temperature. As a tonic after influenza and other severe illnesses, this preparation is unequalled. Dose : *Horses :* 1 to 2 fluid ounces diluted with water.

Price : 5/- per lb. W. qt., 4/9 per lb.

a SI OLEUM CANTHARID. FORT. (Veterinary).

This being a pure Cantharidin Extract in Olive Oil it is preferred by many practitioners to the various blistering ointments, as its action is prolonged, and less irritation attends its use. For thoroughbreds and other horses with fine skins it is specially indicated, and if properly applied will not blemish.

Price : 6/- per lb. W. qt., 5/9 per lb.

a SI OLEUM VESICANS (Veterinary).

A preparation largely prescribed and specially manufactured from the formula of a well-known veterinary practitioner. It consists of Euphorbium Gum, Turpentine, Mylabris, Oil of Thyme, Camphor, Linseed Oil, etc.

Price : 4/6 per lb. W. qt., 4/3 per lb.

a RESTORATIVE FLUID (Veterinary).

A reliable preparation for Colic and Scour, also for weakness, low condition and chill.

Dose : *Horses :* The contents of a bottle should be given in a pint of warm water and the dose repeated in half an hour if necessary.

Cattle : The contents of a bottle in sweetened gruel.

Calves or Sheep : One to four teaspoonsful in milk or gruel and repeated if necessary.

Pigs and Lambs : One to two teaspoonsful in milk or gruel every four hours.

No. 1 in 4-oz. bottles, composed of Chloral Hydrate, Aether, Catechu, Turpentine, with Aromatics, etc,

Price : 22/- per dozen bottles.

No. 2 in 3-oz. bottles, composed of Chlorodyne, Catechu, Turpentine, with Aromatic Oils, etc.

Price : 18/- per dozen bottles.

SANITARY FLUID (Veterinary).

The best disinfectant and cleanser for stables, dog kennels, cattle stalls, cattle trucks. Easily used, perfectly safe, free from any objectionable smell. It also forms, when diluted, an excellent dressing for Skin Diseases and wounds of all kinds.

Directions for Use.

For closets, drains, dustbins, etc., add two tablespoonfuls to one pint of water. Half a pint of this Mixture two or three times a week is sufficient ; but in cases of Fever apply daily. For hospitals, kitchens, larders, etc., add one tablespoonful to one pint of water. Sprinkle freely, it does not leave any stain. For washing out stables, kennels, etc., add two tablespoonfuls to one gallon of water. For washing dogs add four tablespoonfuls to half a gallon of water. It destroys all Vermin, improves the appearance of the coat, and heals sores. For fowls, etc., add four tablespoonfuls to half a gallon of water. For horses, sheep and other animals add one pint to twelve gallons of water.

Price : 5/6 per gallon ; 5 gallons, 5/3 per gallon ; 10 gallons, 5/- per gallon.

SAN KRESYL.

An ideal surgical antiseptic. In response to numerous requests we have increased the strength of this preparation, and can now guarantee it to have eighteen times the efficiency of Pure Carbolic Acid when tested by the Walker-Rideal bacteriological method on Baccillus Typhosus.

A two per cent. solution of San-Kresyl may be employed for disinfecting the hands, and a similar strength destroys various morbid germs more rapidly and thoroughly than carbolic acid. It is of considerable value in the treatment of wounds, and is an excellent and inexpensive substitute for many of the highly advertised veterinary antiseptics.

Price : in 16-oz. and 32-oz. bottles, 2/- and 3/6 each ; per gallon, 10/-.

a SAPO SAN-KRESYL (Richardson).

Antiseptic. Detergent. Non-Irritating.

This valuable addition to Veterinary Science will be found well suited to the needs of the Profession, both before and after Operations, especially in Parturition and Uterine Operations.

Directions for Use.

For the hands and arms. Wet the hands and arms. Apply Sapo "San-Kresyl" rubbing gently over the wet surfaces until a decided lather is produced. After the operation wash in warm water and give a second application of Sapo "San-Kresyl" to ensure complete sterilisation of the skin.

For the preparation of the skin prior to operations : First wash the areas of the skin with warm water and apply a sufficient quantity of Sapo "San-Kresyl" to produce a lather, gently rubbing over the whole surface.

Price : 2/6 per lb. ; 7 lbs., 2/3 per lb.

SOLUBLE SAN-KRESYL.

A reliable surgical antiseptic and disinfectant. A two per cent. solution equals in antiseptic power :—Hydrarg. Perchlor. 1 in 1,000, or Acid. Carbolic 1 in 20. As a dressing for wounds, a one to two per cent. solution is recommended, and half to one per cent. solution for sterilizing surgical instruments, etc. In the preparation of the solution the antiseptic should be poured *into* water and not vice versa.

Price : in 16-oz. and 32-oz. bottles, 2/3 and 4/- each ; per gallon, 11/6.

a SOL. AMMON. AROMAT.

This preparation will be found to be an excellent and inexpensive substitute for Spt. Ammon. Aromat.

Price : 1/3 per lb. W. qts., 1/1 per lb.

Concentrated 1 to 2, 2/4 per lb. ; W. qt., 2/2 per lb.

a SYR. GLYCEROPHOS. CO. (Veterinary).

Composed of the soluble Glycerophosphates of Calcium, Potassium, Sodium, Magnesium, Iron and Strychnine. This combination improves the general nutrition of the nervous system and has been administered with very favourable results in debility following influenza, etc.

Price : 3/9 per lb. W. qt., 3/6 per lb.

a TAENICIDE.

A Concentrated Extract of Areca Nut and an effectual remedy for Worms in Dogs. One minim should be given for each pound of the dog's weight ; in milk or water.

Price : 2 oz. and 4 oz. bottles, 2/6 and 4/6 each. Capsules, 10 min., 6/3 ; 15 min., 8/6 ; 30 min., 15/- per 100.

a TEAT AND UDDER OINTMENT.

Will be found most effective for the treatment of Mammitis or Inflamed Udders, rapidly reducing induration and restoring the tissue to normal health.

Directions for Use.

Well bathe the affected parts with warm water and apply the Ointment freely night and morning.

Price : 3/9 per lb. ; 7 lbs., 3/6 per lb. ; 14 lbs., 3/3 per lb.

a THYMOLODYNE DRESSING (Veterinary).

Specially prepared from Native Silicates combined with Thymol, Glycerine, Iodide of Potassium, Boric and Salicylic Acids, and other suitable antiseptics.

A valuable non-greasy external application for all forms of congestion and inflammation. It is non-poisonous, soft, pliable and non-irritating, and constitutes an ever ready soothing and antiseptic poultice.

Directions for Use : Gently warm the dressing by placing the vessel in hot water, then spread over the inflamed surface to the depth of about an eighth of an inch, cover with lint and bandage, if possible. If the part is very sensitive the Thymolodyne dressing may be spread on the lint and then gently applied.

Price : 2/6 per lb. ; 5 lbs., 2/- per lb.

In 4-oz., 8-oz. and 1-lb. tins, 8/-, 13/6 and 25/- per doz.

a THYMOLODYNE SPRAY.

Antiseptic, Deodorant and Disinfectant. Pleasant and Effective. Ideal for the Home, Office, Factory and Public Institutions. A sure preventative against Influenza and other disease germs. Economical in use. Half-a-pint added to one gallon of water forms a solution which will destroy Bacillus Coli in 2½ minutes. An actual Germ destroyer.

Price : 5/- per gallon.

a SI UNG. EPISPASTICUS VIRIDE (Veterinary). (For Horses).

A pure Cantharides ointment which readily causes copious vesication without irritation. It is prompt in effect, and as it causes little or no itching, the animal has no inclination to bite or rub the parts blistered ; a distinct advantage over many other blistering ointments.

Price : 7/6 per lb. ; 7 lbs., 7/3 per lb.

a UNG. SEDATIVUM (Veterinary).

A useful sedative ointment in pain from abrasions, bruises, cracked heels, wounds, etc. Composed of natural Zinc Salts in combination with Pine Oils, Wool Fat, Antiseptics, etc.

Price : 5/6 per lb. ; 7 lbs., 5/3.

a SI WARWICKSHIRE "TALLY-HO" BLISTER. (Veterinary).

Carefully prepared from the original formula of a well-known Warwickshire practitioner and is highly recommended

Price : 7/3 per lb. ; 7 lbs., 7/- per lb.

a SI YORKSHIRE BLISTERING OINTMENT (Veterinary).

A reliable blistering ointment made from the finest ingredients, easily applied and certain in action.

Price : 5/6 per lb. ; 7 lbs., 5/3 per lb.

a SI YORKSHIRE BLISTERING OINTMENT (Veterinary). (Extra Strong).

A combination of our ordinary Yorkshire Blistering Ointment with Red Iodide of Mercury.

Price : 10/6 per lb. ; 7 lbs., 10/3 per lb.

ANTISEPTIC & HAEMORRHOIDAL DRESSINGS

IN COLLAPSIBLE TUBES.

Subject to 33½% Purchase Tax.

ANTISEPTIC JELLIES

Compound Thymolodyne Jelly.

" " Cream.

Carbolic Acid Jelly.

Eucalyptus Jelly.

Boric Acid and Glycerine Jelly.

Perchloride of Mercury Jelly.

Binioidide of Mercury Jelly.

San-Kresyl Jelly.

In Collapsible Tubes, 1/6 each, 14/- per dozen.

HAEMORRHOIDAL JELLIES

"Exorrhoid" ... 2/6 per Tube, 24/- per doz.

Ung. Gallae Co. ... 2/6 " 24/- "

Hamamelis Ext. ... 2/6 " 24/- "

OINTMENTS

Ung. Betulae Co. c. Sinapis ... 14/- per doz.

" Eczema (Acute) ... 9/- "

" " (Chronic) ... 9/- "

" Sedativum ... 9/- "

CANINE AND FELINE SPECIALITIES

(AS USED BY A SPECIALIST IN CANINE DISEASES).

Subject to 33 $\frac{1}{3}$ % Purchase Tax.

BISMA-CALNA CREAM. Dose (for Dogs).—In acute cases half teaspoonful to one tablespoonful, according to size and breed, every two hours; later reduced to twice daily. Price : 1/9 per lb. W. qt., 1/6 per lb.

CHRONIC ECZEMA OINTMENT for Follicular and Sarcoptic mange and chronic eczema in pet dogs, etc. Composed of Styrax, Salicylic Acid, and Sulphur with Oxide of Zinc, etc. To be well rubbed into the affected parts three or four times a week. Price : 5/- per lb. In 1-oz. and 2-oz. pots, 10/- and 15/6 per doz. In tubes, 9/- per doz.

ACUTE ECZEMA OINTMENT for Erythema, etc., in pet dogs. Composed of Calamine, Salicylic Acid with Oxide of Zinc, etc., perfumed. To be well rubbed into the affected parts three or four times a week. Price 5/- per lb. In 1-oz. and 2-oz. pots, 10/- and 15/6 per doz. In tubes, 9/- per doz.

PARASITICINE No. 1 for Canker. Consisting of a dilute oily solution of Nitrate of Mercury with Oil of Stavesacre, etc. A small quantity to be brushed or poured into the ear every third day. Care should be taken in the case of cats that the superfluous oil be removed with a little absorbent cotton wool. Price : 8/6 per lb.

PARASITICINE No. 2 for Canker. Consisting of Naphthol, Aether, Olive Oil, etc. Price : 5/6 per lb.

LIQ. PEPSIN c. BISMUTH CO. (Veterinary). A valuable preparation in Veterinary practice for Gastritis, Muco-enteritis, etc., containing in each fluid dram :—

Tinct. Nux. Vomica ...	...	m. viij.
Acid Hydrocyan. Dil. ...	...	„ ij.
Morph. Mur. ...	...	gr. l-24th
Pepsin ...	...	„ i.

With Bismuth, Chloric Aether, etc. Price : 7/6 per lb. ; W. qt. 7/- per lb.

SAPO STAPHISAGRIS CO. LIQ. A reliable preparation for lice, fleas, etc., in pet dogs. Containing Soap, Benzole, Stavesacre, etc. Price : per lb.

PULV. PYRETHRI CO., for fleas in cats. Composed of Sulphur, Camphor, and the powdered closed flowers of Pyrethri Cinerariæfolium, etc. Price : 4/- per lb.

MIST. SODII SALICYLAS CO. (Veterinary). For Distemper and Influenza. A preparation consisting of Iodide of Potassium, Salicylate of Sodium, Tincture of Digitalis, with tonics and aromatics. Doses : Dogs, $\frac{1}{2}$ ounce 2 or 3 times a day; Horses, 4 to 8 ounces. Price: 2/6 per lb., W. qt. 2/3 per lb.

SAPOLINE (Veterinary). Animal Shampoo. A reliable preparation for washing dogs and other animals, as it thoroughly cleans the skin and coat, and readily destroys fleas and other parasites. It is greatly superior to the ordinary dog soaps. Directions: Wet the animal with a sponge, rub a small quantity of the Sapoline into the roots of the hair, then rinse in water and thoroughly dry. Price: 1/6 per lb. W. qt. 1/4 per lb.

GLYCERINE SUPPOSITORIES for dogs, cats, etc. The use of Glycerine in the treatment of Constipation has been generally approved by the profession. In three sizes, in boxes of 1 dozen. Large, 14/3; Medium, 12/6; and Small, 11/3 per dozen boxes.

a MIST. ANTISPASMODIC (Veterinary)

(RICHARDSON)

A specific for Colic, Dyspepsia and Impaction in Horses.

This is an entirely new preparation manufactured at the special request of a number of eminent Veterinary Surgeons who have long felt the need of a really effective remedy for cases of Colic, Dyspepsia and Impaction.

We confidently recommend Mist. Antispasmodic to our Veterinary friends—it is the result of many months scientific research and experiment.

Mist. Antispasmodic is essentially a compound of Aloes in conjunction with Sedatives and Aromatics, manufactured by a special process in which the griping property of the aloes is entirely eliminated, without in any way impairing its efficiency. The aromatics are extracted direct from the plants themselves, and are not merely additions of essential oils.

The main cause of Colic and Impaction is undoubtedly Dyspepsia, for which Mist. Antispasmodic is definitely specific, and we recommend that relatively small doses be given at regular intervals to induce a healthy condition of the intestinal tract, and so prevent Dyspepsia and its more serious sequel.

Mist. Antispasmodic should find a place in every Veterinary Surgery. It never fails as a preventive, and quickly relieves even the most severe cases. It is non-poisonous and may, with advantage, be left in the hands of stock owners for use as occasion requires.

Mist. Antispasmodic is sold only to the profession in Bottles at 4/- per lb., Winchester Quarts at 3/9 per lb.

		Per 1-oz.	Per 4-oz.	Per 8-oz.	Per lb.			
					1-lb.	C. qt. or 2-lb.	4-lb.	1 W. qt. or 7-lb.
A	Acaciæ No. 1.....	—	1/2	2/2	4/2	—	—	—
	„ No. 2.....	—	1/1	2/1	4/-	—	—	—
	„ Pulv. No. 1	—	1/5	2/7	5/-	—	—	—
	„ „ No. 2	—	—	2/2	4/2	—	—	—
<i>a</i>	Acetanilidum	—	1/5	2/8	5/-	—	—	—
<i>a</i>	Acetannin	3/4	—	—	—	—	—	—
	Acetum Opt.	1 pt. 10d.	2 pts. 1/5	½ gall. 2/8	1 gall. 5/-	—	—	—
<i>a Sl</i>	„ Cantharidis	—	1/4	2/7	4/11	—	—	—
<i>a Sl</i>	„ Cantharidini	—	1/2	2/2	4/-	—	—	—
	„ Dest.	1 pt. 1/2	2 pts. 2/-	½ gall. 3/7	1 gall. 7/-	—	—	—
<i>a</i>	Acid. Aceto-Salicylic	—	—	2/7	4/8½	4/7½	4/6	4/4
<i>a</i>	„ Acetic	—	—	—	11d.	10d.	—	9d.
<i>a</i>	„ Acetic Dil.	—	—	—	8d.	—	—	—
	„ „ Glacial	—	—	10d.	1/6	1/5	—	1/4
	„ Arsenios. (see Arseni Trioxid)	—	—	—	—	—	—	—
	„ Benzoic, Synthetic	7d.	1/6	2/11	5/7	—	—	—
	„ Boric. Cryst.	—	—	—	1/2	1/1	1/-	11d.
	„ „ Pulv.	—	—	—	1/2	1/1	1/-	11d.
	„ „ „ Subtil	—	—	—	1/3	1/2	1/1	1/-
	„ Carbolic (see Phenol)	—	—	—	—	—	—	—
	„ „ Coml.	1 gall. 5/-	5 galls. 4/6	—	—	—	—	—
	„ Chromicum (see Chromii Trioxidum)	—	—	—	—	—	—	—
	„ Citric Cryst.	—	—	—	2/1	2/1	2/-	1/11
	„ Gallic	—	1/4	4/-	7/6	14/6	—	—
	„ Hydrochlor., Coml.	—	—	—	9d.	8d.	—	6d.
	„ „ „ Pur. P.B.	—	—	—	1/-	11d.	—	9d.
<i>a</i>	„ „ „ Dilut.	—	—	—	10d.	9d.	—	7d.
<i>a Sl</i>	„ Hydrocyanic. Dil. P.B.	11d.	11d.	1/4	2/5	½ doz. 1 oz.	10/- doz.	1 doz. 1 oz. 9/6 doz.
<i>a Sl</i>	„ „ (Scheele's)	1/-	1/1	1/10	3/3	½ doz. 1 oz.	11/- doz.	1 doz. 1 oz. 10/6 doz.
	„ Nitric., Coml.	—	—	—	1/4	1/3	—	1/1
	„ „ „ Pur. P.B., S.G. 1.42	—	—	—	1/7	1/6	—	1/4
<i>a</i>	„ „ „ Dilut.	—	—	—	9d.	—	—	—
<i>a</i>	„ Nitro-hydrochlor. Dilut.	—	—	—	10d.	9d.	—	7d.
	„ Oleicum	—	—	1/2	2/2	—	—	1/11
	„ Phosphoric. B.P.	—	10d.	1/4	2/5	2/2	—	2/-
<i>a</i>	„ „ „ Dil. P.B.	—	—	—	10d.	9d.	—	—
	„ Salicylic	—	—	1/9	3/1½	3/0½	2/11	2/9
	„ Sulphuric., Coml.	—	—	—	9d.	8d.	—	7d.
<i>a</i>	„ „ „ Pur. P.B.	—	—	8d.	1/2	1/1	—	9d.
<i>a</i>	„ „ „ Dilut.	—	—	—	10d.	9d.	—	8d.
	„ Sulphurosum	—	—	—	10d.	—	—	—
	„ Tannic. P.B.	—	1/4	4/-	7/6	14/6	—	—
	„ Tartaric Pulv.	—	—	—	3/3	3/3	3/3	3/2½
	„ Trichloracetic	—	2/8	—	—	—	—	—
<i>a Sl</i>	Aconitina	gr. 1/3	—	—	—	—	—	—
	Adeps. Lanæ	—	—	—	2/6	2/5	2/3	2/1
	Adeps. Lanæ Hydros	—	—	—	2/-	1/11	1/10	1/9
	Adeps.	—	—	—	—	—	—	—
	Adeps. Benzoatus	—	9d.	1/2	2/2	2/1	2/-	—
	Adrenalina B.P.	1 gr. 9d.	1 gramme	4/9	—	—	—	—
	Æther B.P.	—	—	1/9	3/4	3/3	—	3/1
	„ B.S.S. .579	—	—	1/8	3/2	3/1	—	2/11
	„ Anæstheticus	—	1/1	1/11	3/8	—	—	—
	Agar	—	—	—	—	—	—	—
<i>a</i>	Albumini Tannas	—	—	—	—	—	—	—
	Alcohol B.P. (95%)	1 fl.oz. 3/3	5 fl.oz. 14/3	½ pt. 27/3	1 pt. 53/6	2 pt. 52/6	—	—
	Alcohol B.P. (90%)	1 fl.oz. 3/1	5 fl.oz. 13/9	½ pt. 26/-	1 pt. 51/-	2 pt. 50/-	—	—
	Alcohol Dehydratum (Absolut.)	5/-	15/6	29/9	58/-	57/-	—	—
	Aloe, Cape	—	11d.	1/6	2/9	—	—	—
<i>a</i>	„ „ Pulv.	—	1/-	1/10	3/5	—	—	—
	„ Curacao (Ordinary)	—	—	—	4/6	—	—	—
	„ „ (Fine Liver)	—	—	—	5/-	—	—	—
	„ „ (Finest Liver)	—	1/8	3/2	6/-	—	—	—

		Per 1-oz.	Per 4-oz.	Per 8-oz.	Per lb.			
					1-lb.	C. qt. or 2-lb.	4-lb.	1 W. qt. or 7-lb.
a	Aloe, Curacao, Pulv. No. 1.....	—	1/9	3/3	6/3	—	—	—
a	" " " No. 2.....	—	1/7	2/11	5/6	—	—	—
a	Aloin	3/4	10/-	—	—	—	—	—
	Alumen (Ammonia Alum) Cryst.	—	—	—	1/2	—	—	—
	" " " Pulv.	—	—	—	1/4	—	—	—
	" (Potash Alum) Cryst.	—	—	—	1/2	—	—	—
	" " " Pulv.	—	—	—	1/4	1/3	1/-	—
	" Exsicc. Pulv.	—	—	1/-	1/11	—	—	—
	" Rupell	—	—	11d.	1/8	—	—	—
	Ammoniacum Pulv.	—	1/10	3/6	6/9	—	—	—
	Ammonii Benzoas, Synthetic	11d.	2/6	4/10	9/6	—	—	—
	" Bicarb. B.P.	—	—	9d.	1/3	—	1/2	1/-
	" Bromid.	—	—	2/1	3/10	3/9	3/7½	3/5½
	" Carbonas Cubes	—	—	—	1/9	1/8	1/7	1/5
	" " Gran.	—	—	—	1/9	1/8	1/7	1/5
	" " Pulv.	—	—	—	1/6	1/5	1/4	1/2
	" " Coml. Lump	—	—	—	1/-	1/-	11d.	10d.
	" " " Pulv.	—	—	—	1/-	1/-	11d.	10d.
	" Chlorid. Pulv.	—	—	—	1/5	1/4	1/3	1/1
a	Amyleni Hydras	2/7	7/4	—	—	—	—	—
SI	Amylocainæ Hydrochlor. B.P.	1 dram	3/5	—	—	—	—	—
	Amylum Pulv.	—	—	—	10d.	10d.	8½d.	8d.
a	Amyl Nitris	1/3	3/9	7/3	14/-	—	—	—
	Anchusæ	—	—	—	2/4	—	—	—
	Anisi	—	—	—	3/8	—	—	—
	" Pulv.	—	—	—	3/11	—	—	—
a	Antifebrin (see Acetanilidum)	—	—	—	—	—	—	—
SI	Antim. Crocus Pulv.....	—	—	—	—	—	—	—
SI	" Nigr. Pulv.	—	—	—	2/4	—	—	—
SI	" Chloride (see Liq.)	—	—	—	—	—	—	—
SI	" Sulphurat.	—	—	—	—	—	—	—
a SI	" et Pot. Tart. B.P.	1/-	2/11	—	—	—	—	—
a SI	" " " 14	—	—	—	—	—	—	—
a SI	Apomorphinæ Hydrochlor.....	1 gr. 1/1	5 gr. 5/-	—	—	—	—	—
	Aqua Destil.	1 to 4 gals.	1/8 gal.	5 to 9 gals.	1/6 gal.	10 gals.	and over 1/- gal.	—
a SI	" Laurocerasi B.P.C.	—	—	11d.	1/9	—	—	—
	" Menthæ Pip. Conc. B.P.	—	10/6	20/6	40/-	39/-	—	37/-
a	" " Conc. (J.R. & Co.'s) see page 4	—	—	—	—	—	—	—
a	Areca Pulv.	—	—	1/4	2/7	—	—	—
a	Arecolin Hydrobrom.	1 gr. 4/2	—	—	—	—	—	—
	Argenti Nitras Cryst.	4/6	17/-	32/8	—	—	—	—
a	" " Fusa (Sticks) 4s 6s.....	4/9	18/-	—	—	—	—	—
a	" " " 8s.	5/-	19/-	—	—	—	—	—
a	" " (Tough Points)	—	18/- per doz.	—	—	—	—	—
a	" " (Mounted)	—	7/6 per doz.	—	—	—	—	—
a	" Proteinæ	3/11	13/10	—	—	—	—	—
a	" " Mite B.P.C.	6/8	25/6	—	—	—	—	—
	Arnica Flor.	—	—	2/8	5/-	—	—	—
a	" Rhizoma Pulv.	—	—	—	7/6	—	—	—
SI	Arsenic Alb. Pulv.....	—	—	—	1/7	1/6	1/4	1/2
	Asafoetida	—	3/-	5/9	11/-	—	—	—
	" Pulv.	—	3/2	6/3	12/6	—	—	—
SI	Arseni Triiodidum	—	3/11	—	—	—	—	—
SI	Arseni Trioxidum B.P.	—	6d.	10d.	1/5	2/8	—	—
a	Aspirin (see Acid Aceto Salicylic)	—	—	—	—	—	—	—
SI	Atropin Sulph.	½ dram	3/9	1 dram	7/-	—	—	—
	Aurant Cort. Sicc. Exot. Thin cut	—	1/8	3/2	6/3	—	—	—
	" " " " Quarters	—	—	—	2/6	—	—	—
B	a SI Belladonna Pulverata B.P.	—	2/9	5/3	10/-	—	—	—
	a SI Belladonnæ Rad. Pulv. No. 90	—	2/3	4/5	8/7	—	—	—
	a SI " " " No. 20	—	2/1	4/2	8/4	—	—	—
a SI	Benzamine Hydrochlor.	1 dram	3/5	—	—	—	—	—
a SI	" Lactas	1 dram	3/5	—	—	—	—	—
	Benzocaina B.P.	4/9	—	—	—	—	—	—

	Per 1-oz.	Per 4-oz.	Per 8-oz.	Per lb.			
				1-lb.	C. qt. or 2-lb.	4-lb.	1 W. qt. or 7-lb.
Benzoin	—	1/11	£/6	6/6	—	—	—
„ Pulv.	—	—	4/3	8/-	—	—	—
Benzonaphthol	2/1	—	—	—	—	—	—
Bismuthi Carb.	—	—	—	18/3½	17/9½	17/3½	16/9½
„ Oxiogallas	4/-	—	—	—	—	—	—
„ Salicylas	—	4/5	8/8	16/2½	15/8½	15/2½	—
„ Subgallat	—	5/5	10/2	19/2½	18/8½	18/2½	—
„ Subnitras	—	4/7	8/8	16/2½	15/8½	15/2½	—
Bole Armen.	—	—	—	11d.	10d.	8d.	—
Borax	—	—	—	11d.	10½d.	10d.	9d.
„ Pulv.	—	—	—	11d.	10½d.	10d.	9d.
Brilliant Green (see Viride Nitens)	—	—	—	—	—	—	—
Bromum	9d.	—	—	—	—	—	—
„ (2 c.c. Ampoules)	1 doz. 9/6	—	—	—	—	—	—
Buchu	—	2/2	4/-	7/6	—	—	—
a Butyl-Chloral Hydras (Croton Chl.) ...	3/2	9/5	—	—	—	—	—
C							
Caffeina	4/6	17/9	—	—	—	—	—
Caffeina Citras	3/2	11/-	21/-	—	—	—	—
a Calamina Preparata, B.P.	—	—	—	2/8	2/7	2/5	2/4
Calcii Carb. (Creta Præcip.)	—	—	—	8d.	7½d.	7d.	6½d.
„ Chlorid. Gran.	—	—	10d.	1/7	—	—	—
„ Gluconas	—	1/8	3/2	6/-	—	—	—
„ Hydroxid.	—	—	7d.	1/1	1/-	—	—
„ Hypophosph.	10d.	2/1	—	—	—	—	—
„ Lactas	—	1/2	2/-	3/10	3/8	—	—
„ Phosphas	—	—	1/-	2/-	1/11	—	—
„ Sulphas	—	—	—	8d.	8d.	7d.	6d.
Calumba	—	—	1/-	1/10	—	—	—
a „ Pulv. No. 90	—	—	1/6	2/11	—	—	—
Calx Chlorinata	—	—	—	1/1	—	—	10d.
Cambogia Pulv.	1/11	5/9	11/-	21/6	—	—	—
Camphora Synthetic	—	3/2	6/2	12/-	—	—	—
„ Natural	—	4/-	7/6	14/-	—	—	—
a SI Cantharidin	1 gr. 1/-	1 gramme 7/10	—	—	—	—	—
SI Cantharis (Chinese) Pulv.	2/2	6/6	12/-	23/-	—	—	—
Capsicum No. 1	—	—	1/8	3/2	—	—	—
„ No. 2	—	—	1/5	2/8	—	—	—
a „ Pulv. No. 1	—	—	2/1	4/2	—	—	—
a „ „ No. 2	—	—	1/10	3/8	—	—	—
a Carbo B.P.C. Pulv.	—	—	—	11d.	—	—	—
a „ Pulv. Willow	—	—	10d.	1/7	—	—	—
Carbon Disulphid.	—	—	1/4	2/8	2/7	—	2/5
Carbonei Tetrachlor B.P.	—	—	1/5	2/8	2/6	—	2/4
Carum Pulv.	—	—	1/10	3/6	—	—	—
Caryoph. Pulv.	—	1/-	1/10	3/6	—	—	—
a Carcarillæ Pulv.	—	—	4/-	7/10	—	—	—
Cassiæ Cort. Pulv.	—	—	2/-	3/10	—	—	—
a Cataplasma Kaolin B.P.	—	—	—	1/3	—	—	—
Catechu Pulv.	—	—	2/6	4/9	—	—	1/2
„ Nig. Pulv.	—	—	1/9	3/4	—	—	—
Cera Alb. Massa	—	—	3/4	6/6	—	—	—
„ „ Placentis	—	—	3/6	6/9	—	—	—
„ Flav. Exot. Massa	—	—	3/3	6/3	6/1	—	—
„ „ „ Discs.	—	—	3/4	6/6	—	—	—
a Chinosol	3/3	—	—	—	—	—	—
Chloral Hydras. Cryst.	—	2/-	3/11	7/7	—	—	—
Chloral Formamid	2/1	6/3	—	—	—	—	—
Chlorbutol B.P.	2/-	6/-	—	—	—	—	—
Chloroform B.P.	—	1/2	2/-	3/9	3/8	—	3/6
Chlorophyll (Soluble in Oil)	3/2	9/6	—	—	—	—	—
„ (Soluble in Spirit)	3/2	9/6	—	—	—	—	—
Chondrus No. 1	—	11d.	1/7	3/-	—	—	—
Chromii Trioxid.	1/-	2/10	5/3	—	—	—	—

	Per 1 oz.	Per 4-oz.	Per 8-oz.	Per lb.			
				1-lb.	C. qt. or 2-lb.	4-lb.	1 W. qt. or 7-lb.
a Chrysarobinum	5/-	15/-	—	—	—	—	—
a Cinchona Succ. Rubr. Pulv.....	—	1/11	3/10	7/7	—	—	—
Sl* Cocain.	1 dr. 10/-	—	—	—	—	—	—
Sl* „ Hydrochlor.	1 dr. 8/9	2 dr. 14/6	1/4 oz. 13/2	1/2 oz. 25/-	1 oz. 48/6	—	—
a Sl Codeinæ Phosph.	1 dr. 8/6	1/4 oz. 11/-	—	—	—	—	—
a Sl Colchici Corm. Pulv.	—	3/9	7/3	14/-	—	—	—
a Collodium Flexile Meth.	—	—	2/-	3/9	3/8	—	3/6
a „ Styptic B.P.C. Meth.	—	3/-	5/8	11/3	—	—	—
a „ Vesicans B.P.C.	2/3	—	—	—	—	—	—
Colocynth. Pulv.	—	1/4	—	5/-	—	—	—
Colophonium.....	—	—	—	1/4	1/3	—	—
a Copaibæ Resina	2/1	—	—	—	—	—	—
Coriandrum Pulv.	—	—	—	2/6	—	—	—
Crem. Tart. Pulv.	—	—	—	2/7 1/2	2/7 1/2	2/7 1/2	2/7
a Creosotum P.B.....	1/1	3/2	6/3	12/6	—	—	—
Creta Gallica Pulv.	—	—	—	10d.	9d.	8d.	6d.
Creta Pulv.....	—	—	—	9d.	8 1/2 d.	7 1/2 d.	6d.
Cuminum Pulv.	—	1/-	—	3/4	—	—	—
Cupri Subacetas Pulv.	—	—	2/7	5/-	—	—	—
„ Sulphas Recryst.	—	—	1/1	2/2	—	—	—
„ „ Gran.....	—	—	—	11d.	—	—	—
„ „ Coml.	—	—	—	11d.	—	—	—
D a Dec. Aloes Co. Conc. B.P.C.	—	—	1/4	2/8	2/7	—	2/5
a Dec. Hæmatox. Conc. (1 to 7)	—	—	—	1/11	3/10	—	—
Dextrosium.....	—	—	—	1/4	—	—	—
„ Hydrate	—	—	—	1/3	—	—	—
Sl* Diamorphin Hydrochloride	1 dr. 9/3	1/4 oz. 13/5	—	—	—	—	—
a Diapente.....	—	—	—	1/7	—	—	—
a Sl Digitalis Pulverata B.P.	11d.	2/6	4/11	9/8	—	—	—
E aSl Em. Resinæ (Colophonii)	—	—	1/10	3/6	—	—	—
a Emulsio Menth. Pip. B.P.C.	—	2/3	4/3	8/-	7/10	—	—
a Emuls. Paraffin Liq. B.P.C.	—	—	—	1/9	1/8	—	1/6
a Emuls. Paraffin Liq. c. Hypophos. B.P.C.	—	—	—	2/3	2/2	—	2/1
Ephedrin. Hydrochlor. B.P.	1-dr. 3/4	1/4 oz. 4/11	1/2 oz. 9/-	1 oz. 16/8	—	—	—
Sl Ergota	—	3/3	6/3	12/-	—	—	—
Sl Ergota, Præp. B.P.	1/6	5/-	9/6	18/6	—	—	—
Sl Ergotoxinæ Æthanesulph. B.P.	0.1 g. 9/6	—	—	—	—	—	—
a Eupad	—	—	—	1/7	—	—	—
a Eusol	—	—	—	11d.	10d.	—	9d.
a Ext. Agropyri Liq. B.P.C.	—	1/7	—	—	—	—	—
a „ Aloes	—	2/8	—	—	—	—	—
a „ „ Pulv.	1/3	3/3	—	—	—	—	—
a Sl „ Belladon. Liq.	1/11	6/2	11/9	22/6	—	—	—
a Sl „ „ Sicc.	2/4	—	—	—	—	—	—
a Sl „ „ Herb. Liq.	1/5	4/-	7/9	15/3	—	—	—
a Sl „ „ Virid. B.P.C.	2/1	6/3	—	—	—	—	—
a Sl „ Cannabis B.P.C. (Indian)	1 dr. 5/9	1 oz. 34/9	—	—	—	—	—
a Sl * „ „ (African)	1 dr. 2/-	1 oz. 11/6	—	—	—	—	—
a „ Cascaræa Sagradæa Liq.	—	—	—	5/10	5/9	—	5/7
a „ „ „ Sicc.	1/11	—	—	—	—	—	—
a Sl „ Conii	11d.	—	—	—	—	—	—
Sl „ Ergotæ B.P.C.	7/6	—	—	—	—	—	—
Sl „ „ Liq. B.P. '14	—	3/6	6/9	13/-	—	—	—
Sl „ „ Liq. B.P.	—	3/3	6/3	12/-	—	—	—
a „ Fellis Bovini	—	—	—	—	—	—	—
a „ Filicis B.P.	3/-	9/-	—	—	—	—	—
a „ Gentianæ	9d.	2/-	—	—	—	—	—
a „ Glycyrrh. Liq. B.P.	—	—	—	4/-	3/10	—	3/7
a „ Hæmatoxyli Exotic	—	—	—	1/10	—	—	—

		Per 1-oz.	Per 4-oz.	Per 8-oz.	Per lb.			
					1-lb.	C. qt. or 2-lb.	4-lb.	1 W. qt. or 7-lb.
	Ext. Hepatis Liq.	—	—	—	18/-	—	—	—
a Sl	„ Hyoscyami Sicc.	2/7	7/10	—	—	—	—	—
a	„ Ipecac. Liq. B.P.	5/6	17/-	33/-	65/-	—	—	—
a Sl	„ Nuc. Vom. Sicc.	1/3	3/7	—	—	—	—	—
a Sl	„ „ „ Liq.	—	1/10	3/6	7/-	—	—	—
a Sl*	„ Opii. Sicc.	14/-	—	—	—	—	—	—
a Sl*	„ „ Liq.	11d.	2/6	4/10	9/6	—	—	—
a	„ Quassia B.P.C.	2/1	6/3	—	—	—	—	—
a	„ Rhei Pulv.	3/3	—	—	—	—	—	—
a	„ Taraxaci	1/10	5/3	—	—	—	—	—
a	„ „ Liq.	—	2/4	4/6	8/10	—	—	—
F								
a	Ferri Carb. Sacchar.	—	—	1/6	3/-	—	—	—
a	„ et Ammon. Citras	—	—	2/5	4/7 ¹ / ₂	4/6 ¹ / ₂	4/5	4/3
a	„ „ „ Cit. Gran.	—	—	2/5	4/7 ¹ / ₂	4/6 ¹ / ₂	4/5	4/3
a	„ „ Quininæ Cit. P.B.	3/2	9/6	18/3	35/9	—	—	—
	„ Oxid. Calc.	—	—	—	2/-	—	—	—
	„ Perchlorid.	—	—	—	1/3	—	—	—
	„ Phosphas	—	—	1/8	3/6	—	—	—
	„ Sulph. Gran.	—	—	—	10d.	9 ¹ / ₂ d.	9d.	—
	„ Sulphas Exsic.	—	—	9d.	1/5	—	—	—
	Foeniculum	—	—	—	2/8	—	—	—
	„ Pulv.	—	—	—	3/-	—	—	—
	Foenugreci Pulv.	—	—	—	1/7	—	—	—
G								
a	Galanga Pulv.	—	—	—	4/2	—	—	—
	Gallæ Pulv.	—	1/2	2/3	4/6	—	—	—
	Gentiana	—	—	—	1/11	—	—	—
	„ Incis.	—	—	—	2/3	—	—	—
a	„ Pulv.	—	—	—	2/8	—	—	—
	Glucosum Liq.	—	—	—	7 ¹ / ₄ d.	—	—	—
	Glycerinum, 1.260	—	—	—	1/9	1/8 ¹ / ₂	—	1/8
a	„ Acid. Boric. B.P.	—	—	1/8	3/3	3/2	—	3/-
a	„ „ Carbol (see Glycerine Phenol)	—	—	—	—	—	—	—
a	„ „ Tannic. B.P.	—	—	2/7	5/-	—	—	—
a	„ Aluminis	—	—	1/6	3/-	—	—	—
a Sl	„ Belladonnæ B.P.C.	—	4/-	7/9	15/-	—	—	—
a	„ Pepsin	—	—	3/3	6/3	6/-	—	—
a	„ Phenolis B.P.	—	—	1/7	3/-	2/11	—	—
a	„ Plumbi Subacetatis	—	—	1/6	3/-	—	—	—
a	„ Thymol Co.	—	—	—	1/3	1/2	—	1/-
a	Glycyrrhiza Pulv.	—	—	—	1/11	—	—	—
a	„ Decort. Pulv.	—	—	—	4/2	—	—	—
H								
	Hæmatoxylum Pulv.	—	—	—	1/8	—	—	—
a	Helleborus Pulv.	—	—	—	4/9	—	—	—
	Hexamina Gran.	—	1/-	1/10	3/6	—	—	—
	„ Pulv.	—	1/-	1/10	3/6	—	—	—
Sl	Hydrarg. Iodid. Rubr.	2/4	7/-	—	—	—	—	—
	„ „ Virid.	2/7	7/9	—	—	—	—	—
	„ Oxid. Flav.	1/8	4/6	—	—	—	—	—
	„ Oxid. Rub. Levig.	1/8	4/6	—	—	—	—	—
Sl	„ Perchlorid. Pulv.	1/4	3/8	6/9	13/-	—	—	—
	„ Subchlorid.	1/7	4/-	7/6	14/6	—	—	—
	„ Subsulphas Flav.	2/-	—	—	—	—	—	—
	Hydrargyrum	10d.	2/3	4/4	8/6	8/3	—	—
	„ Ammoniat. Pulv.	1/7	4/1	7/8	14/9	—	—	—
	„ c. Creta	7d.	1/6	2/10	5/6	—	—	—
a Sl	„ Oleatum	9d.	2/-	—	—	—	—	—
Sl	Hyoscin. Hydrobrom.	1 gr. 1/7	5 grs. 6/6	1 gramme	13/-	—	—	—
a Sl	Hyoscyamin. Sulphas	1 gr. 5/3	—	—	—	—	—	—

			Per 1-oz.	Per 4-oz.	Per 8-oz.	Per lb.			
						1-lb.	C. qt. or 2-lb.	4-lb.	1 W. qt. or 7-lb.
I	a	Ichthammol B.P.	1/-	2/4	—	6/6	—	—	—
	a	Infus. Buchu Conc.	—	—	3/4	6/4	6/3	—	6/1
	a	„ Catechu Conc.	—	—	2/8	5/3	—	—	—
	a	„ Cinchonæ Acid Conc.	—	—	3/-	5/9	—	—	—
	a	„ Gentian. Co. Conc.	—	—	—	2/10	2/9	—	2/6
	a	„ Quassiæ Conc.	—	—	—	2/1	2/-	—	1/10
	a	„ Senegæ Conc.	—	3/-	5/10	11/3	11/-	—	10/9
	a	„ Uvæ Ursi Conc.	—	—	2/-	3/8	—	—	—
		Insect Powder	—	—	—	5/-	4/11	4/9	—
	a	Iodoform, Pulv.	1/10	5/4	10/3	—	—	—	—
		Iodum (Resublimat)	1/7	4/6	8/7½	16/10½	—	—	—
	a	Ipecacuanha Pulv.	4/4	13/-	—	—	—	—	—
J	a	Jalapæ Resin	5/3	—	—	—	—	—	—
	a	„ „ Pulv.	5/5	—	—	—	—	—	—
	a	„ Pulverat.	—	—	3/5	6/9	—	—	—
		Juniperus Pulv.	—	—	—	3/10	—	—	—
K		Kaolin, Leve. B.P.	—	—	—	1/3	1/2	1/1	1/-
		„ Pond. B.P.	—	—	—	9d.	—	—	—
		„ Coml.	—	—	—	6d.	—	—	—
	a	Kino. Pulv.	—	5/4	10/3	20/-	—	—	—
	a	Kola Pulv.	—	—	—	1/10	—	—	—
L		Lactosum	—	—	—	2/2	2/1	2/-	1/10
	aSl	Lin. Aconiti Meth.	—	—	2/9	5/3	5/2	—	5/-
	aSl	„ „ Oleos. Meth.	—	—	3/4	6/3	6/1	—	5/10
	a	„ Album. B.P.C.	—	—	—	1/7	1/6	—	1/5
	a	„ „ Conc.	—	—	2/7	5/-	—	—	—
	a	„ Ammonia	—	—	1/4	2/6	—	—	—
	aSl	„ Belladonnæ Meth.	—	—	5/8	10/9	10/6	—	10/3
	a	„ Camphoræ	—	—	—	5/3	5/2	—	5/-
	a	„ „ Ammon. Meth.	—	—	1/10	3/8	3/7	—	3/5
	a	„ Chloroform	—	1/8	3/2	6/-	—	—	—
	aSl	„ Opii Meth.	—	2/-	3/11	7/7	—	—	—
	a	„ Potass. Iodid. c. Sapone	—	—	2/-	4/-	—	—	—
	a	„ Saponis Meth.	—	—	—	2/3	2/2	—	2/-
	a	„ Terebinth	—	—	—	2/10	2/9	—	2/7
	a	„ „ Acet.	—	—	—	4/2	—	—	—
		Linum Exot.	—	—	—	1/9	1/8	1/7	1/6
		„ Contus Exot.	—	—	—	1/9	1/8	1/7	1/6
		Liq. Adrenalin, Hyd. B.P.	1/10	6 × 1 oz.	1/7 oz.	12 × 1 oz.	1/5 oz.	—	—
	a	„ Aethylis Nitritis Conc.	—	—	—	8/8	8/5	—	8/-
	a	„ Ammon. Aromat.	—	—	—	1/3	1/2	—	1/-
	a	„ „ „ Conc. 1-3	—	—	—	2/4	2/3	—	2/1
	a	„ „ „ Dil.	—	—	—	10d.	—	—	—
	a	„ „ „ Acet. Dil. B.P.	—	—	—	1/1	—	—	—
	a	„ „ „ Acet. Fort. B.P.	—	—	—	1/8	1/7	—	1/5
		„ „ „ Fort. B.P.	—	—	—	1/1	1/0½	—	11d.
		„ „ „ S.G. 880	—	—	—	1/1	1/0½	—	11d.
	Sl	„ Antim. Chlor.	—	—	1/7	3/-	—	—	—
	aSl	„ Arsenicalis B.P.	—	—	9d.	1/5	—	—	1/2
	aSl	„ Arsen. et Hydrargyri Iodidi (Donovan)	—	9d.	—	2/6	—	—	—
	Sl	„ Atropinæ Sulph.	1/3	—	—	—	—	—	—
	a	„ Bismuthi et Am. Cit.	—	—	1/4	2/4	2/3	—	2/-
		„ Calciferol	—	1/6	2/9	5/3	—	—	—

		Per 1-oz.	Per 4-oz.	Per 8-oz.	Per lb.			
					1-lb.	C. qt. or 2-lb.	4-lb.	1 W. qt. or 7-lb.
a	Liq. Calcis Hydroxidi	$\frac{1}{2}$ gall. 1/-	1 gall. 1/11	—	—	—	—	—
a	„ „ Chlorinatae	—	—	—	11d.	10d.	—	9d.
a	„ „ Sacchar.	—	—	—	1/1	1/-	—	11d.
a SI	„ Epispasticus	1/10	5/6	10/9	21/-	—	—	—
a	„ Ferri Dialysatus	—	—	1/3	2/4	—	—	—
a	„ „ Iodid.	10d.	2/7	5/-	9/9	—	—	—
a	„ „ Perchlor.	—	—	—	11d.	10d.	—	9d.
a	„ „ „ Fort.	—	—	—	1/5	1/4	—	1/2
a	„ „ Persulph.	—	—	—	1/11	—	—	—
a	„ Formaldehydi.	—	—	—	1/1	1/-	—	11d.
a	„ Glycerylis Trinitratis B.P.	1/1	2/10	—	—	—	—	—
a	„ Hamamelidis	—	—	—	2/11	—	—	—
a	„ Hydrarg. Perchlor.	—	—	—	—	—	—	—
a	„ Hydrars. Nit. Acid	—	2/4	—	—	—	—	—
a	„ Hydrogen Peroxid. (10 vol.)	1 gall. 3/-	—	—	8d.	7d.	—	5d.
a	„ „ „ (20 vol.)	1 gall. 5/7	—	—	1/-	10d.	—	8d.
a	„ Iodi Aquos (Lugols Solution)	—	1/1	2/1	4/-	—	—	—
a	„ „ Decol Meth.	—	—	1/5	2/8	2/7	—	2/5
a	„ „ Mit. B.P.	—	—	3/11	7/-	6/9	—	6/3
a	„ „ Fort. B.P.	—	2/3	4/5	8/6	8/4	—	8/1
a	„ „ Simp.	—	2/7	5/1	9/8	9/5	—	—
SI	*Liq. Morphinæ Hydrochlor.	—	3/4	6/3	12/-	11/9	—	11/3
a	„ „ Nitritum.	—	—	—	1/11	—	—	—
a	„ „ Picis Carbonis Meth.	—	—	1/3	2/4	2/3	—	2/1
a	„ Plumbi Subacet. Dil.	—	—	—	10d.	—	—	—
a	„ „ „ Fort.	—	—	—	1/3	1/2	—	1/-
a	„ Potassii. Hydroxidi	—	—	—	1/-	11d.	—	10d.
a	„ Saponis Æthereus Meth.	—	—	—	3/2	3/-	—	2/10
a	„ Sodæ Chlorinata B.P. (Chirurg) ...	—	—	—	1/-	—	—	—
SI	„ Strychninæ Hyd.	—	—	1/11	3/8	3/7	—	3/5
a	„ Zinci. Chlor. Coml.	—	—	8d.	1/1	—	—	—
a	Lotio Hydrarg. Flav.	—	—	1/-	1/11	—	—	—
a	„ „ „ Nig.	—	—	1/-	1/11	—	—	—
	Lycopodium	2/1	6/3	12/4	24/6	—	—	—
	Lysol	$\frac{1}{4}$ gall. 2/9	$\frac{1}{2}$ gall. 5/6	1 gall. 10/9	2 gall. 10/6	gall.	5 gall. 10/-	gall.
M	Macis Opt.	—	3/-	5/11	11/9	—	—	—
	„ Pulv.	—	3/3	6/3	12/-	—	—	—
	Mastich	1/10	5/7	11/-	22/-	—	—	—
	Madder	—	—	—	—	—	—	—
	Magnes. Oxid. Leve.	—	—	2/-	3/9	—	—	—
	„ „ Pond.	—	—	3/-	5/6	5/5	5/4	—
	„ Carb. Levis.	—	—	—	1/10	1/9	1/7 $\frac{1}{2}$	1/5 $\frac{1}{2}$
	„ „ Pond.	—	—	—	2/1	2/-	1/10 $\frac{1}{2}$	1/8 $\frac{1}{2}$
	„ Sulphas. Feathery Cryst.	7 lb.	5d. lb.	14 lb.	4 $\frac{1}{2}$ d. lb.	—	—	—
	„ „ Med. Cryst.	4 lb.	5d. lb.	14 lb.	4 $\frac{1}{2}$ d. lb.	—	—	—
	„ „ Exsic. Pulv.	—	—	—	10d.	9 $\frac{1}{2}$ d.	9d.	—
	„ „ Pulv.	7 lb.	6d. lb.	14 lbs.	5 $\frac{1}{2}$ d. lb.	45/- cwt.	—	—
	„ „ „ Coloured	7 lb.	7d. lb.	14 lbs.	6 $\frac{1}{2}$ d. lb.	50/- cwt.	—	—
	„ „ Coml.	—	—	—	—	—	—	4 $\frac{1}{2}$ d.
	„ Trisilicate	—	—	—	4/8	4/7	4/5 $\frac{1}{2}$	4/3 $\frac{1}{2}$
	Menthol	5/8	17/-	33/-	65/-	—	—	—
	Methyl. Salicylate	—	—	1/11	3/6	3/4	—	3/2
a	Mist. Olei Ricini	—	—	1/10	3/6	—	—	—
SI*	Morphinæ Acet.	$\frac{1}{2}$ dr. 4/6	1 dr. 8/-	$\frac{1}{4}$ oz. 12/6	—	—	—	—
SI*	„ Hydrochlor.	$\frac{1}{2}$ dr. 4/6	1 dr. 8/-	$\frac{1}{4}$ oz. 12/6	—	—	—	—
SI*	„ Sulph.	$\frac{1}{2}$ dr. 4/6	1 dr. 8/-	$\frac{1}{4}$ oz. 12/6	—	—	—	—
SI*	„ Tartras.	$\frac{1}{2}$ dr. 5/6	1 dr. 10/-	$\frac{1}{4}$ oz. 14/8	—	—	—	—
	Molasses	—	—	—	—	—	—	—
a	Mucilag. Acaciæ	—	—	—	3/8	—	—	—
a	„ Tragacanth	—	—	—	2/3	—	—	—
	Mustard (Genuine) D.S.F.	—	—	—	4/2	—	—	—
	„ Bran.	—	—	—	9d.	—	—	—
	Myrrh Elect.	—	2/9	5/6	11/-	—	—	—
	„ Parv.	—	—	3/8	7/4	—	—	—
	„ Pulv.	—	—	3/11	7/10	—	—	—
	„ „ No. 2	—	—	3/5	6/9	—	—	—

		Per 1-oz.	Per 4-oz.	Per 8-oz.	Per lb.			
					1-lb.	C. qt. or 2-lb.	4-lb.	1 W. qt. or 7-lb.
N	Napthalin Flake	—	—	—	10d.	9d.	7½d.	7d.
	Nitrobenzenum	—	—	11d.	1/8	—	—	—
a Sl	Nux Vomica Pulv.....	—	—	—	2/8	—	—	—
O	a Oculenta Hydrarg. Oxid. 1 dram tubes...		1 tube 10d.		6 tubes 8/- doz.		12 tubes	6/6 doz.
	4oz. tubes	2/8						
	Ol. Abietes	2/4	7/4	—	—	—	—	—
	„ Amygd.	—	3/6	6/6	12/6	12/-	—	11/6
	„ Anisi	11d.	2/9	5/-	9/6	—	—	—
	„ Cadinum	—	2/2	—	7/8	—	—	—
	„ Cajuputi	3/6	—	—	—	—	—	—
a	„ Carbolisation	—	—	—	3/2	—	—	—
	„ Cari	3/11	—	—	—	—	—	—
	„ Caryophylli Ang.	1/7	4/6	8/6	16/6	—	—	—
	„ Cassiæ	2/7	—	—	—	—	—	—
a	„ Chaulmoogra	8d.	—	—	—	—	—	—
a	„ Chenopodii B.P.	4/6	13/9	27/-	53/-	—	—	—
	„ Cinnam, Fine	24/-	—	—	—	—	—	—
	„ Citronellæ, Ceylon	—	3/-	5/9	11/-	—	—	—
	„ „ Java	1/9	—	—	—	—	—	—
a	„ Crotonis	2/6	—	—	—	—	—	—
	„ Eucalypti Opt. B.P.	—	2/9	5/3	10/-	9/10	—	9/6
	„ Juniper Lig.	—	3/2	6/-	12/-	—	—	—
	„ Lauri, Express.	1/2	—	—	—	—	—	—
	„ Lini	1 pt. 3/9	2 pts. 7/-	½ gall. 11/9	1 gall. 22/-	—	—	—
	„ Menthæ Pip.	5/10	18/6	36/-	70/-	—	—	—
	„ Morrhuæ, British, Cattle	16 oz. 2/1	1 gall. 13/5	gall. —	—	—	—	—
	„ Olivæ B.P.	1 pt. 7/8	2 pts. 15/1	½ gall. 29/9	1 gall. 58/9	—	—	—
	„ Origan, Coml.	1/3	3/8	7/3	14/6	—	—	—
	„ Palmæ	—	—	—	2/1	—	—	—
	„ Picis Dark	—	—	—	1/4	—	—	—
	„ „ Rect.	—	—	—	1/7	—	—	—
	„ Pini Pumilionis	3/2	—	—	—	—	—	—
	„ Rapii	1 pt. 3/9	2 pts. 7/-	½ gall. 11/3	—	—	—	—
	„ Rhodii	4/4	13/-	—	—	—	—	—
	„ Ricini	—	—	—	2/10	2/9	—	2/7
	„ „ (Cattle)	½ gall. 12/-	1 gall. 22/9	—	—	—	—	—
	„ Rosmarini	1/5	—	—	—	—	—	—
	„ Staphisagris, Expressed	—	—	—	—	—	—	—
	„ Succini	—	—	—	2/5	2/4	—	2/1
	„ Terebinth. (Commercial).....	1 pt. 2/2	2 pts. 3/8	½ gall. 6/8	1 gall. 12/9	—	—	3/2
	„ „	—	—	—	3/5	—	—	—
	„ Train	½ gall. 11/3	1 gall 22/-	—	—	—	—	—
a Sl*	Opium Pulv. P.B.	7/-	—	—	—	—	—	—
Sl	Orthocaina	14/-	—	—	—	—	—	—
a	Oxymel B.P.	—	—	—	2/5	2/4	—	2/2
a	„ Scillæ B.P.	—	—	—	2/2	2/1	—	1/10
P	Papaveretum	1 dram 2/1	—	—	—	—	—	—
	Paradisi Grana	—	—	2/6	5/-	—	—	—
a	„ „ Pulv.	—	—	2/11	5/9	—	—	—
	Paraffinum Durum	—	—	—	1/5	1/4	1/3	1/2
a	„ „ Liq. P.B.....	2 pts. 2/8	½ gall. 4/7½	1 gall. 8/9	—	—	—	—
	„ „ Leve.	1 pt. 1/3	2 pts. 2/4	½ gal. 3/10½	—	—	—	—
a †	„ Molle Flav.	—	—	—	1/3	1/3	—	1/-
a †	„ „ Alb.	—	—	—	1/7	1/6	—	1/3
	Parathyroid	1 dram	22/6	—	—	—	—	—
	Pepsinum	4/8	—	—	—	—	—	—
a	Phenacetin	10d.	2/6	4/8	9/-	—	—	—
a	Phenazonum	3/10	11/6	22/-	42/6	—	—	—
S4	Phenobarbitonum B.P.	4/2	12/6	24/6	—	—	—	—
S4	„ Solubile B.P.	4/4	13/-	25/6	—	—	—	—
	Phenol Detached Xtals	—	—	—	3/5	—	—	—
a	„ „ Liq.	—	—	1/3	2/4	2/3	—	2/1
	Phenolphthaleinum	11d.	2/8	—	—	—	—	—
a Sl	Physostigminæ Salicylas	1 gr. 1/2	2 gr. 2/2	5 gr. 5/2	1 gram	15/-	—	—
a Sl	„ Sulph.	1 gr. 1/2	2 gr. 2/2	5 gr. 5/2	1 gram	15/-	—	—

† Containers of 7 lbs. and over exempt from Tax.

	Per 1 oz.	Per 4-oz.	Per 8-oz.	Per lb.			
				1-lb.	C. qt. or 2-lb.	4-lb.	1 W. qt. or 7-lb.
a SI Pilocarpin. Hydrochlor.	1 gram	2/4	—	—	—	—	—
a SI " Nitras.	1 gram	2/4	—	—	—	—	—
Pimenta	—	—	1/3	2/5	—	—	—
" Pulv.	—	—	1/9	3/5	—	—	—
Piper Alb. Pulv.	—	—	—	5/10	—	—	—
" Nigrum Pulv.	—	—	—	3/2	—	—	—
Pix Barbadosense	—	—	—	1/4	—	—	—
" Burgund. Fact.	—	—	—	2/-	—	—	—
" " Ver.	—	—	—	2/7	—	—	—
" Carbonis Præp.	—	—	10d.	1/7	—	—	—
" Liquida (Stockholm Tar)	—	—	—	1/3	—	—	—
Plumbi Acet.	—	—	1/1	2/1	—	—	—
" " Pulv.	—	—	—	3/2	—	—	—
" Carb.	—	—	2/-	3/10	—	—	—
" " Coml.	—	—	—	1/11	—	—	—
" Monoxidum (Litharge)	—	—	—	1/8	—	—	—
a Podophyllin Resin	4/9	—	—	—	—	—	—
Potassa Sulphurata Gran.	—	—	1/6	3/-	2/11	—	—
" " Lump	—	—	1/5	2/9	2/8	—	—
Potassii Acet.	—	—	2/1	3/10	3/9	—	—
" Bicarb. Pulv.	—	—	—	1/8	1/7	1/6	—
" Bromid.	—	—	—	3/9½	3/8½	3/7	3/5
" Carbonas	—	—	1/3	2/6	—	—	—
" Chloras.	—	—	2/1	4/2	4/1	4/-	—
" Citras.	—	—	—	4/0½	3/11½	3/10	3/8
SI " Cyanide(98%)	—	—	—	3/-	—	—	—
" Iodidum	—	3/10	7/7	14/7½	14/6½	14/1½	13/7½
" Nitras Pulv.	—	—	—	1/7	1/6	1/5	—
" " " Pink	—	—	—	1/8	1/7	1/6	—
" " Coml.	—	—	—	1/1	1/1	1/-	11½d.
" " " Pulv.	—	—	—	1/1	1/1	1/-	11½d.
" Permanganas	—	1/-	1/9	3/5	—	—	—
" Tartras. Acid.	—	—	—	2/7½	2/7½	2/7½	2/7
SI Procainæ Hydrochlor. B.P.	6/6	—	—	—	—	—	—
a SI Pulv. Antimonialis	7d.	1/5	—	—	—	—	—
a " Catechu Co.	10d.	2/4	—	—	—	—	—
a " Glycyrrh. Co.	—	—	—	2/2	2/1	2/-	1/11
a " Iodoform. 10%	—	—	—	4/-	—	—	—
a SI " Ipecac. et Opii B.P.	1/8	5/-	9/5	17/10	—	—	—
a " Jalap. Co.	—	1/9	3/3	6/3	—	—	—
a SI " Kino Co.	1/8	—	—	—	—	—	—
a " pro Mist. Cretæ	—	—	2/4	4/6	—	—	—
a " Stramon Co. B.P.C.	—	—	2/4	4/6	—	—	—
a " Tragacanth. Co.	—	2/6	4/11	9/8	9/5	—	—
Pyrethri Rad.	—	—	—	3/11	—	—	—
a " " Pulv.	—	—	—	5/6	—	—	—
Qa Quassia Incis.	—	—	—	1/1	1/1	1/-	11d.
a " Pulv.	—	—	—	2/8	—	—	—
a Quercus Pulv.	—	—	—	2/4	—	—	—
Quininæ Dihydrochlor.	8/-	—	—	—	—	—	—
" Hydrochlor.	7/9	—	—	—	—	—	—
a " et Urea Hydrochlor.	—	—	—	—	—	—	—
" Sulphas	6/9	—	—	—	—	—	—
R Resin. Amber (See Colophonium)	—	—	—	—	—	—	—
Resorcinol	1/7	4/8	9/-	17/9	—	—	—
a Rheum Ang. Pulv.	—	—	—	7/3	—	—	—
a " E.I. Pulv.	—	5/-	9/6	18/6	—	—	—
S Sacch. Lactis Pulv. (See Lactosum)	—	—	—	—	—	—	—
Sacchari Usti	—	—	—	1/7	—	—	—
a " " Liq.	—	—	—	1/3	1/2	1/-	—
a Salicin	—	—	—	—	—	—	—
a Salol	1/4	4/-	7/9	15/-	—	—	—
a Santoninum	1 dr. 7/2	¼ oz. 10/2	½ oz. 18/4	1 oz. 34/9	—	—	—
a Sapo Animalis	—	—	—	2/2	—	—	—
a " " Pulv.	—	—	—	3/2	—	—	—

		Per 1-oz.	Per 4-oz.	Per 8-oz.	Per lb.			
					1-lb.	C. qt. or 2-lb.	4-lb.	1 W. qt. or 7-lb.
a	Sapo Durus Pulv.	—	—	1/8	3/3	—	—	—
a	„ Mollis P.B.	—	—	—	2/7	2/1	—	1/6
a	„ „ Coml.	—	—	—	1/-	—	—	—
	Scillæ Pulv.	—	—	—	3/8	—	—	—
	Scoparium Incis.	—	—	—	1/7	—	—	—
	Sinapis Alb.	—	—	—	1/7	—	—	—
	Sodii Acetas Cryst.	—	—	1/2	2/1	—	—	—
	„ Benzoas Pulv.	—	1/6	2/10	5/6	—	—	—
	„ Bicarb. Pulv.	4 lbs. 5½d. lb.	—	7 lbs. 4½d. lb.	—	14 lbs. 4d. lb.	—	—
	„ Bromid.	—	—	2/-	3/8	3/7	3/5½	3/3½
a SI	„ Cacodylas	7/10	—	—	—	—	—	—
	„ Carb. Cryst., Coml.	—	—	—	—	—	—	2½d.
	„ „ Pea Cryst.	—	—	—	—	—	—	4d.
	„ Chlorid.	—	—	—	10d.	10d.	9d.	8d.
	„ Citras	—	—	2/1	3/9½	3/8½	3/7	3/5
	„ Cyanide 98%	6d.	10d.	1/3	2/4	—	—	—
	„ Hypophosphis	9d.	2/1	—	—	—	—	—
	„ Hyposulphis	—	—	—	9d.	7½d.	7d.	6½d.
	„ Iodid.	1/7	4/3	8/3	15/10½	—	—	—
	„ Nitris	—	—	1/2	2/3	—	—	—
	„ Phosphas	—	—	10d.	1/7	1/6	—	—
	„ „ Acid.	—	—	1/4	2/7	2/6	2/5	—
	„ Salicylas Flake	—	—	—	3/7	3/6	3/4½	3/2½
	„ „ Pulv.	—	—	—	3/7	3/6	3/4½	3/2½
	„ Sulphas Pea Cryst.	2 lb. 6d. lb.	4 lb. 5½d. lb.	—	7 lb. 4½d. lb.	—	14 lb. 4d. lb.	—
	„ „ Feathery Cryst.	2 lb. 6d. lb.	4 lb. 5½d. lb.	—	7 lb. 4½d. lb.	—	14 lb. 4d. lb.	—
	„ „ Pulv.	—	—	—	9d.	—	—	—
	„ Sulphis	—	—	—	10d.	—	—	—
	„ „ Coml.	4 lb. 6½d. lb.	—	7 lb. 6d. lb.	—	14 lb. 5½d. lb.	—	—
a	Spt. Ætheris	—	2/-	3/9	7/2	—	—	—
a	„ „ Co.	—	—	4/7	9/2	—	—	—
a	„ „ Nit. P.B.	—	1/9	3/4	6/4	6/3	—	5/11
a	„ Ammon. Aromat.	—	1/5	2/8	5/-	4/11	—	4/8
a	„ „ Fetid.	—	2/7	5/1	10/-	—	—	—
a	„ Camphoræ	—	2/4	4/6	8/3	8/2	—	8/-
a	„ Chirurgicis	1 pt. 1/9	½ gall. 5/-	—	—	—	—	—
a	„ Chloroformi	—	—	3/9	7/-	—	—	6/9
	„ Menthæ Pip. Exot.	5/3	15/9	—	—	—	—	—
	„ Vini. Meth.	2 pts. 1/11	½ gall. 3/8	1 gall. 6/10	—	—	—	—
	„ Meth. Industrial	1 pt. 1/2	2 pts. 1/9	1½ gall. 3/4	—	—	—	—
	„ „ Sine Acetono	1 pt. 1/3	2 pts. 1/10	1½ gall. 3/6	—	—	—	—
(Subject to Excise Regulations).								
Rect. 90% See Alcohol.								
SI	Strychninæ Hydrochlor.	7/5	—	—	—	—	—	—
SI	„ Sulphas.	6/10	—	—	—	—	—	—
	Sulphacetamide, Soluble	5/6	—	—	—	—	—	—
S4	Sulphaguanidine	—	—	—	54/-	—	—	—
S4	Sulphanilamid	11d.	2/6	5/-	9/-	—	—	—
S4	Sulphathiazol	4/-	12/-	23/6	46/-	—	—	—
a S4	Sulphonal	6/3	—	—	—	—	—	—
a	Sulphur Lotum	—	—	—	11d.	—	—	—
	„ Nig.	—	—	—	8d.	7d.	6½d.	6d.
	„ Præcip.	—	—	—	1/11	1/10	1/9	—
	„ Rotund.	—	—	—	9d.	8½d.	7½d.	—
	„ Sublim B.P.	—	—	—	10d.	9d.	8½d.	8d.
	„ Sublimat. Vety.	—	—	—	5d.	—	4½d.	4½d.
a	Syrupus B.P.	—	—	—	1/2	1/1	—	1/-
a	Syr. Calcis Lactophosph.	—	—	—	2/1	2/-	—	1/10
a	„ Chloral B.P.C.	—	—	1/8	3/3	3/2	—	—
a	„ Codeinæ Phosph. B.P.C.	—	—	2/7	5/2	5/1	—	4/11
a	„ Ferri Iodid. B.P.	—	—	1/2	2/2	2/1	—	—
a	„ Ferri Phosph. Co. B.P.	—	—	—	1/6	1/5	—	1/3
a	„ Ferri Phosp. c. Quinina et Strych. B.P.	—	—	—	3/-	2/11	—	2/9
a	„ Glycerophos. Co. B.P.C.	—	—	—	2/11	2/10	—	2/8
a	„ Hypophos. Co. B.P.C.	—	—	—	1/11	1/10	—	1/8
a	„ Limonis	—	—	—	—	—	—	—
a	„ Papav. B.P.C.	—	—	—	2/6	—	—	—
a	„ Rhamni	—	—	—	2/6	2/5	—	2/3

	Per 1-oz.	Per 4-oz.	Per 8-oz.	Per lb.			
				1-lb.	C. qt. or 2-lb.	4-lb.	1 W. qt. or 7-lb.
a Syr. Rhœados	—	—	—	2/6	2/5	—	2/3
a „ Scillæ B.P.	—	—	—	1/7	1/6	—	1/4
a „ Tolutani	—	—	1/1	2/11	1/11	—	1/9
T Tereb. Venet. Fact.	—	8d.	1/2	2/4	—	—	—
Terebenum	—	1/4	2/7	5/2	5/1	—	—
Terebinth Canadensis	2/-	6/-	—	—	—	—	—
Theriaca	—	—	—	—	—	—	—
Theobromin. Sodio-Salicy.	2/9	10/-	—	—	—	—	—
Thymol	2/4	7/-	—	—	—	—	—
a „ Iodid.	4/9	—	—	—	—	—	—
Thyroideum B.P.	5/8	17/-	—	—	—	—	—
a Sl Tinct. Aconiti B.P.C.	—	1/10	3/7	6/9	—	—	—
a „ Aloes	—	—	2/5	4/9	—	—	—
a „ „ Co.	—	2/4	4/6	8/10	—	—	—
a „ Arnicae Flor. B.P.C.	—	1/3	2/6	5/-	—	—	—
a „ Asafetidae	—	2/2	—	8/4	—	—	—
a „ Belladonnæ	—	1/10	3/5	6/6	6/4	—	6/2
a „ Benzoin Co.	—	2/6	4/11	9/2	8/11	—	8/8
a „ „ „ Meth.	—	—	2/2	4/2	4/1	—	3/11
a „ „ „ Simp.	—	2/1	4/2	8/2	8/-	—	7/10
a „ Buchu	—	1/10	3/6	6/9	—	—	—
a „ Calendulæ	—	3/6	6/9	13/-	—	—	—
a „ Calumbæ	—	1/5	—	5/3	—	—	—
a „ Camphor Co. (See Opii Camph.)	—	—	—	—	—	—	—
sa Sl* „ Cannab.	3/8	11/-	—	—	—	—	—
a Sl „ Cantharidini	—	2/1	4/-	7/10	—	—	—
a Sl „ Cantharidis	—	—	4/3	8/3	—	—	—
a „ Capsici	—	1/5	2/9	5/3	—	—	5/-
a „ Cardam. Co. B.P.	—	—	2/8	5/2	5/1	—	4/11
a „ Carminativa B.P.C.	—	3/4	6/3	12/3	12/-	—	11/9
a „ Catechu	—	1/4	2/6	4/9	4/8	—	4/6
a „ Chloroform Co.	—	1/9	3/5	6/6	—	—	—
a „ „ et Morph. B.P.C.	—	—	—	4/4	4/2	—	4/-
a Sl* „ Chlorof. et Morph. Co. B.P.C.	—	4/8	9/2	17/9	—	—	—
a „ Cinchon.	—	2/-	3/10	7/4	—	—	—
a „ „ Co.	—	2/-	3/10	7/4	7/3	—	7/1
a „ Colchici	—	2/-	3/11	7/7	—	—	—
a Sl „ Conii	10d.	2/2	—	—	—	—	—
a „ Convallariæ	10d.	2/4	4/7	—	—	—	—
a „ Cubebæ	—	2/10	5/7	11/-	—	—	—
a Sl „ Digitalis B.P.	—	1/10	3/7	7/-	6/10	—	6/7
Sl „ Ergotæ Ammon.	—	2/10	5/6	10/5	—	—	—
a „ Ferri Perchlor.	—	9d.	1/3	2/5	—	—	—
a „ Gelsemii, P.B.C.	—	1/7	3/-	5/9	5/8	—	5/6
a „ Gentian. Co.	—	—	2/4	4/6	4/5	—	4/3
a „ Hamamelidis	—	1/3	2/4	4/6	—	—	—
a „ Hydrastis	1/6	4/5	—	—	—	—	—
a „ Hyoscyami B.P.	—	—	3/4	6/4	6/2	—	6/-
a „ Iodi Fort. (see Liq. Iodi. Fort.)	—	—	—	—	—	—	—
a „ „ French Codex („ „ „ „ Simp.)	—	—	—	—	—	—	—
a „ „ Mit. („ „ „ „ Mit.)	—	—	—	—	—	—	—
a „ Ipæcec. B.P.	—	—	3/-	5/9	5/6	—	5/3
a „ Jalapæ	—	2/2	4/2	8/2	—	—	—
a „ Kino	—	2/-	3/11	7/7	—	—	—
a „ Lavand. Co.	—	2/3	4/5	8/4	8/1	—	7/10
a „ Lobeliæ Æther	—	2/5	4/8	9/1	—	—	—
a „ Myrrhæ	—	2/4	4/7	8/11	—	—	—
a „ Nucis Vomicae B.P.	—	—	2/3	4/1	3/11	—	3/9
a Sl* „ Opii B.P.	—	3/5	6/8	13/2	12/11	—	12/8
a Sl* „ „ 98	—	2/9	5/6	10/6	—	—	—
a „ „ Camph. B.P.	—	—	—	5/3	5/-	—	4/9
a „ Quassia	—	1/2	2/1	4/1	—	—	—
a „ Rhei Co.	—	—	3/3	6/-	5/10	—	5/6
a „ Scillæ B.P.	—	1/3	2/4	4/5	4/3	—	4/1
a „ Stramonii	—	1/3	2/4	4/5	4/3	—	4/1
a Sl „ Strophanthi, P.B.	11d.	2/5	4/5	8/4	—	—	—
a „ Tolutan.	—	2/5	4/10	10/6	—	—	—

		Per 1-oz.	Per 4-oz.	Per 8-oz.	Per lb.			
					1-lb.	C. qt. or 2-lb.	4-lb.	1 W. qt. or 7-lb.
a	Tinct. Valerian Ammon.	—	—	3/2	6/3	6/2	—	6/-
a	„ „ „ Simp.	—	1/7	3/-	5/9	—	—	—
a	„ „ Zingiber Mit.	—	2/1	4/1	7/11	—	—	—
a	„ „ „ Fort. B.P.	—	2/4	4/6	8/5	8/3	—	8/1
	Tragacanth Pulv. No. 1	—	9/6	18/9	37/-	—	—	—
	„ „ „ No. 2	—	7/-	—	27/-	—	—	—
U a	Ung. Acid. Borici Alb. B.P.	—	—	1/-	1/10	1/9	1/8	—
a	„ „ „ „ Flav.	—	—	11d.	1/8	1/7	—	—
a	„ „ „ „ Carbolic (see Ung. Phenolis)	—	—	—	—	—	—	—
a	„ „ „ „ Salicylic	—	11d.	1/6	2/11	2/9	—	—
a	„ „ „ „ Althææ	—	—	—	3/5	—	—	—
a Sl	„ „ „ „ Belladonnæ, B.P.C.	—	4/6	8/6	16/-	—	—	—
a	„ „ „ „ Calamina, B.P.C.	—	—	—	2/1	2/-	—	—
a Sl	„ „ „ „ Cantharidini, B.P.C.	—	1/10	—	—	—	—	—
a	„ „ „ „ Chrysarobini B.P.	—	—	2/4	4/8	—	—	—
a	„ „ „ „ Colophonii	—	—	—	3/4	3/3	—	—
a	„ „ „ „ Eucalypti	—	—	1/9	3/5	—	—	—
a	„ „ „ „ Gallæ	—	—	1/7	3/-	2/11	—	—
a Sl	„ „ „ „ c. Opio	—	—	5/7	11/-	10/10	—	—
a	„ „ „ „ Hamamelidis	—	—	1/8	3/2	3/1	—	—
a Sl	„ „ „ „ Hydrarg.	—	—	3/6	6/6	6/4	—	—
a	„ „ „ „ „ Ammon.	—	—	—	2/6	2/5	2/3	—
a Sl	„ „ „ „ „ Iodid. Rub.	—	—	2/6	4/6	—	—	—
a Sl	„ „ „ „ „ Nitratis Forte	—	1/4	2/7	5/-	—	—	—
a	„ „ „ „ „ Nitrat. Dilut.	—	11d.	1/5	2/9	—	—	—
a Sl	„ „ „ „ „ Oleatis B.P.	—	1/3	2/3	4/3	—	—	—
a	„ „ „ „ „ Oxid. Flav.	—	—	1/1	2/1	2/-	—	—
a	„ „ „ „ „ „ Rub.	—	1/3	2/5	4/6	—	—	—
a	„ „ „ „ „ „ Iodi, B.P.C.	—	—	2/1	4/1	—	—	—
a	„ „ „ „ „ „ Denigres, B.P.C.	—	—	1/9	3/4	3/3	3/2	—
a	„ „ „ „ „ „ c. methyl. salicylas	—	—	—	4/8	4/6	—	4/4
a	„ „ „ „ „ „ Iodoformi, B.P.C.	—	1/11	3/9	7/3	—	—	—
a	„ „ „ „ „ „ Phenolis, B.P.	—	—	1/2	2/3	—	—	—
a	„ „ „ „ „ „ Picis Liq.	—	1/-	1/9	3/5	—	—	—
a	„ „ „ „ „ „ Potassii Iodid.	—	2/5	4/9	9/3	—	—	—
a	„ „ „ „ „ „ Polysulphidi, B.P.C.	—	—	1/10	3/6	3/4	—	—
a	„ „ „ „ „ „ Resinæ (see Colophonii).	—	—	—	—	—	—	—
a	„ „ „ „ „ „ Rubri Scarlatini	—	1/1	1/11	—	—	—	—
a	„ „ „ „ „ „ Sambuci Virid	—	1/1	2/1	4/-	—	—	—
a	„ „ „ „ „ „ Sulphuris	—	—	—	1/10	1/9	1/8	—
a	„ „ „ „ „ „ „ Co. B.P.C.	—	—	1/3	2/4	—	—	—
a	„ „ „ „ „ „ „ Iodid.	—	1/9	3/4	6/3	—	—	—
a	„ „ „ „ „ „ „ Zinci Oleati	—	—	2/3	4/2	—	—	—
a	„ „ „ „ „ „ „ „ Oxid.	—	—	—	1/10	1/9	1/8	—
V Sl	Veratrina	—	—	2/11	5/9	—	—	—
a	Vinum Antim.	—	—	3/6	6/9	—	—	—
a	„ „ „ Ferri	—	—	3/4	6/4	—	—	—
	Viola Cryst. B.P.C.	2/6	7/10	—	—	—	—	—
	Viride Nitens, B.P.C.	2/5	7/4	—	—	—	—	—
Z	Zinci Acetas	—	—	2/1	3/10	—	—	—
	„ „ „ Carbonas	—	11d.	1/8	3/2	—	—	—
	„ „ „ Chloridum Sticks	—	2/-	3/9	7/3	—	—	—
	„ „ „ „ „ 1-oz. bottles 1 doz. 17/-	—	—	—	—	—	—	—
	„ „ „ „ „ „ Coml.	—	—	—	1/10	—	—	—
	„ „ „ „ „ „ Oxidum	—	—	—	1/7	1/6	1/5	1/4
	„ „ „ „ „ „ Sulphas Coml.	—	—	—	10d.	—	9d.	—
	„ „ „ „ „ „ „ Pur.	—	—	8d.	1/2	1/1	—	—
	„ „ „ „ „ „ „ Sulphocarbolas Cryst.	—	1/6	2/11	5/7	—	—	—
	„ „ „ „ „ „ „ „ Pulv.	—	1/7	3/-	5/9	—	—	—
	„ „ „ „ „ „ „ „ Valerian Cryst.	5/9	—	—	—	—	—	—
	Zingib. African, Pulv.	—	—	—	1/11	—	—	—
	„ „ „ Jamaica, Pulv.	—	—	2/1	4/1	4/-	—	—

CAPSULED HORSE BALLS

These Horse Balls are enclosed in **Gelatine** which, if kept in a perfectly dry place, preserves the mass unimpaired for a very long time, and by retaining the moisture prevents the Balls from becoming hard, brittle, and partially insoluble. Each formula, being numbered, it is only necessary in ordering to state the number.

These can be supplied with special gilt labels on each ball, with customer's name and address, in quantities of three dozen and upwards, at a small extra charge. Subject to 33 $\frac{1}{3}$ % Purchase Tax.

ALTERNATIVE BALLS.		Per Doz.		Astringent Balls—cont.		Per Doz.		Cough Balls—cont.		Per Doz.	
No.		Uncoated	Gelatine Coated	No.		Uncoated	Gelatine Coated	No.		Uncoated	Gelatine Coated
1	Aloes Barb.1 dr. Sapo Mollis1 „ Common Mass.....6 drs.	3/9	5/3	SI* 8	Catechu2 drs. Opium1 dr. Common Mass.....5 drs.	14/9	16/3	SI 41	Ext. Belladon. 1 dr. Pulv. Antim. Tart. 1 dr. „ Potass. Nit....2 drs. Camphoræ1 dr. Common Mass.....3 drs.	8/6	10/-
2	Aloes Barb.2 drs. Sapo Mollis2 „ Common Mass.....6 „	4/9	6/3	9	Plumb. Acet. ... 10 grs. Zinci Sulph..... 40 „ Catechu4 drs. Syrupq.s.	3/9	5/3	SI 42	Ext. Belladon. 1 dr. Pulv. Aloes Barb....1 „ „ Potass. Nit....2 drs. „ Antim. Tart. 1 dr. Camphoræ1 „ Common Mass.....2 drs.	8/9	10/3
3	Aloes Barb.1 dr. Pulv. Pot. Nit.....2 drs. „ Resinæ2 „ „ Zingib.1/2 „ „ Gentian1 „ Syrup1 1/2 „	3/9	5/3	CONDITION BALLS				43	Ext. Belladon.1 dr. Ammon. Carb.....2 drs. Camphoræ2 „ Common Mass.....3 „	8/3	9/9
4	As No. 3, but with 2 drams Aloes Barb.	4/6	6/-	SI 62	Aloes Barb. ...1 dr. Antim. Tart.1/2 „ „ Sulph.1 „ Pulv. Cayenne ...20 grs. „ Potass. Nit....1/2 dr. „ Resinæ1/2 „ „ Gentian1 „ Excipient2 1/2 drs.	4/9	6/3	63	Ext. Belladon.1 dr. Camphoræ1 „ Pulv. Potass. Nit....2 drs. Excipient3 „	6/9	8/3
SI 5	Aloes Barb.1 dr. Antim. Tart.....1 scr. Sulph. Præcip.2 drs. Potas. Bitart.1 dr. „ Nit.1 „ Pulv. Zingib.1 „ Syrup.....q.s.	4/6	6/-	COUGH BALLS				CORDIAL BALLS			
6	Pil. Hydrarg. c. Ferrol dr. Aloes Barb.1 „ Common Mass.....6 drs.	4/3	5/9	SI 10	Aloes Barb.....1 dr. Pulv. Digitalis2 „ Common Mass ...6 1/2 drs.	4/-	5/6	14	Pulv. Zingib.3 drs. „ Gentian3 „ Common Mass.....2 „	3/9	5/3
34	Pulv. Aloes Barb....2 drs. „ Sodii Bicarb. 2 „ „ Zingib.1 „ „ Potas. Nit. ...2 „ Common Mass.....1 dr.	4/-	5/6	SI 11	Antim. Tart. ...1/2 dr. Pulv. Digitalis1/2 „ „ Potass. Nit....1 1/2 drs. „ Gum. Ammon. 3 „ „ Scillæ1/2 dr. Common Mass.....2 drs.	5/9	7/3	15	Pulv. Anisi1 dr. „ Carui1 „ „ Sem. Cardam. 1 „ Ol. Anisi6 dps. Ext. Glycyrrh.....2 drs. Common Mass.....3 „	5/9	7/3
35	Pulv. Aloes Barb. 2 1/2 drs. „ Pot. Nit.2 „ „ Zingib.....2 „ Sapo Mollis.....1 1/2 „	4/9	6/3	SI *12	Pulv. Scillæ.....1 dr. „ Gum. Ammon. 3 drs. „ Opii.....1/2 dr. Common Mass.....q.s.	10/3	11/9	DIAPHORETIC BALL.			
SI 36	Pulv. Antim. Nig. 1 dr. „ Pot. Nit.....1 „ „ Sem. Fœnug. 1 „ Sulph. Sub.1 „ Common Mass.....4 drs.	3/3	4/9	SI 13	Pulv. Digitalis...1/2 dr. Camphoræ1 „ Antim. Tart.....1 „ Pulv. Pot. Nit.....3 drs. Common Mass ...2 1/2 „	6/3	7/9	SI 16	Antim. Tart....20 grs. Pulv. Gum. Guaiaci 1 dr. Sulphur Sub.1 1/2 drs. Common Mass.....5 „	4/3	5/9
SI 37	Sulph. Sub.1 dr. Pulv. Pot. Nit.....1 „ „ Sem. Fœnug. 2 drs. Antim. Oxysulph. 1 dr. Common Mass.....3 drs.	3/6	5/-	38	Ext. Belladon.1/2 dr. Pulv. Aloes Barb....1/2 „ „ Potass. Nit....2 drs. Common Mass.....5 „	4/6	6/-	DIURETIC BALLS.			
ASTRINGENT BALLS.				39	Ext. Belladon. ... 45 grs. Pulv. Aloes Barb....1 dr. „ Pot. Nit.....2 drs. Common Mass.....4 „	5/3	6/9	17	Resin } 3 drs. Pulv. Potass. Nit. } of each Saponis }	3/6	5/-
7	Catechu1 dr. Pulv. Cassiæ.....1 „ Common Mass.....6 drs.	3/9	5/6	40	Ext. Belladon.1 dr. Pulv. Aloes Barb....1 „ „ Pot. Nit.....2 drs. Common Mass.....4 „	5/9	7/3	19	Saponis Pulv.1/2 dr. Pulv. Potass. Nit....3 drs. „ Resinæ3 „ Camphoræ1/2 dr. Bacc. Juniper1 „	4/3	5/9
								44	Pulv. Resinæ2 drs. „ Potass. Nit....2 „ „ Sapo Cast. ...1 dr. „ Bac. Juniper 1 „ Pip. Cayenne5 grs. Tereb. Venet.q.s.	3/3	4/9

Gelatine Coated Horse Balls are always supplied, unless "uncoated" is specially stated on the Order.

CAPSULED HORSE BALLS—Continued.

Diuretic Balls—cont.				Per Doz.		STIMULATING BALLS.				Per Doz.		Tonic Balls—cont.				Per Doz.	
No.		Uncoated	Gelatine Coated	No.		Uncoated	Gelatine Coated	No.		Uncoated	Gelatine Coated	No.		Uncoated	Gelatine Coated		
45	Pulv. Potass Nit.			60	Ammon. Carb.....2 drs.			SI 52	Cinchonin.Mur.40 grs.								
	„ Zingib.				Aloes Barb.1½ dr.				Ferri Arsenas5 „								
	„ Gentian				Pulv. Gentian2 drs.				Pulv. Nuc. Vom....1 dr.					9/-	10/6		
	„ Resinæ				„ Zingib.1 dr.				Common Mass.....6 drs.								
	Sapo Mollis ... aa. 1½ drs.	3/6	5/-		Camphor1½ dr.												
46	Pulv. Resinæ				Common Mass.....2 drs.	5/3	6/9										
	„ Potass. Nit.			LIVER BALLS.													
	„ Gentian aa. 2 drs.																
	„ Zingib.			64	Hydrarg Subchlor 15 grs.							SI 53	Cinchonin.Mur.40 grs.				
	Sapo Mollis ... aa. 1 dr.	3/6	5/-		Aloes Socot.....1½ dr.								Ferri Arsenas5 „				
47	Pulv. Resinæ				Pulv. Potass. Nit....2 drs.								Pulv. Capsici.10 „				
	„ Sapo Cast.				„ Ipecac1 dr.								„ Zingib.2 drs.	8/6	10/-		
	Tereb. Venet.				„ Excipient ...3½ drs.	10/3	11/9					SI 54	Ferri et Am.Cit. 2 drs.				
	Pulv. Carui ... aa. 2 drs.	4/3	5/9										Pulv. Digitalis ...20 grs.				
FARCY OR OEDEMA BALLS.													Ammon. Carb. ...1½ drs.				
59	Cupri Sulph.....1 dr.												Pulv. Zingib.2 „				
	Potassii Chlor.....1 „												„ Gentianæ ...2 „	4/3	5/9		
	Pulv. Nucis Vom. 10 grs.																
	„ Hellebor.Alb. 20 „																
	„ Resinæ1½ drs.																
	„ Potass. Nit. ...1 dr.																
	„ Saponis1 „	4/-	5/6														
	Terebinth.Venet. ad 1 oz.																
Caution—This ball should not be given to in-foal mares																	
FEVER BALLS.																	
SI 19	Antim. Tart. ...½ dr.																
	Camphoræ½ „																
	Pulv. Potass. Nit....2 drs.																
	Common Mass.....5 „	4/3	5/9														
SI 20	Camphoræ2 drs.																
	Pulv. Potass. Nit....2 „																
	„ Antim. Tart. 1 dr.																
	Common Mass.....3 drs.	7/6	9/-														
SI 21	Camphoræ1 dr.																
	Pulv. Potass. Nit....4 drs.																
	„ Antim. Co....2 „																
	Syrupq.s.	5/6	7/-														
48	Camphoræ2 drs.																
	Pulv. Potass. Nit....6 „																
	„ Cinchona ...1 dr.	6/6	8/-														
PHYSIC BALLS.																	
22	Aloes Barb.4 drs.	3/6	5/-														
23	Aloes Barb.5 „	4/-	5/6														
24	Aloes Barb.6 „	4/6	6/-														
25	Aloes Barb.7 „	5/-	6/6														
25a	Aloes Barb.8 „	5/6	7/-														
PULMONARY EMPHYSEMA BALLS.																	
SI 61	Strychnin.Arsen.½ gr.																
	Ferri Arsenas4 grs.																
	Potass. Iodid.....31 „																
	Excipient1 oz.	4/3	5/9														
Dose—One, morning and night for 15 days.																	

Gelatin Coated Horse Balls are always supplied, unless "uncoated" is specially stated on the Order.

COMPOUND POWDERS FOR HORSES

Each in an envelope containing **half an ounce of Powder**, or made up to one ounce at **6/-** per gross extra.

Subject to $33\frac{1}{3}\%$ Purchase Tax.

ALTERATIVE.

SI 1.	Pulv. Antim. Nig.	...	...	1 part.
	„ Potass. Nit.	...	...	1 „
	„ Sem. Fœnugrec.	...	...	2 „
	Sulphur Sublim.	...	...	1 „
	Price :	21/6	per gross.	Bulk 2/- per lb.,

SI 5.	Pulv. Antim. Nig.	...	...	1 part.
	„ Potass. Nit.	...	...	2 „
	„ Resinæ	...	...	2 „
	Sulphur Sublim.	...	...	3 „
	Pulv. Sem. Fœnugrec.	...	...	1 „
	Price :	22/-	per gross.	Bulk 1/9 per lb.

SI 6.	Magnes. Sulph.	...	...	4 parts.
	Pulv. Potass. Nit.	...	...	2 „
	Sulphur Sublim.	...	...	2 „
	Antim. Oxysulph.	...	...	1 „
	Price :	20/-	per gross.	Bulk 1/6 per lb.

ASTRINGENT.

7.	Pulv. Creta Prep.	...	...	2 parts.
	„ Catechu	...	...	1 „
	„ Cassia	...	...	1 „
	Price :	25/-	per gross.	Bulk 2/6 per lb.

CONDITION.

8.	As used at Newmarket, etc.			
	Price :	27/6	per gross.	Bulk 3/- per lb.
9.	As above with Pulv. Capsici.			
	Price :	28/6	per gross.	Bulk 3/2 per lb.
SI 10.	Antim. Oxysulph.	...	...	1 part.
	Pulv. Resinæ	...	...	2 „
	„ Gentian	...	...	1 „
	„ Potass. Nit.	...	...	4 „
	Sulphur Sublim.	...	...	3 „
	Pulv. Anisi	...	...	2 „
	„ Glycyrrh.	...	...	2 „
	„ Fœnugrec.	...	...	1 „
	Price :	24/-	per gross.	Bulk 2/2 per lb.

CORDIAL.

11.	Pulv. Zingib.	...	...	1 part.
	„ Cassia	...	...	1 „
	„ Gentian	...	...	1 „
	Price :	27/6	per gross.	Bulk 3/- per lb.

COUGH.

SI 2.	Pulv. Digitalis	...	...	1 part.
	„ Antim. Tart.	...	...	2 „
	„ Potass. Nit.	...	...	4 „
	„ Anisi	...	...	2 „
	„ Glycyrrh	...	...	4 „
	Price :	32/-	per gross.	Bulk 4/3 per lb.
20.	Pulv. Fol. Bellad.	...	...	2 parts.
	„ Anisi	...	...	2 „
	„ Glycyrrh.	...	...	2 „
	„ Fœnugrec.	...	...	2 „
	Price :	33/-	per gross.	Bulk 4/6 per lb.

DIURETIC.

12.	Pulv. Resin.	...	...	2 parts.
	Sulphur Sublim.	...	...	1 „
	Pulv. Potass. Nit.	...	...	1 „
	Bole Armen.	...	...	q.s.
	Price :	20/-	per gross.	Bulk 1/5 per lb.

FEVER (Pink).

13.	Pulv. Potass. Nit.	...	...	12 parts.
	„ Magnes. Sulph.	...	...	1 „
	„ Potass. Chlor.	...	...	4 „
	„ Sodii Bicarb.	...	...	1 „
	Carminæ	...	...	q.s.
	Price :	23/-	per gross.	Bulk 2/- per lb.

SI 14.	Pulv. Antim. Tart.	...	...	1 part.
	„ Potass. Nit.	...	...	2 „
	„ Potass. Bicarb.	...	...	2 „
	„ Camphor	...	...	1 „
	„ Glycyrrh.	...	...	2 „
	Price :	34/-	per gross.	Bulk 4/6 per lb.

TONIC.

3.	Pulv. Ferri. Sulph.	...	...	4 parts.
	„ Cort. Cinchonæ	...	...	1 „
	„ Gentian	...	...	2 „
	„ Zingib.	...	...	2 „
	Price :	25/-	per gross.	Bulk 2/6 per lb.

15.	Pulv. Cupri. Sulph.	...	...	2 parts.
	„ Zingib.	...	...	2 „
	„ Fœniculi	...	...	1 „
	„ Gentian	...	...	2 „
	Sacchar. Fuscum.	...	...	2 „
	Price :	23/-	per gross.	Bulk 2/- per lb.

16.	Ferri Sulph.	...	...	1 part.
	Pulv. Zingib.	...	...	1 „
	„ Cymini.	...	...	2 „
	„ Gentian	...	...	1 „
	„ Canellæ	...	...	1 „
	Sacch. Fuscum.	...	...	1 „
	Price :	26/-	per gross.	Bulk 2/9 per lb.

17.	Pulv. Calumbæ	...	...	2 parts.
	„ Zingib.	...	...	1 „
	„ Glycyrrh.	...	...	2 „
	„ Canellæ	...	...	2 „
	„ Gentian	...	...	2 „
	Sacch. Fuscum.	...	...	2 „
	Price :	27/6	per gross.	Bulk 3/- per lb.

WORM

4.	Santonin.	...	...	1 part.
	Pulv. Ferri. Sulph.	...	...	8 „
	„ Gentian	...	...	8 „
	Price :	17/6	per dozen.	

SI 18.	Antim. Tart.	...	...	1 part.
	Pulv. Aloes Barb.	...	...	1 „
	„ Glycyrrh.	...	...	2 „
	Ferri Sulph. Exsic.	...	...	1 „
	Sacch. Fuscum.	...	...	2 „
	Price :	33/-	per gross.	Bulk 4/3 per lb.

19.	Santonin.	...	...	1 part.
	Ferri. Sulph. Exsic.	...	...	2 „
	Pulv. Gentian	...	...	1 „
	„ Glycyrrh.	...	...	6 „
	„ Anisi	...	...	2 „
	Price :	24/-	per dozen.	

DRAUGHTS FOR HORSES

Subject to 33 $\frac{1}{3}$ % Purchase Tax.

SI*ANODYNE.

Composed of Tinct. Opii,
Spt. Æther. Nit., with
aromatics, etc.
In 3-oz. bottles, 15/- per doz.

COLIC. No. 1.

Choral Hydrat. ... 3 ss.
Chlorodyne (Green) 3 ii.
Æther. Sulph. ... 3 ss.
Liq. Ammon. Acet. ... 3 ss.
Aqua Dest. ... ad 3 iv.
In 4-oz. bottles, 12/6 per doz.

COLIC. No. 2. As recommended
by a well-known veterinary
practitioner; composed of
Chloral Hydrat.
Tinct. Opii,
with Chloroform, Turpentine, etc.
In 4-oz. bottles, 23/- per doz.

CORDIAL.

Chlorodyne (Green) ... 3 ss.
Ol. Menth. Pip. ... 3 ss.
Aqua Dest. ... ad 3 iv.
In 4-oz. bottles, 11/6 per doz.

FEVER.

Composed of Spirit Æther Nit.,
Liq. Ammon. Acet.,
Liq. Ammon. Fort.,
with Aromatic Oils, etc.

In 10-oz. bottles containing 2 doses,
14/- per doz.

The above Draughts are labelled with full directions, and in lots of six dozen bottles of any one kind can be supplied with a slip label bearing customer's own name without extra charge.

CATTLE DRENCHES (Friable)

Subject to 33 $\frac{1}{3}$ % Purchase Tax.

Neatly packed in Cardboard Cartons.

The outside wrapper indicating the colour of the Drench.

SI ALTERNATIVE DRENCH.

Sodii Sulphas ... 1 $\frac{1}{2}$ ounces.
Sulph. Sublim. ... 1 ounce
Pulv. Anisi ... 1 ounce
Antim. Crocus... 1 $\frac{1}{2}$ ounce
Pulv. Curcumæ ... 1 $\frac{1}{2}$ ounce.
Pulv. Gentian. ... 1 $\frac{1}{2}$ ounce
Price 10/- per dozen.

ASTRINGENT DRENCH.

Creta Prep. ... 1 ounce
Pulv. Catechu ... 1 $\frac{1}{2}$ ounce
Pulv. Buxus ... 1 $\frac{1}{2}$ ounce
Pulv. Zingib. ... 2 drams
Pulv. Ext. Hæmatox. 1 dram
Pulv. Opii ... 1 $\frac{1}{2}$ dram
Excipient ... to 8 ounces
Price 17/6 per dozen.

CHILL DRENCH.

Pulv. Sinapis ... 1 ounce
Pulv. Diapente... 1 ounce
Pulv. Anisi ... 1 ounce
Pulv. Fœnugrec. ... 1 $\frac{1}{2}$ ounce
Pulv. Camphoræ ... 1 dram
Pulv. Zingib. ... 1 $\frac{1}{2}$ dram
Pulv. Potass. Nit. ... 3 drams
Pulv. Lini ... to 8 ounces
8 oz. packets, 13/6 per dozen.

CORDIAL DRENCH.

Pulv. Cardamomi ... 1 dram
Pulv. Cari ... 1 ounce
Pulv. Anisi ... 1 ounce
Pulv. Zingib. ... 1 ounce
Ox Spice ... to 8 ounces
8 oz. packets, 23/6 per dozen.

SI No. 1 CLEANSING DRENCH (SPECIAL).

Pulv. Ergotæ ... 4 drams
Pulv. Camphoræ ... 1 $\frac{1}{2}$ dram
Pulv. Potass. Nit. ... 3 drams
Pulv. Anisi ... 1 $\frac{1}{2}$ dram
Pulv. Antim. Tart. ... 1 $\frac{1}{2}$ dram
Mag. Sulph. (Flav.) to 16 ounces
1 lb. packets, 18/- 12 oz. packets,
14/- 8 oz. packets, 10/6 per doz.

SI No. 2 Cleansing Drench as above,
but with 1 dram of Ergot. only,
1 lb. packets, 13/- 12 oz., 10/-
8 oz., 7/6 dozen.

SI No. 3 CLEANSING DRENCH.

Pulv. Birthwort ... 4 drams
Camphoræ ... 1 $\frac{1}{2}$ dram
Pulv. Potass. Nit. ... 3 drams
Pulv. Anisi ... 1 $\frac{1}{2}$ dram
Antim. Tart. ... 1 $\frac{1}{2}$ dram
Mag. Sulph. (Blue) to 16 ounces
1 lb. packets, 13/- 12 oz., 10/-
8 oz., 7/6 per dozen.

FELON DRENCH.

Ammon. Carb. ... 3 $\frac{1}{2}$ drams
Pulv. Camphoræ ... 2 drams
Pulv. Anisi ... 4 drams
Pulv. Pot. Nit. ... 4 drams
Mag. Sulph. (Blue) ... 4 ounces
Pulv. Glycyrrh. to 8 ounces
Price: 13/- per dozen

No. 1 FEVER DRENCH.

Acid Carbolic ... 1 dram
Camphoræ ... 1 dram
Magnes. Sulph. (Pink) 4 ounces
Price: 5/6 per dozen

No. 2 Fever Drench, as above, with
Pulv. Pot. Nit ... 1 dram
Price: 5/9 per dozen.

CUDDING & TONIC DRENCH.

Sodii Bicarb. ... 4 drams
Pulv. Nuc. Vomica ... 2 drams
Pulv. Gentian ... 4 drams
Pulv. Zingib. ... 4 drams
Bole Armen. ... q.s.
Pulv. Lini ... to 4 ounces.

Price 5/9 per dozen.
,, 63/- per gross.

PULV. MAGNES. SULPH.

1 lb. packets, 8/6 12 oz. packets,
6/6 ; 8 oz. packets, 5/- per dozen.

These can also be supplied coloured
either red, black, blue, brown, pink,
yellow or green, at the same price.

PULV. MAGNES. SULPH. CO.
(Before or after Calving Drench).
Also in Coryza Mammitis, etc.
Either of the above colours can be
supplied mixed with Pulv. Zingib
and Pulv. Anisi. or other cordial.

1 lb. packets, 11/6 12 oz. packets,
9/6 ; 8 oz. packets, 7/6 per doz.

These Drenches are carefully packed to prevent caking, and are a great convenience to the busy country practitioner.

DRENCHES FOR CALVES, PIGS AND SHEEP

Subject to 33 $\frac{1}{3}$ % Purchase Tax.

Similar to the above, but packed in 4-oz. Cartons.
Pulv. Mag. Sulph. Exsic. ... 4/- per doz.
Pulv. Mag. Sulph. Co. ... 5/-
Special Cleansing Drench ... 6/9
Chill Drench ... 8/3

SPECIAL CORDIAL DRENCH FOR CALVES & SHEEP

Subject to 33 $\frac{1}{3}$ % Purchase Tax.

Creta Prep. ... 4 drams.
Pulv. Catechu ... 2
Pulv. Zingib. ... 2
Pulv. Opii ... 20 grains.
Locust Meal ... to 4 ounces.
4 oz. packets, 8/6 per dozen.

PLASTER BANDAGES

(3 YARDS X 2½ INCHES).

For weak and broken down Tendons, or in cases where pressure and support are necessary. The Bandage should be firmly fixed and may be left in position for weeks without attention. In cold weather the bandage should be gently warmed before fixing. Black or brown bandages can be supplied.

SUPPOSITORIES for Horses, Cattle, etc.

2 dram size.

SI *51	Morphinæ Hydrochlor.	2 gr.	5/3	per doz.	SI*54	Morphinæ Hydrochlor	2 gr.	} 6/- per doz.
SI *52	"	3 "	7/-	"		Atropinæ Sulph.	... ½ "	
SI *53	"	4 "	8/9	"	SI*55	Morphinæ Hydrochlor.	1½ "	} 5/3 "
						Atropinæ Sulph.	... ½ "	

VETERINARY PESSARIES

These are prepared with an antiseptic Glycerine basis, and being readily soluble, have proved very beneficial in parturition in Mares and Cows. Used immediately after parturition the uterus is maintained in a healthy condition.

Subject to 33½% Purchase Tax, except those marked e

The following are kept in stock, but other combinations can be supplied at short notice.

e 9.	Acriflavine (1 in 1,000)	...	8/6	per doz.	5.	Salol, 2 drams	...	10/-	per doz.
1.	Boric Acid, 2 drams	...	8/6	"	6.	San Kresyl, 3 per cent.	...	8/6	"
2.	Carbolic Acid, 3 grains	...	8/6	"	7.	Chinosol, ½ dram	...	10/-	"
10.	Hyd. Perchlor. (1 in 2,000)	...	8/6	"	8.	Iodoform, 1 dram	}	13/6	"
3.	Iodoform, 1 dram	...	10/6	"		Salol, 2 drams			
4.	Iodoform 1 dram, Boric Acid 2 drams	...	11/-	"					

COMPRESSED TABLETS

FOR VETERINARY HYPODERMIC INJECTIONS

The great difficulty in preserving Hypodermic Solutions in a satisfactory condition, has induced us to prepare Tablets, which may be quickly dissolved when required and are not liable to deterioration in keeping.

The following formulæ are supplied in Tubes of twelve Tablets except those marked † which contain six only.

a	21	Arecolin. Hydrobrom.	gr. ss.	3/-	per tube	SI	42*	Morphinæ Tart.	gr. ii.	5/-	per tube
SI	1	Atropinæ Sulph.	" 1-10	9d.	"	SI	43*	" "	" iiss.	6/-	"
SI	22	Do. do.	" s.s.	1/10	"	SI	6*	Do. do.	" iii.	7/-	"
SI	23	Do. do.	" 1	3/3	"	SI	7*	Morphin. c. Atropin. :			
SI	10*	Cocain. Hydrochlor.	" s.s.	1/6	"			{ Morphinæ Tart.	" iss.	4/-	"
SI	11*	Do. do.	" i.	2/6	"			{ Atropinæ Sulph.	" 1-10		
SI	26*	Do. do.	" iss.	3/6	"	SI	44*	Morphin. c. Atropin. :			
SI	27	Do. do.	" ii.	4/6	"			{ Morphinæ Tart.	" iss.	4/3	"
SI	32	Digitalin.	" 1-8		"			{ Atropinæ Sulph.	" 1-4		
SI	2	Do.	" 1-4		"	SI	45*	Morphin. c. Atropin. :			
a SI	33	Digitalin. Co. :—						{ Morphinæ Tart.	" iss.	4/6	"
		{ Digitalin. ...	" 1-10					{ Atropinæ Sulph.	" ss.		
		{ Spartein. Sulph.	" 1-5			SI	46*	Morphin. c. Atropin. :			
		{ Strychnin. Nitrates	" 1-8					{ Morphinæ Tart.	" ii.	5/9	"
								{ Atropinæ Sulph.	" 1-4		
SI	34	Ergotinæ Citras	" 1-24		"	a SI	14†	Pilocarpin. Hydrochlor.	" ss.	1/8	"
a SI	35†	Eserinæ Salicylas	" 1-4	2/6	"	a SI	50†	Do. do.	" 1	2/9	"
a SI	3†	Do. do.	" ss.	4/-	"	a SI	51†	Do. do.	" iss.	3/10	"
a SI	4†	Do. do.	" 1	7/6	"	SI	56	Strychninæ Sulph.	" 1-4	10d.	"
SI	15	Hyoscin. Hydrobrom.	" 1-25	1/6	"	SI	8	Do. do.	" ss.	11d.	"
SI	41*	Morphinæ Tart.	" 1	2/6	"	SI	9	Do. do.	" 1	1/-	"
SI	5*	" do.	" iss.	3/9	"						

STANDARD VETERINARY HYPODERMIC INJECTIONS

a INJ. ARECOLIN. HYDROBROM. HYPOD. (VET.), STRENGTH, 1 in 60.

For intestinal impaction, laminitis, etc. It has the combined action of Pilocarpine and Physostigmine.
Price : 4/6 per oz.

a INJ. ARSEN. Price : 1/3 per oz.

SI INJ. ATROPIN. SULPH., HYPOD. (VET.), STRENGTH, 1 in 60.

For the relief of Asthma, Colic, Pleurisy, etc.
Price : 2/6 per oz.

INJ. COCAIN., 10% Price : 7/6 per oz.

a SI INJ. CONINAE HYDROBROM. Price : per oz.

SI INJ. ERGOTININAE CITRAS., HYPOD. (VET.), STRENGTH, 1 in 600.

An emmenagogue assisting the uterus in expulsion of foetus or retained membranes, and a useful styptic for arresting hæmorrhage.
Price : per oz.

SI * INJ. MORPHINAE, HYPOD. (VET.), STRENGTH, 1 in 12.

Serviceable in all cases where the use of opium is indicated, as anodyne, sedative, and anti-spasmodic.
Price : 7/- per oz.

SI * INJ. MORPH. HYPOD., c. ATROPIN. (VET.), STRENGTH, Morphine 1 in 12 ; Atropine 1 in 240.

Most effective in Colic, Rheumatism, Enteritis, etc., the combination producing less excitement than with Morphine alone, and not causing constipation or retention of urine.
Price : 7/9 per oz.

a SI INJ. PHYSOSTIG., HYPOD. (VET.), STRENGTH, 1 in 30.

Can be employed in all cases of constipation due to atony of the intestinal muscular fibre, and in colic due to impaction of food or indigestible matter.
Price : 11/6 per oz.

a SI INJ. PILOCARPIN., HYPOD. (VET.), STRENGTH, 1 in 30.

Useful in producing salivation and perspiration, also recommended in gastric and intestinal derangements. Price : 3/3 per oz.

INJ. PROCAIN., 5% See page 8.

SI INJ. STRYCHNINAE HYPOD. (VET.), STRENGTH, 1 in 45.

Useful in Tetanus, Gastro-Enteritis, Muscular Paralysis, etc. Price : 1/3 per oz.

a INJ. TEREBINTH CO., (VET.).

For intra-tracheal injection for the relief of Hoarse in Calves and Lambs, composed of Acid Carbolic, Chloroform, Ol. Terebinth. Rect., ect. Doses for Calves, 1 to 3 drams ; Lambs, 1 dram slowly injected. Price 6d. per oz. 5/3 per lb.

PIGEON AND POULTRY PILLS

Subject to 33 $\frac{1}{3}$ % Purchase Tax.

SI *No. 1. DIARRHOEA.

Pulv. Pip. Cayenne	...	...	gr. iii.
Pulv. Rhei	...	...	" v.
Creta. Prep.	...	...	" v.
Pulv. Opii	...	...	" ss.

Dose.—One Pill morning and evening.
Price : 4/- per gross.

SI No. 2. TONIC (for Leg Weakness.)

Ferri Sulph. Exsic.	...	...	gr. i.
Calcii Phosph.	...	...	" v.
Strychnine	...	...	" 1-60th
Quininæ Sulph.	...	...	" ss.

Dose.—One Pill three times a day.
Price : 3/3 per gross.

No. 4. Pil. Eastonii ... m. v. Price : 2/6 per gross.

No. 3. ROUP.

Piperine	...	...	gr. i.
Bals. Copaibæ	...	...	m. iii.
Magnes. Calc. Pond.	...	...	q.s.
Pulv. Glycyrrh.	...	...	gr. iii.

Dose.—One Pill twice a day, preceded three hours previously by a teaspoonful of Castor Oil. The nostrils and mouth should be washed with Liq. Sodii Chlorinata (diluted 1 part to 2 parts of water), and if necessary, on the third day give Pil. Hyd. Subchlor., gr. i. or gr. ii.

Price : 7/6 per gross.

N.B.—Pills for Pigeons are supplied at one quarter the strength of the above poultry pills.

SOLUBLE PEARL-COATED DOG PILLS (Tinted)

We keep the following formulæ in Stock, and shall be happy to prepare private formulæ in quantities of one gross and upwards :—

5 Gross lots are charged 2d. less per Gross. 10 Gross lots are charged 3d. less per Gross.

Subject to 33 $\frac{1}{3}$ % Purchase Tax.

APERIENT PILLS (Red).

				Price per gross
1	Aloes c. Gingerin.	...	gr. xv.	4/6
30	Aloes c. Gingerin.	...	" v.	2/6
2	Aloes c. Gingerin.	...	" x.	
	Ol. Croton	...	gtt. ss.	3/6
3	Aloes c. Gingerin.	...	gr. xv.	
	Hydrarg. Subchlor.	...	" ij.	5/3
31	Aloes c. Gingerin.	...	" v.	
	Ol. Croton.	...	gtt. l-4th	2/9
32	Aloes c. Gingerin.	...	gr. v.	
	Hydrarg. Subchlor.	...	" i.	3/-
16	Podophyllin	...	" ss.	
	Potass. Nit.	...	" v.	
	Ext. Taraxaci	...	" x.	6/9
17	Podophyllin	...	"	
	Hydrarg. Subchlor.	...	aa. " i.	
	Ext. Gentian.	...	" x.	5/-
18	Podophyllin	...	" i.	
	Hydrarg. c. Creta	...	" v.	
	Ext. Taraxaci	...	" viij.	8/9
33	Podophyllin	...	" l-4th	
	Pot. Nit.	...	" ij.	
	Ext. Tarax.	...	" iij.	3/9
34	Podophyllin	...	"	
	Hyd. Subchlor.	...	aa. " ss.	
	Ext. Gentian.	...	" iv.	3/3
35	Podophyllin	...	" ss.	
	Hyd. c. Creta	...	" ijss.	
	Ext. Tarax.	...	" ij.	4/-
SI*66	Hydrarg. c. Creta	...	" iij.	
	Ext. Digitalis	...	" l-4th	
	Ext. Rhei	...	" ij.	
	Pulv. Scillæ	...	" i.	
	Pulv. Doveri	...	" iij.	
	Pulv. Aloes Barb.	...	" l-4th	6/6

ALTERATIVE PILLS (Heliotrope).

4	Hydrarg. Sulph. c. Sulph.	...	aa. gr. v.	
	Potas. Bitart.	...	" ij.	4/9
5	Hydrarg. c. Creta	...	" iv.	
	Aloes	...	" viij.	
	Pulv. Myrrhæ	...	" iij.	3/9
36	Hyd. Sulph. c. Sulph.	...	" ijss.	
	Pot. Bitart.	...	" ijss.	
	Ferri Tart.	...	" i.	3/3
37	Hyd. c. Creta	...	" iss.	
	Aloes	...	" ij.	
	Pulv. Myrrh.	...	" iss.	2/3

ANTI-RHEUMATIC PILLS (Yellow).

19	Acid. Salicylic.	...	gr. x.	2/6
20	Sulph. Præcip.	...	" x.	
	Resin. Guaiaci	...	" v.	
	Potas. Iodid.	...	" i.	
	Potas. Acetas	...	" iss.	
	Potas. Bicarb.	...	" v.	3/9
38	Sulph. Præcip.	...	" ijss.	
	Resin. Guaiaci.	...	" l-4th	
	Pot. Iodid.	...	"	
	Pot. Acet.	...	aa. " ss.	
	Pot. Bicarb.	...	" ij.	2/3

ASTRINGENT PILLS (Brown).

				Price per gross
SI* 6	Pulv. Opii	...	gr. ss.	
	Pulv. Catechu	...	" x.	
	Pulv. Zingib.	...	" v.	4/-
SI* 7	Pulv. Opii.	...	" ss.	
	Cretæ Præp.	...	" x.	
	Pulv. Ipecac.	...	" ij.	
	Ferri Carb.	...	" iij.	5/9
SI*39	Pulv. Opii.	...	" l-4th	
	Pulv. Catechu	...	" iij.	
	Pulv. Zingib.	...	" iss.	3/-
SI*40	Pulv. Opii.	...	" l-4th	
	Creta Prep.	...	" iij.	
	Pulv. Ipecac.	...	" ss.	
	Ferri Carb.	...	" i.	3/6
SI*67	Pulv. Opii.	...	" l-4th	
	Pulv. Catechu	...	" iv.	
	Pulv. Acaciæ	...	" iiss.	
	Pulv. Galangal.	...	" i.	
	Pulv. Zingiber.	...	" iij.	3/6

CHOREA PILLS (White).

59	Ext. Bellad.	...	gr. l-4th	
	Potass. Brom.	...	" iiss.	
	Chloral Hydrat....	...	" iss.	
	Excipient	...	ad. " x.	3/3

COUGH PILLS (Pink).

SI 8	Pulv. Digitalis	...	gr. ij.	
	Pulv. Antim. Co.	...	"	
	Pulv. Potas. Nit.	...	aa. " iv.	
	Pulv. Ipecac.	...	" ij.	6/-
SI* 9	Pulv. Scillæ	...	" i.	
	Pulv. Gum. Ammon.	...	" v.	
	Acid. Benzoic.	...	" i.	
	Bals. Peru.	...	" viij.	
	Pulv. Opii.	...	" l-4th	6/6
SI 41	Pulv. Digitalis	...	" ss.	
	Pulv. Antim. Co.	...	"	
	Pulv. Pot. Nit.	...	aa. " iss.	
	Pulv. Ipecac.	...	" ss.	3/-
SI*42	Pulv. Scillæ	...	" ss.	
	Pulv. Gum. Ammon.	...	" iss.	
	Acid. Benzoic.	...	" ss.	
	Bals. Peru.	...	" ij.	3/3
	Pulv. Opii.	...	" l-8th	
SI 43	Pulv. Antim. Co.	...	" i.	
	Pulv. Pot. Nit.	...	" ij.	
	Camphora	...	" i.	
	Pulv. Carbo. Liq.	...	" ij.	2/3
68	Pulv. Gum. Ammon.	...	" ij.	
	Camphora	...	" l-4th	
	Pulv. Ipecac. Co.	...	" i.	
	Pulv. Scillæ	...	" ij.	
	Ext. Conii	...	" i.	
	Ext. Digitalis	...	" l-4th	
	Excipient	...	ad. " x.	3/3

DISTEMPER PILLS (Light Blue).

SI 10	Pulv. Antim. Co.	...	gr. iij.	
	Pulv. Potass. Nit.	...	" v.	
	Camphoræ	...	" ij.	
	Pulv. Carbo. Lig.	...	" viij.	3/9
SI 11	Pulv. Antim. Co.	...	" ij.	
	Pulv. Potass. Nit.	...	" v.	
	Pulv. Digitalis	...	" i.	
	Pulv. Carbo. Lig.	...	" viij.	3/9

SOLUBLE PEARL-COATED DOG PILLS—Contd.

5 Gross lots are charged 2d. less per Gross. 10 Gross lots are charged 3d. less per Gross.

DISTEMPER PILLS (Light Blue)—Cont. Price per gross

SI 21	Camphor	...	gr. iv.	
	Ext. Belladonnæ	...	" iij.	
	Pulv. Potas. Nit.	...		
	Pulv. Carbo. Lig.	...	aa. v.	4/3
SI*22	Pulv. Ipecac. Co.	...	" iv.	
	Pulv. Potas. Nit.	...	" v.	
	Camphor.	...	" ij.	
	Pulv. Carbo. Lig.	...	" iv.	4/6
23	Hydrarg. c. Creta	...	" iv.	
	Pulv. Potas. Nit.	...	" v.	
	Pulv. Digitalis	...	" i.	
	Pulv. Carbo. Lig.	...	" iv.	3/3
60	Quininæ Bisulph.	...	" i.	
	Sodii Bicarb.	...		
	Potass. Chlor.	...	aa. ii.	
	Excipient	...	ad. x.	4/6
61	Quininæ Bisulph.	...	" iss.	
	Sodii Bicarb.	...		
	Potass. Chlor.	...	aa. iii.	
	Excipient	...	ad. xv.	5/6
SI 62	Carbo. Ligni.	...	" viij.	
	Pulv. Antimonialis	...	" iii.	
	Pulv. Potass. Nit.	...	" v.	
	Camphor	...	" ij.	3/6
64	Sodii Bicarb.	...	" i.	
	Quininæ Bisulph.	...	" ss.	
	Potass. Chlor.	...	" i	
	Excipient	...	ad. v.	3/-
SI 44	Pulv. Antim. Co.	...	" i.	
	Pulv. Pot. Nit.	...	" ij.	
	Pulv. Digitalis	...	" ss.	
	Pulv. Carbo. Lig.	...	" ij.	2/3
45	Camphora	...	" iss.	
	Ext. Bellad.	...	" i.	
	Pulv. Pot. Nit.	...		
	Pulv. Carbo. Lig.	...	aa. iss.	3/-
SI*46	Pulv. Ipecac. Co.	...		
	Pulv. Pot. Nit.	...	aa. iss.	
	Camphora	...	"	
	P. Carbo. Lig.	...	" ij.	2/9
47	Hyd. c. Creta	...		
	Pulv. Pot. Nit.	...	aa. iss.	
	Pulv. Digitalis	...	" ss.	
	Pulv. Carbo. Lig.	...	" iss.	2/-
SI 69	Pil. Ipecac. Co.	...	" ij.	
	Pulv. Antimon.	...	" iij.	
	Hyd. c. Cret.	...	" iij.	
	Quininæ Sulph.	...	" i.	
	Excipient	...	ad. xi.	6/-
70	Hyd. Sulph. Flav.	...	" ss.	
	Gum. Asafetid	...	" v.	
	Pil. Purgans	...	ad. x.	4/-
71	Salicin.	...		
	Sodii Salicylas	...	aa. v.	

Useful also in Chronic Rheumatism.

FEVER PILLS (White).

SI*72	Pulv. Antim. Co.	...		
	Pulv. Ipecac. Co.	...	aa. gr. iv.	
	Excipient	...	ad. x.	4/9

JAUNDICE PILLS (Orange).

SI*58	Hyd. Subchlor.	...		
	Pulv. Opii	...	aa. gr. i.	
	Excipient	...	ad. x.	4/6

PURGATIVE PILLS (Light Green).

SI 73	Pil. Hydrarg.	...	gr. iij.	
	Ext. Coloc. Co.	...	" v.	

PURGATIVE PILLS (Light Green)—Cont. Price per gross

	Ext. Colchici. Acet.	...		
	Ext. Belladon.	...	aa. gr. i.	7/-
77	Aloin	...		
	Jalapin	...		
	Podophyllin	...	aa. ss.	
	Gingerin	...	q.s.	
	Excipient	...	gr. viiss.	4/6
78	Aloin	...		
	Jalapin	...		
	Podophyllin	...	aa. i.	
	Gingerin	...	q.s.	
	Excipient	...	gr. xii.	7/-

SEDATIVE PILLS (Olive Green).

63	Potass. Bromid.	...	gr. ii.	
	Chloral Hydrat.	...	" i.	
	Ext. Hyoscyami	...	" i.	
	Excipient	...	" vi.	3/3
SI 65	Ext. Belladonnæ	...		
	Ext. Cannab. Ind.	...	aa. ss.	
	Potass. Bromid.	...		
	Chloral Hydrat....	...	aa. iv.	8/6

TONIC PILLS (Dark Blue).

12	Ferri Sesquiox	...	gr. iij.	
	Pulv. Gentianæ	...	" x.	2/9
13	Ferri Sulph.	...		
	Cinchonidin Sulph.	...	aa. ij.	
	Pulv. Gentianæ	...		
	Pulv. Cascarill.	...	aa. v.	7/6
50	Ferri et Ammon. Cit.	...	" iv.	2/3
24	Ferri et Ammon. Cit.	...	" viij.	2/9
48	Ferri Sesquiox	...	" ij.	
	Pulv. Gentian.	...	" iij.	2/-
4†	Ferri Sulph.	...		
	Cinchonidin Sulph.	...	aa. i.	
	Pulv. Gentian.	...		
	Pulv. Cascarill.	...	aa. iss.	4/3
25	Ferrum Tart.	...	" v.	
	Quininæ Sulph.	...	" 3-4th	
	Ext. Gentianæ	...	" v.	5/6
26	Ext. Conii	...	" ij.	
	Ext. Belladonnæ	...	" 1-6th	
	Ext. Aloes Barb.	...	" iss.	
	Quininæ Sulph.	...	" ss.	
	Ext. Gentianæ	...	" v.	4/9
27	Zinci Valer.	...	" iij.	
	Ferrum Tart.	...	" v.	
	Ext. Taraxaci	...	" viij.	12/-
51	Ferri Tart.	...	" ij.	
	Quin. Sulph.	...	" ss.	
	Ext. Gentian.	...	" ijss.	3/9
52	Ext. Conii	...	" i.	
	Ext. Belladon.	...	" 1-12th	
	Ext. Aloes Barb.	...	" i.	
	Quin. Sulph.	...	" 1-4th	
	Ext. Gentian.	...	" ijss.	3/-
53	Zinci Valer.	...	" i.	
	Ferri Tart.	...		
	Ext. Tarax.	...	aa. ij.	4/9
74	Ferri Sulph.	...	" i.	
	Aloes	...	" 1-4th	
	Quininæ Sulph.	...	" i.	
	Ext. Gentian.	...	" ii.	
	Pulv. Zingiber.	...	" i.	
	Excipient	...	ad. x.	4/9

WORM PILLS (Black).

14	Hyd. Subchlor.	...	gr. ij.	
	Pulv. Jalapæ	...	" x.	
	Pulv. Zingib.	...	" iij.	3/6

SOLUBLE PEARL-COATED DOG PILLS—Contd.

5 Gross lots are charged 2d. less per Gross. 10 Gross lots are charged 3d. less per Gross.

WORM PILLS (Black)—Cont.

Price per gross

15	Santonin.	...	gr.	ij.	
	Pulv. Colocynth.	...	"	iiij.	
	Pulv. Jalapæ	...	"	viiij.	
	Ol. Caryoph.	...	gtt.	i.	27/6
28	Santonin.	...	gr.	ij.	
	Ext. Filicis Liq.	...	"	v.	
	Pulv. Colocynth.	...	"	iiij.	
	Pulv. Jalapæ	...	"	iv.	
	Ol. Caryoph.	...	"	i.	31/6
29	Santonin.	...	"	ij.	
	Pulv. Nuc. Areca	...	"	x.	
	Pulv. Jalapæ	...	"	ij.	
	Ext. Gentianæ	...	q.s.		26/6
54	Hyd. Subchlor.	...	gr.	i.	
	Pulv. Jalapæ	...	"	iiij.	
	Pulv. Zingib.	...	"	i.	2/6
55	Santonin.	...			
	Pulv. Colocynth.	...	aa.	"	i.

WORM PILLS (Black)—Cont.

Price per gross

	Pulv. Jalapæ	...	...	gr.	iij.	
	Ol. Caryoph.	...	...	gtt.	l-4th	14/6
56	Santonin.	...	...	gr.	i.	
	Ext. Filicis Liq.	...	...	"	ij.	
	Pulv. Colocynth.	...	...	"	i.	
	Pulv. Jalapæ	...	...	"	iss.	
	Ol. Caryoph.	...	...	gtt.	l-4th	15/6
57	Santonin.	...	...	gr.	i.	
	Pulv. Nuc. Areca	...	...	"	iiij.	
	Pulv. Jalapæ	...	...			
	Ext. Gentian.	...	...	aa.	" i.	14/-
75	Pulv. Areca	...	...	"	v.	
	Santonin	...	...	"	j.	
	Pulv. Jalapæ	...	...	"	ij.	
	Pil Purgans	...	...	"	ij.	14/6
76	Ext. Filicis Liq.	...	...	"	x.	
	Pulv. Areca	...	...	"	x.	
	Pulv. Capsici	...	...	"	ss.	9/6

The "LITTLE DOG" SERIES (Tinted)

Price 1/7 per Gross. 5 gross Lots, 1/5 per Gross, except those marked †

Subject to 33 1/3% Purchase Tax, except those marked e

ANTICONSTIPATION (Light Blue).

1001	Aloin	...			
	Podophyllin	...			
	Ext. Belladonnæ	...	aa.	gr. l-8th	
	Capsicin	...	"	"	l-30th

APERIENT (Red).

1002	Jalapin	...			
	Aloin.	...	aa.	gr. l-10th	
	Ext. Hyoscyami	...			
	Capsicin	...	aa.	"	l-20th

CATHARTIC (Dark Green).

1003	Aloin	...			
	Jalapin	...	aa.	gr. l-5th	
	Ext. Hyoscyami	...	"	"	l-10th
	Capsicin	...	"	"	l-20th

CHOREA (Dark Cerise).

SI†1008	Arsenii Iodid.	...	...	gr.	l-20th	(2/-)
SI†1009	Arsenii Iodid.	...	...	„	l-10th	(2/-)
SI†1010	Arsenii Iodid.	...	...	...		
	Hydrarg. Iodid. Rub.	...	aa.	„	l-12th	(2/-)
†1025	Potass. Bromid.	...	...	„	i.	
	Chloral Hydrat.	...	...	„	i.	
	Ext. Hyoscyami	...	...	„	l-4th	(1/10)

COUGH (Pink).

SI†*1004	Pulv. Ipacac.	...	gr.	l-12th	
	Pulv. Scillæ	...	"	ss.	
	Ext. Conii	...	"	l-8th	
	Morph. Hydrochlor.	...	"	l-36th	(2/3)
SI†*1005	Morph. Hydrochlor.	...	"	l-50th	
	Atropinæ Sulph.	...	"	l-150th	
	Pulv. Scillæ	...	"	ss.	
	Pulv. Ipecac.	...	"	l-12th	
	Ext. Conii	...	"	l-8th	(2/6)
eSI†*1023	Heroin Hydrochlor.	...	"	l-64th	(2/-)
eSI†*1024	Heroin Hydrochlor.	...	"	l-32nd	(2/3)

DISTEMPER (Light Blue).

†1026	Aspirin	...	gr.	ii.	
	Quininæ Iodid.	...	"	i.	(3/6)

TONIC (Dark Blue).

†1006	Quininæ Phosph.	...			
	Ferri Phosph.	...	aa.	gr. ss.	(3/3)
SI†1019	Ext. Nuc. Vom.	...	"	l-8th	
	Acid. Arsenios.	...	"	l-20th	
	Quininæ Sulph.	...			

TONIC (Dark Blue)—Cont.

	Ferri Phosph.	...	aa.	gr. ss.	
	Ext. Gentian.	...	...	q.s.	2/9
SI†1020	Ext. Nuc. Vom.	...	...	gr. l-16th	
	Acid. Arsenios.	...	...	" l-50th	
	Quininæ Sulph.	...	...		
	Ferri Phosph.	...	aa.	gr. ss.	(2/9)
	Ext. Gentian	...	...	q.s.	
SI† 228	Acid. Arsenios			gr. l-36th	
	Ferrum Redact.	(Dark) ...		" i.	(1/8)
SI†1007	Acid. Arsenios.	(Cerise)		" l-36th	
	Zinci Sulph.	...		" ij.	(1/8)
787	Calcii Sulphid.	...		" l-10th	
553	Calcii Sulphid.	...		" l-4th	
277	Calcii Sulphid.	...	(Claret)	" ss.	
554	Calcii Sulphid.	...		" i.	
1011	Calomel	...	...	" l-8th	
1012	Calomel	...		" l-4th	
34a	Calomel	...	(White)	" ss.	
34b†	Calomel	...		" i.	(1/9)
561	Ferrum Redact.	...		" i.	
886	Ferrum Redact.	...	(Terra ...	" ij.	
†1022	Ferrum Redact.	...	Cotta)	"	
	Quininæ Sulph.	...	aa.	" i.	(3/9)
1013	Hydrarg. c. Creta	...		" l-4th	
667	Hydrarg. c. Creta	...	(Yellow)	" ss.	
133	Hydrarg. c. Creta	...		" i.	
†599	Hydrastin.	...	(Brown)	" i.	(11/6)
†1014	Ichthyol	...	(Black) ...	" i.	(2/)
SI†*512	Opii Pulv.	...		gr. l-4th	(3/-)
SI†* 49	Opii Pulv.	...	(Brown)	" ss.	(3/6)
†1015	Potassii Iodid.	...		" ij.	
	Quininæ Sulph.	...	(Black) ...	" i.	(5/9)
e† 94	Quininæ Sulph.	...		" ss.	(2/8)
e† 72	Quininæ Sulph.	...		" i.	(3/6)
†1017	Quininæ Sulph.	...	(Violet)	" ss.	
	Phosphori Pur.	...		" l-50th	
	Ferrum Redact.	...		" iij.	(3/3)
SI†101*	Zinci Valerian	...	(Pale	" i.	
	Arsenii Bromid.	...	Cerise)	" l-24th	(4/-)

WORM (White).

†1027	Calomel, Santonin.	...	aa.	gr. l-4th	(4/6)
†1028	Calomel, Santonin.	...	aa.	„ ss.	(7/6)
†1029	Calomel, Santonin.	...	aa.	„ i.	(13/9)

MEDICATED EAR BOUGIES FOR CANKER

PREPARED WITH THEOBROMA OIL OR GELATINE.

A very useful application for the relief and cure of canker. These are readily inserted and quickly dissolved. A little Cotton Wool may be used to retain them if necessary.

a	1 Boric Acid	1 and 2 grs.	Per doz. 2/9	SI* 6 Morphine (Hydrochlorate of)	1-10th gr.	Per doz. 3/3
a	2 Carbolic Acid	1-10 gr.	2/9	SI* 7 Morphine (Hydrochlorate of)	1-5th gr.	3/3
	SI* 3 Cocain (Hydrochlorate of)...	1-5th & 1-10th „	3/3	a SI* 8 Opium	1-5th „	2/9
a SI* 11	Cocain (Hyd.) 1-10th and Opium.....	1-5th „	3/3	a SI* 9 Opium	$\frac{1}{2}$ „	2/9
a	4 Iodoform	$\frac{1}{2}$ and 1 „	2/9	a	10 Zinc (Suplhate of)	$\frac{1}{2}$ „ 2/9
a	5 Lead (Acetate of)	$\frac{1}{2}$ „	2/9			

ANTISEPTIC TEAT BOUGIES, a Acid Boric and a San Kresyl, in boxes of 1 dozen. Price 2/3 per box.

„ „ „ a Chinosol, Acriflavin and a Cupric, „ „ „ 2/9 „

MEDICATED SUPPOSITORIES

FOR CATS, DOGS, Etc.

PREPARED WITH THEOBROMA OIL OR GELATINE.

a SI	2 Belladonna (Ext.)	1 gr. and 2 grs.	Per doz. 2/-	a SI* 18	Lead (Acetate of) 3 grs.; Opium, 1 gr.....	Per doz. 2/3
a SI*	4 Belladonna (Ext.), 1 gr.; Opium, $\frac{1}{2}$ gr.....		2/6	SI* 19	Morphine (Hyd.), $\frac{1}{4}$, $\frac{1}{8}$, $\frac{1}{2}$ gr.	2/- 2/3 2/9
a SI*	4 Belladonna (Ext.), 2 grs.; Opium, 1 gr.....		2/6	SI* 20	Morphine (Hyd.), $\frac{1}{4}$ gr.; Tannic Acid 3 grs.....	2/3
a SI*	5 Belladonna (Ext.), 1 gr.; Morphine (Hyd) $\frac{1}{2}$ gr.		3/-	a SI* 22	Opium	1 gr. and 2 grs. 2/3
SI	11 Ergot (Oil of)	2 min.	2/-	a SI* 23	Opium (Ext.)	$\frac{1}{2}$ gr. 2/3
a SI* 13	Galls (Powdered), 5 grs.; Opium, 1 gr.....		2/3	a	25 Tannic Acid	3 grs. 1/9
a	15 Hamamelis (Ext.)	$\frac{1}{4}$ gr. and $\frac{1}{2}$ gr.....	2/-	a SI* 26	Tannic Acid, 2 grs.; Opium, 1 gr.....	2/3
a	16 Iodoform	3 grs. and 5 grs.	2/3	SI* 28	Cocaine (Hydrochlorate of)	$\frac{1}{4}$ gr. 2/6
a	17 Iodoform, 5 grs.; Eucalyptus Oil, 5 min.....		2/3	SI* 29	Cocaine (Hydrochlorate of)	$\frac{1}{2}$ gr. 3/-

SOLIDIFIED GLYCERINE SUPPOSITORIES, for Administration in Constipation.

a Large	(12 in box), 13/6 per doz..	In bulk 11/3 per gross.
a Medium	(„), 12/- „	„ 8/3 „
a Small	(„), 10/9 „	„ 7/9 „

MEDICATED GELATINE DISCS for Ophthalmic Use.

FOR HORSES, CATS, DOGS, Etc.

These Ophthalmic Discs are prepared under personal supervision, are completely soluble, and the accuracy of their sub-division is guaranteed ; they will keep any length of time.

SI	2 Atropine, P.B.	gr. 1-5000th.	a SI* 17	Lead and Opium		a SI	23 Physostigmine, P.B.	
SI *	7 Cocaine (Hydroch.),	1-200th.		Lead (Acet.)	... gr. 1-250th.		26 Silver (Nitrate of)	gr. 1-1000th.
SI	10 Ergotinine	... „ 1-250th.		Opium	... „ 1-500th.	a	28 Zinc (Sulphate of)	„ 1-250th.
a SI	13 Homatropine	„ 1-250th.	SI* 19	Morphine	... „ 1-250th.	a SI* 30	Zinc and Opium	
a	15 Iodoform	... „ 1-250th.	SI* 20	Morphine & Atropine			Zinc (Sulph.	... „ 1-250th.
a	16 Lead (Acetate of)	„ 1-250th.		Morphine	... gr. 1-250th.		Opium	... „ 1-500th.
				Atropine	... „ 1-5000th.			

The above Discs are kept in stock, and are supplied in Glass Tubes, containing 100 Discs.
Price 4/- each Tube.

IMPROVED FLEXIBLE VETERINARY CAPSULES

The following is a list, with prices, of those most in use, **but Capsules containing other ingredients can be prepared to order** as desired, in quantities of not less than 250 small or 100 large.

Subject to 33 $\frac{1}{3}$ % Purchase Tax, except those marked e.

										In boxes containing			
										25	50	100	1,000
Chlorbutol grs. 2 $\frac{1}{2}$; Arecoline Hydrobrom grs. $\frac{1}{8}$	...	...	...	...	...	...	...	...	...	3/9	7/3	14/-	
Chlorbutol grs. 1 $\frac{1}{2}$; Pot. Bromid grs. 2 $\frac{1}{2}$; Ext. Belladon grs. $\frac{1}{2}$	...	...	...	...	...	...	...	...	...	1/6	2/9	5/-	
Ext. Cascara Liq.	...	...	...	...	...	...	...	...	= min. 15	1/4	2/4	4/3	37/6
" " "	...	...	...	...	...	...	...	...	= " 30	1/10	3/4	6/3	57/-
" " "	...	...	...	...	...	...	...	...	= " 60	2/3	4/3	8/-	76/-
Ext. Filicis Liq.	...	...	...	...	...	...	...	...	" 5	2/-	3/6	6/6	59/6
" " "	...	...	...	...	...	...	...	...	" 10	2/9	5/3	10/-	94/-
" " "	...	...	...	...	...	...	...	...	" 15	3/9	7/-	13/6	129/-
" " "	...	...	...	...	...	...	...	...	" 30	6/3	12/-	23/6	230/-
" " "	...	...	...	...	...	...	...	...	" 60	10/6	20/6	40/6	400/-
Guaicol	...	...	...	...	...	...	...	...	" 3	1/6	2/6	4/9	42/-
e Ol. Morrhuæ	...	...	...	...	...	...	...	...	" 5	1/-	1/9	3/-	25/-
e " "	...	...	...	...	...	...	...	...	" 10	1/3	2/-	3/9	32/-
e " "	...	...	...	...	...	...	...	...	" 15	1/6	2/6	4/6	40/-
e " "	...	...	...	...	...	...	...	...	" 30	2/-	3/6	6/6	58/6
e " "	...	...	...	...	...	...	...	...	" 60	2/9	5/-	9/9	92/-
Ol. Ricini	...	...	...	...	...	...	...	...	" 15	1/6	2/6	4/6	40/-
" "	...	...	...	...	...	...	...	...	" 30	2/3	4/-	7/6	70/6
" "	...	...	...	...	...	...	...	...	" 60	2/6	4/9	9/-	85/6
Ol. Terebinth	...	...	...	...	...	...	...	...	" 5	1/3	2/-	3/6	28/6
" "	...	...	...	...	...	...	...	...	" 10	1/6	2/6	4/6	38/6
Santonine	2 parts												
Pulv. Areca	20 parts								" 5	1/6	2/6	4/9	
Ext. Filicis Liq.	2 parts												
Ol. Ricini to 60 parts									" 10	2/3	4/-	7/6	
" " "									" 15	2/9	5/3	10/-	
" " "									" 30	4/9	9/-	17/6	
" " "									" 60	8/3	16/3	32/-	
Santonine	2 parts												
Ol. Terebinth	10 parts								" 5	1/6	2/6	4/9	
Chloroform	4 parts												
Ol. Ricini to 60 parts									" 10	2/3	4/-	7/6	
" " "									" 15	2/9	5/3	10/-	
" " "									" 30	4/9	9/-	17/6	
" " "									" 60	8/3	16/3	32/-	
Syr. Eastonii	...	...	...	...	...	...	...	...	= " 30	1/3	2/3	4/3	37/-
" " "	...	...	...	...	...	...	...	...	= " 60	1/9	3/-	5/6	49/-
Syr. Ferri Phosph. Co.	...	...	...	...	...	...	...	...	= " 30	1/-	1/6	2/6	19/6
" " "	...	...	...	...	...	...	...	...	= " 60	1/2	1/9	3/-	24/-
Terebene	...	...	...	...	...	...	...	...	" 3	1/3	2/-	3/6	28/6
" "	...	...	...	...	...	...	...	...	" 5	1/3	2/3	4/3	36/6
Ol. Chenopodii Co.	...	...	...	...	...	...	...	...	" 5	1/3	2/3	4/3	37/6
" " "	...	...	...	...	...	...	...	...	" 10	1/9	3/3	6/3	57/6
" " "	...	...	...	...	...	...	...	...	" 15	2/6	4/6	8/6	80/-
" " "	...	...	...	...	...	...	...	...	" 30	4/-	7/9	15/-	145/-
" " "	...	...	...	...	...	...	...	...	" 60	7/6	14/9	29/-	285/-
Tænicide	...	...	...	...	...	...	...	...	" 5	1/3	2/3	4/3	37/6
" "	...	...	...	...	...	...	...	...	" 10	1/9	3/3	6/3	57/6
" "	...	...	...	...	...	...	...	...	" 15	2/6	4/6	8/6	80/-
" "	...	...	...	...	...	...	...	...	" 30	4/-	7/9	15/-	145/-
" "	...	...	...	...	...	...	...	...	" 60	7/6	14/9	29/-	285/-
" Tela " (Tetrachlorethylene)	...	...	...	...	...	...	...	...	0.2 c.c.	1/9	3/3	6/-	
" " "	...	...	...	...	...	...	...	...	1 "	2/6	4/6	8/6	
" " "	...	...	...	...	...	...	...	...	2.5 "	4/-	7/9	15/-	
" " "	...	...	...	...	...	...	...	...	5 "	5/6	10/9	21/-	
Carbon Tetrachloride	...	...	...	...	...	...	...	...	1 "	1/1	1/9	3/-	24/-
" " "	...	...	...	...	...	...	...	...	2 "	1/6	2/9	5/3	45/-
e Wheat Germ Oil	...	...	...	...	...	...	...	...	min. 3	1/6	2/6	4/6	41/-
e " " "	...	...	...	...	...	...	...	...	" 5	1/9	3/3	6/3	56/-

POWDERS FOR CATS, DOGS, Etc.

Subject to 33 $\frac{1}{3}$ % Purchase Tax, except those marked e

No.	ALTERATIVE.		In boxes containing		
			3 doz.	6 doz.	1 gross
29	Hydrarg. c. Creta, Pulv. Sacch. Lact.	gr. l-4th ,, iv.	... 1/9	3/-	4/9
30	Hydrarg. c. Creta, Pulv. Sacch. Lact.	,, ss. ,, iv.	... 1/9	3/-	4/9
31	Hydrarg. c. Creta, Pulv. Sacch. Lact.	,, i. ,, iv.	... 1/9	3/-	5/-
32	Hydrarg. c. Creta, Pulv. Sacch. Lact.	,, iss. ,, vi.	... 1/9	3/-	5/-
33	Hydrarg. c. Creta, Pulv. Sacch. Lact.	,, ij. ,, viij.	... 1/9	3/3	5/6
34	Hydrarg. c. Creta, Pulv. Sacch. Lact. aa.	,, ,, iij.	... 2/-	3/6	6/-
35	Hydrarg. c. Creta, Pulv. Sacch. Lact.	,, iv. ,, ij.	... 2/-	3/9	6/6
36	Hydrarg. c. Creta, Pulv. Creta Arom. aa.	,, iij.	... 2/-	3/9	6/6
37	Hydrarg. c. Creta, Pulv. Rhei	,, ij. ,, iv.	... 2/3	4/-	7/-
39	Hydrarg. c. Creta, Pulv. Rhei ,, Cretæ Arom.	,, ,, iv. ,, i.	... 2/3	4/6	7/3
40	Hydrarg. c. Creta, Pulv. Rhei Sodii Bicarb.	,, i. ,, iij. ,, ij.	... 2/-	3/6	5/9
46	Hydrarg. c. Creta, Pulv. Jalapæ Co.	,, i. ,, ij.	... 1/9	3/3	5/6
47	Hydrarg. c. Creta, Pulv. Jalapæ Co.	,, ij. ,, iv.	... 2/-	3/6	6/-
49	Hydrarg. c. Creta, Pulv. Jalapæa Co.	,, iij. ,, vi.	... 2/3	4/-	6/9
49	Hydrarg. c. Creta, Pulv. Ipecac. aa. ,, Sacch. Lact.	,, i. ,, iij.	... 2/3	4/3	7/3

ANTI-DYSPEPTIC.

1	Bismuthi Subnit., Pulv. Tragacanth. Co.	gr. v. ,, x.	... 2/6	4/6	8/-
2	Bismuthi Subnit., Pulv. Tragacanth. Co.	,, x. ,, v.	... 3/-	4/6	8/6
3	Bismuthi Subnit., Pulv. Tragacanth. Co. ,, Cinnam. Co.	,, x. ,, v. ,, x.	... 3/3	6/-	11/-
4	Bismuthi Subnit., Pulv. Rhei Magnes. Carb.	,, viij. ,, iij. ,, x.	... 2/9	5/-	9/-
5	Bismuthi Subnit., Pulv. Rhei Co. Sodii Carb. Exsic. Pulv. Ipecac. Co.	,, xv. ,, viij. ,, v. ,, ij.	... 3/6	6/3	11/6
6	Bismuthi Carb., Magnes. Carb. Pulv. Acaciæ	,, v. ,, iij. ,, ij.	... 2/-	3/9	6/6

ANTI-DYSPEPTIC—Continued.

No.			In boxes containing		
			3 doz.	6 doz.	1 gross
117	Bismuthi Carb., Sodii Bicarb.	aa. gr. iiss.	... 1/9	3/3	5/6
110	Bismuthi Carb., Sodii Bicarb.	aa. ,, v.	... 2/-	3/9	6/6
7	Bismuthi Carb., Sodii Bicarb.	aa. ,, x.	... 2/6	4/9	8/6
SI *8	Bismuthi Carb., Sodii Bicarb. Morph. Mur.	aa. ,, viij. ,, l-10th	... 3/-	5/6	10/-

ASTRINGENT.

9	Catechu Co. Pulv.	gr. v.	... 1/9	3/3	5/3
10	Catechu Co. Pulv.	,, x.	... 2/-	3/9	6/3

CARDIAC TONIC.

SI 118	Digitalis Pulv., Scillæ Pulv. Sacch. Lact.	gr. i. ,, ii. ,, ii.	... 1/9	3/-	4/9
--------	--	----------------------------	---------	-----	-----

CONDITION.

120	Acid. Arsenios Aloin Sulph. Præcip.	gr. l-36th ,, $\frac{1}{2}$,, v.	... 1/9	3/3	5/6
-----	---	---	---------	-----	-----

COUGH.

eSI*111	Heroin Hydrochlor. Pulv. Sacch. Lact.	gr. l-64th ,, v.	... 1/9	3/-	4/9
eSI*112	Heroin Hydrochlor. Pulv. Sacch. Lact.	gr. l-32nd ,, v.	... 1/9	3/3	5/3
SI*107	Ipecac. Pulv. Atropin. Sulph. Pulv. Rad. Scillæ Morph. Hydroch. Pulv. Sacch. Lact.	,, l-10th ,, l-200th ,, l-4th ,, l-50th ,, v.	... 1/9	3/3	5/3
74	Ipecac. Pulv.,	,, x.	4/3	8/-	14/9
SI 78	Ipecac. Pulv., Pulv. Antimonialis ,, Sacch. Lact.	,, i. ,, x. ,, vi.	... 2/-	3/9	6/3

DIAPHORETIC.

79	Ipecac. Co. Pulv., Pulv. Sacch. Lact.	gr. l-4th ,, v.	... 1/9	3/-	4/9
----	--	--------------------	---------	-----	-----

DISTEMPER.

50	Hydrarg. c. Creta, Pulv. Ipecac. Co. aa. ,, Sacch. Lact.	gr. ss. ,, ij.	... 1/9	3/3	5/3
----	--	-------------------	---------	-----	-----

HEPATIC.

56	Hydrarg. Subchlor., Pulv. Sacch. Lact.	gr. l-4th ,, iij.	... 1/6	2/6	4/9
57	Hydrarg. Subchlor., Pulv. Sacch. Lact.	,, ss. ,, iij.	... 1/6	2/6	4/9

POWDERS FOR CATS, DOGS, Etc.—Contd.

HEPATIC—Continued.

No.			In boxes containing 3 doz. 6 doz. 1 gross		
58	Hydrarg. Subchlor.	gr. i.			
	Pulv. Sacch. Lact.	„ ij.	... 1/9	3/-	5/-
59	Hydrarg. Subchlor.,	„ ii.			
	Pulv. Sacch. Lact.	„ iij.	... 1/9	3/3	5/6
63	Hydrarg. Subchlor.,	„ iv.			
	Pulv. Jalapæ	„ ix.	... 2/3	4/-	7/
66	Hydrarg. Subchlor.,				
	Pulv. Jalapæ				
	Magnes. Calc.				
	Pulv. Sacch. Lact. aa.	„ ij.	... 2/3	4/-	6/9
67	Hydrarg. Subchlor.,	„ iij.			
	Pulv. Jalapæ Co.	„ xxx.	... 2/9	5/3	9/6
69	Hydrarg. Subchlor.	„ ij.			
	Pulv. Rhei	„ viij.			
	„ Cinnam. Co.	„ ij.	... 3/-	5/6	10/-
71	Hydrarg. Subchlor.,	„ i.			
	Pulv. Scammon. Co.	„ iij.	... 1/9	3/3	5/6
72	Hydrarg. Subchlor.,	„ ij.			
	Pulv. Scammon Co.	„ viij.			
	„ Zingib.	„ ij.	... 2/3	4/3	7/6

INTESTINAL ANTISEPTIC.

113	Bismuth Salicylas,	gr. iv.			
	Sacch. Lact.	„ i.	... 2/-	3/9	6/3
114	Bismuth Salicylas	„ viij.			
	Sacch. Lact.	„ ii.	... 2/6	4/6	8/-

PURGATIVE.

80	Jalapæ Pulv.,	gr. x.			
	Pulv. Rhei	„ v.	... 2/6	4/9	8/6

RHEUMATIC.

108	Acid. Salicylic,	gr. v.			
	Pulv. Sacch. Lact.	„ ij.	... 1/9	3/-	5/-
109	Acid. Salicylic.,	„ x.			
	Pulv. Sacch. Lact.	„ ij.	... 1/9	3/3	5/6
115	Sodii Salicyl.,	„ v.			
	Pulv. Sacch. Lact.	„ ii.	... 1/9	3/-	4/9
116	Sodii Salicyl.,	„ x.			
	Pulv. Sacch. Lact.	„ ii.	... 1/9	3/3	5/3

SEDATIVE.

119	Pulv. Pot. Bromid.	gr. x.	... 1/9	3/3	5/3
-----	--------------------	--------	---------	-----	-----

STOMACHIC.

No.			In boxes containing 3 doz. 6 doz. 1 gross		
15	Calumbæ Pulv.,				
	Pulv. Rhei	aa. gr. iij.			
	„ Cinnam.	„ iss.			
	„ Zingib.	„ i.			
	Bismuth. Subnit.				
	Sodii Bicarb.				
	Pulv. Acaciæ	aa. „ v.	... 2/6	4/9	8/6
91	Rhei Pulv.,	„ iij.			
	Sodii Bicarb.	„ iss.			
	Pulv. Zingib.	„ ss.	... 2/-	3/9	6/3
92	Rhei Pulv.,	„ vi.			
	Sodii Bacarb.	„ iij.			
	Pulv. Zingib.	„ i.	... 2/3	4/-	6/9
94	Rhei Pulv.,				
	Sodii Bicarb.				
	Pulv. Cinnam. Co. aa.	„ v.	... 2/6	4/9	8/3
97	Sodii Bicarb.,	„ vi.			
	Pulv. Sacch. Lact.	„ iij.			
	Ol. Anethi	min. 1-8th	1/9	3/-	4/9

TONIC.

19	Cinchonæ Cort. Pulv.	gr. viij.			
	Sodii Bicarb.	„ v.			
	Pulv. Cinnam. Co.	„ ij.	... 2/-	3/6	6/-
24	Ferri Carb. Sacch.	„ x.	... 1/9	3/-	4/9
26	Ferri Carb. Sacch.,				
	Sodii Bicarb.	aa. „ x.			
	Pulv. Zingib.	„ v.	... 1/9	3/3	5/3
e 83	Quininae Sulph.,	„ ss.			
	Pulv. Sacch. Lact.	„ iij.	... 2/-	3/6	5/9
105	Ferri Oxid.	gr. i.			
	Acid. Arsenios	„ 1-50th			
	Pulv. Iridis	„ i.			
	Pulv. Sacch. Lact.	„ iij.	... 1/9	3/-	4/9

WORM.

98	Santonin.	gr. i.			
	Pulv. Sacch. Lact.	„ iij.	... 5/3	10/-	19/-
99	Santonin.,	„ iij.			
	Pulv. Sacch. Lact.	„ iij.	... 12/6	24/3	47/6
102	Santonin.,				
	Hydrarg. c. Creta aa.	„ ij.	... 8/9	17/-	33/-
103	Santonin.,				
	Pulv. Scammon. Co. aa.	„ iij.			
	Hydrarg. Subchlor.	„ ss.	... 12/3	24/3	47/6
104	Santonin.,	„ iij.			
	Pulv. Scammon. Co.	„ iv.			
	Hydrarg. Subchlor.	„ 2-3rd	12/3	24/3	47/6

COMPRESSED TABLETS OF PURE DRUGS

All drugs which are not readily soluble, we prepare in a special manner, with the result that disintegration ensues in a few seconds. This may be tested by placing the Tablets in water. Private formulæ compressed to order as required in quantities of not less than 250.

Small quantities bulk tablets are charged : 250— $\frac{1}{4}$ 1,000 rate plus 3d. ; 500— $\frac{1}{2}$ 1,000 rate plus 3d.

Subject to 33 $\frac{1}{3}$ % Purchase Tax, except those marked e

		In bots. containing 100	Per 1000			In bots. containing 100	Per 1000
Acetanilid	gr. 5	1/3	8/6	SI* Cocain, Potass. Chlor. et Borax gr. 5		1/2	7/2
Acid Acetylsalicyl	" 4			SI Codein Co., N.W.F.		4/-	31/6
Quinin. Sulph.	" 1	3/3	29/3	Creta Aromat. Pulv.	" 5	1/-	7/-
SI Acid Acetylsalicyl et Opii, B.P.C.		1/9	13/6	" " " c. Opio. ...	" 5	1/7	12/-
e Acid Ascorbic	m.g. 5	2/-	10/9	eSI Diamorph. Hydrochlor.	" 1-24th	2/3	18/9
e " "	" 25	3/6	30/-	Diarrhœa:—			
e " "	" 50	5/9	52/8	Bismuth Subnit.	" 3		
e " Nicotinic	" 50	2/9	20/3	Pulv. Creta Aromat.	" 2	1/9	14/3
Aloin	gr. $\frac{1}{2}$	1/5	10/9	Distemper:—			
" "	" 1	1/10	15/9	Iodine	" 1-25th		
Ammonii Bromid.	" 5	1/2	8/-	Creosote	" $\frac{1}{4}$		
" Chlorid.	" 3 or 5	11d.	5/-	Pot. Bichrome	" 1-20th	1/5	11/9
e Aneurin Hydrochlor.	m.g. 1	4/6	33/9	eSI† Ergotin	" 3	5/-	46/9
e " "	" 3	7/-	52/8	Ferri Carb. Sacch.	" 5	1/1	6/9
Anti-Acid (Dr. Roberts')		1/-	7/-	† " et Quin. Cit.	" 3	2/8	22/9
SI †Anti-Constipation—Aloin, gr.				† " Quininæ et Strych. Phos.=m.60			
1-5th, Ext. Belladonnæ, gr.				Easton's Syrup		2/9	23/6
gr. 1-8th, Strychninæ gr.				† Ferri Quininæ et Strych. Phos.=m.30			
1-60th, et Ipecac., gr. 1-16th		1/3	8/9	Easton's Syrup		1/11	14/9
Aspirin	gr. 5	10d.	4/8	† Ferri Phosph. Co. Syr.=1 dram		1/3	8/-
Beta Naphthol Co. :—				Ferrum Redact.	gr. 2	1/2	7/6
Beta Naphthol	" 1			Formaldehydi B.P.C.		1/4	8/9
Carbo Lig.	" 4			Guaicol Carb.	" 5	2/7	22/3
Ol. Menth. Pip.	m. $\frac{1}{2}$	1/9	13/6	Hexamin.	" 5	1/1	6/2
Bismuthi Carb.	gr. 5	2/8	23/-	" "	" 10	1/7	10/9
" Subnit.	" 5	2/4	18/9	Hydrarg. c. Creta	" $\frac{1}{4}$, $\frac{1}{3}$, $\frac{1}{2}$	9d.	3/9
Bismuth et Soda	aa. " 2 $\frac{1}{2}$	1/9	13/3	" "	" 1	10d.	4/-
Bismuth, Pepsin and Charcoal :—				" "	" 2	1/-	6/-
Bismuth Carb.	" 2			" "	" 3	1/1	7/9
Pepsin	" 1			" "	" 4	1/4	9/9
Carbo Lig.	" 2	2/7	22/3	" "	" 5	1/6	11/9
Bismuth Salicyl	" 5	2/5	20/-	SI Hydrarg. c. Creta et Pulv.			
†Blaud Pil	" 5	1/-	5/9	Ipecac. Co.	aa. " $\frac{1}{2}$	1/3	8/-
SI†Blaud Pil et Arsenic :—				SI Hydrarg. c. Creta et Pulv.			
Pil Blaud	" 5			Ipecac. Co.	aa. " 1	1/6	10/-
Arsenic	" 1-50th	1/-	6/6	SI Hydrarg. Iodid. Rub.	" 1-20th	1/2	7/3
SI†Blaud Pil, Arsenic et Strychnine:—				" " Virid.	" 1-8th	1/1	6/6
Pil Blaud	" 5			Hypophosph. Co. Syr.=1 dram		1/7	11/6
Arsenic	" 1-100th			SI Ipecac. c. Opio	" 5	2/1	17/3
Strychnine	" 1-100th	1/1	6/8	SI Mag. Sulph	" 10		
†Blaud Pil et Cascara:—				Acid. Arsenios	" 1-50th	1/2	8/-
Pil Blaud	" 5			SI Mag. Sulph	" 5		
Ext. Cascara	" $\frac{1}{2}$	1/1	6/8	Acid. Arsenios	" 1-100th	1/-	6/-
Borax	" 5	9d.	3/6	Mag. Sulph.	" 3		
Calc. c. Vit. D		1/8	12/3	Mag. Lact.	" 5	2/4	19/6
Calcii Lactas	" 5	11d.	5/3	Neuritis Co.:—			
Calcii Sulphid.	gr. 1-10th, $\frac{1}{4}$, $\frac{1}{2}$	1/-	5/9	Aspirin	" 3		
Calomel	" 1-10th, $\frac{1}{6}$, $\frac{1}{4}$	10d.	3/9	Phenacetin	" $1\frac{1}{2}$		
"	gr. $\frac{1}{2}$	10d.	4/9	Pulv. Ipecac. Co.	" $1\frac{1}{2}$	1/9	13/3
"	" 1	1/-	5/9	SI Opium Pulv.	" $\frac{1}{2}$	2/3	18/-
"	" 2	1/3	8/-	Pepsin	" 5	5/7	50/6
"	" 3	1/7	11/3	Phenacetin	" 5	1/9	13/3
"	" 4	2/1	15/9	" gr. 4, Caffein, gr. i.		2/5	19/9
"	" 5	2/4	19/6	" " 4 " Cit. gr. i.		2/3	18/-
Carbo Ligni	" 5	10d.	4/3	Phenazon	" 5	5/-	46/6
†Cascara Ext.	" 2	1/5	8/9	eS4 Pheno Barbitol	" $\frac{1}{4}$	1/-	5/9
† " "	" 5	2/6	20/-	eS4 " "	" $\frac{1}{2}$	1/2	7/9
† " " Comp. N.W.F. ...		2/4	18/9	eS4 " "	" 1	1/8	12/3
†Cathartic, U.S.P.		2/-	16/3	eS4 " "	" $1\frac{1}{2}$	2/1	17/-
Choral Hydras.	" 5	1/10	13/9	eS4 " "	" 2	2/7	21/9
Chlorophyll Co.		1/1	7/3				

Those marked † are always sent sugar coated unless otherwise ordered.

COMPRESSED TABLETS OF PURE DRUGS—Contd.

		In bots. containing 100	Per 1000			In bots. containing 100	Per 1000
e S4	Pheno Barbitol Sodium	gr. $\frac{1}{4}$	1/-	5/9	e	Saccharine	gr. .2 of 550 7d.
e S4	"	" $\frac{1}{2}$	1/2	7/9		Salicine	" 5
e S4	"	" 1	1/8	12/3		Salol	" 5 2/5 17/6
e S4	"	" $1\frac{1}{2}$	2/1	17/-		Santonine	" 1 10/9
e S4	"	" 2	2/7	21/9		Santonin. grs. 2, Calomel gr. 1	22/6 —
	Phenolphthalein	" 1	1/1	6/6		Sodii Bicarb.	9d. 2/10
	"	" $1\frac{1}{2}$	1/2	7/-		Soda Bromid.	" 5 1/- 6/2
	"	" 2	1/3	7/6		" Calcii Lact.	" 5 1/4 8/9
	"	" 4	1/6	10/9		" " "	" $7\frac{1}{2}$ 1/6 10/9
e	Pituitary Fresh Gland	gr. 1	3/6	30/3		" Mints, B.P. (2/7 lb.)	9d. 2/1
e	Parathyroid	" 1-40th	2/4	20/-		" Salicylas	" 5 1/1 7/-
	"	" 1-20th	3/9	33/3	e	Stilboestrol	mg. 0.5 1/6 9/-
	Parathyroid, gr. 1-40th, Calcii Lact.	gr. 5	2/6	22/3	e	"	" 1.0 1/9 11/6
	Potassi Bicarb.	" 5	1/-	5/9	e	"	" 5.0 3/10 32/3
	" Bromid.	" 5	1/-	6/3	SI	Strophanthi Tinct. = m. 2	1/2 8/-
	"	" 10	1/6	11/-		Sulph. Sublim. gr. 3 Sacch. Alb. gr. 2	10d. 4/9
	" Chlor.	" 5	1/1	6/8		" Præcip. Comp. (Garrod's)	11d. 5/9
	" " gr. 3 et Borax	" 2	1/-	5/6	S4	Sulphonal	gr. 5 7/6 71/-
	" Iodid.	" 5	2/1	17/3	eSI	Sulphonamide P.	" $7\frac{1}{2}$ 1/11 16/-
e +	Quininæ Bisulph. & Sulph.	" i.	2/3	13/3	e	Thyroid	" 1 1/5 9/9
e +	"	" 2	3/9	34/6	e	"	" 2 1/11 14/9
e +	"	" 3	5/6	50/3	e	"	" 3 2/7 21/3
e +	"	" 4	6/9	66/-	e	"	" 4 3/1 26/3
e +	"	" 5	8/6	82/-	e	"	" 5 3/6 32/9
	Rhei grs. 4 et Sodii Bicarb.				†	Tonic Co. Ferri Pyrophos. gr. 2,	
	gr. i.		2/3	18/6		Quininæ Sulph. gr. i., et	
	Rhei Co. Pulv.	gr. 5	1/4	9/-		Strychnina gr. 1-100th	2/8 22/3
	Rhei	" 3	1/10	14/6		Triple Bromid.:—	
	Rumen:—					Ammon. Bromid.	gr. $2\frac{1}{2}$
	Barii Chlorid.	" 15				Potass.	" $2\frac{1}{2}$
	Antim. Tart.	" 15				Sodii	" $2\frac{1}{2}$ 1/8 10/-
	Strychnin.	" $\frac{1}{2}$	4/3	34/9		Yohimbine—gr. 1-7th	Tubes of 10 9d.
						" gr. 1-12th	Tubes of 10 3/6

COMPRESSED ANTISEPTIC TABLETS

For the ready preparation of Antiseptic Solutions.

		Per 100	Per 1000
Acid Boricum	gr. 5	1/1	6/-
"	" 15	1/7	10/6
9 Acid Boric, gr. xl.	"	2/-	16/-
Acid Boric et Zinc. Sulph.			
Acid. Boric	gr. 6		
Zinc. Sulph.	" $\frac{1}{2}$	1/7	10/6
e Acriflavin	" 1.75	7/-	—
10 Alum Pur., gr. xl.	"	1/8	12/6
6 Alum Pur., gr. xxx. ;			
Zinc. Sulpho-carbolat, gr. xxx.		4/3	35/9
Chinosol	gram 1	11/3	—
SI Hydrarg. Perchlor. of two strengths, viz.:—			
One tablet dissolved in a pint of water forms			
a solution 1 in 1,000.		3/6 per 100; 30/9 per 1000	
One tablet dissolved in a pint of water forms			
a solution 1 in 2,000.		2/3 per 100; 16/6 per 1000	

Subject to 33 $\frac{1}{3}$ % Purchase Tax, except those marked e

SI Mercuric Potass. Iodid.			
One tablet dissolved in a pint of water forms			
a solution 1 in 1,000.		5/3 per 100. 48/6 per 1000	
Phenol, gr. 5	1/2	" 7/9	"
Potass. Permang., gr. 5	1/5	" 8/6	"
" " gr. 8.75	1/8	" 11/-	"
7 Potass. Permang., gr. ii., Zinc Sulph. gr. xxx.,			
Alum Pur. gr. xxx.	2/7 per 100. 21/9 per 1000		
Sodii Chlorid.	gr. 20	1/4	7/9
" " "	" 30	1/5	9/-
" " "	" 40	1/7	10/6
" " "	" 80	2/-	15/-
4 Zinci Sulphat.	" 20	1/4	9/9

a MIST. CREOSOTI COMP.

(ALEXANDER'S FORMULA).

An extremely valuable preparation in veterinary practice for Gastritis, Muco-Enteritis, and other Intestinal Affections in Calves, Foals, and other young animals. *Strongly recommended in White Scour.*

Principal Ingredients : Creta Preparata, Catechu, Zingiberis, Creosotum,
Hæmatoxylum, Opium, Ol. Menthæ Pip.

Before administering Mist. Creosoti Co., give the animal half to two ounce Ol. Ricini in scalded milk, but not drawn from its dam.

DOSES (Morning and Night).

Calf or Foal.—1 day to 1 week old : one to two drams.

1 week to 1 month old : two to three drams.

1 to 3 months old : three drams to one ounce.

Over three months old : one and a half ounces to two ounces.

Patients should be isolated and kept in a clean, warm, dry and well-ventilated stall or loose box.

SHEEP.—Three drams to four drams.

LAMBS.—One dram to four drams.

SWINE.—Half to one ounce.

YOUNG PIGS.—One dram to three drams.

AQUEOUS TINCTURES

The following Tinctures are full strength with the exception of the Spirit, the quantity of which is reduced to meet the demands of those who have a preference for Aqueous preparations.

Subject to 33 $\frac{1}{3}$ % Purchase Tax, except those marked e

SI	Tinct.	Aconit.	Aquos.	...	...	...	lb.	3/2	Tinct.	Gentian.	Co.	Aquos.	...	...	lb.	3/-
	,,	Aurantii	,,	...	...	...	,,	5/-	,,	Hamamelidis	,,	...	...	...	,,	2/8
	,,	Belladonnae	Aquos.	...	...	...	,,	3/-	,,	Hyoscyami.	,,	...	...	...	,,	3/4
	,,	Buchu	,,	...	...	...	,,	5/6	,,	Iodi Mit.	,,	...	...	...	,,	2/6
	,,	Calumbae	,,	...	...	...	,,	2/9	,,	Jaborandi	,,	...	...	...	,,	4/-
	,,	Camph. Co.	,,	(See Opii Camph.)					,,	Nucis Vom.	,,	...	...	...	,,	2/6
	,,	Cardam. Co.	,,	...	...	...	lb.	2/6	SI*	,,	Opii	,,	(1932)	...	,,	9/6
	,,	Catechu	,,	...	...	...	,,	3/6	SI*	,,	,,	,,	(1898)	...	,,	8/3
e	,,	Cinchon.	,,	...	...	...	,,	4/3	,,	,,	Camph. Aquos.	...	...	...	,,	3/4
	,,	,,	Co.	,,	...	...	,,	4/6	,,	Rhei Co.	,,	...	...	...	,,	3/4
SI	,,	Digitalis	,,	...	...	...	,,	3/6	,,	Scillae	,,	...	...	...	,,	3/-
	,,	Ferri Perchlor.	Aquos..	...	...	...	,,	1/5	,,	Senegae	,,	...	...	...	,,	3/10
	,,	Gelsemin.	,,	...	...	...	,,	3/2	,,	Valerian.	,,	...	...	...	,,	3/6
									,,	,,	Ammon. Aquos.	...	...	...	,,	3/8

Winchester quarts, 2d. per lb. less.

a CHEVALIOD

(RICHARDSON)

A safe and reliable Ointment containing Iodine.

NON-IRRITATING. NON-DESQUAMATING.

Rapidly penetrates the Epidermis and induces a condition of local asepsis. Excellent for the treatment of Glandular Swellings and the relief of pain. Used immediately after Minor Surgical operations minimises the risk of Tetanus and Septicæmia.

Directions for Use.—Apply freely to the affected parts once or twice daily.

SEE PAGES 4 & 8

SAPOSECT

An invaluable Veterinary Shampoo for Dogs.

SEE PAGE 6

VETERINARY PESSARIES

(SAN KRESYL).

It is a well-known fact that the mortality occurring in cows through contagious abortion is equal to, if not in excess of Tuberculosis, and it is with every confidence that we offer to breeders of stock a powerful antiseptic Pessary which, if regularly and intelligently used, will go far to minimise the risk of this fearful scourge.

The vagina of a cow is peculiarly liable to receive the infectious organisms of contagious abortion and other serious diseases, from the general conditions of the animal's environment. The keeping of cows in infected pastures and cow-sheds is almost certain to result in further infection, unless the vagina is safeguarded by douching with an antiseptic, practically daily throughout pregnancy. Needless to say, this entails an amount of time and labour almost impossible of accomplishment.

The use of the San-Kresyl Pessary is more efficacious than the most powerful douche, as it produces an aseptic condition of the vagina lasting for days. The entrance to the vagina should be first washed with warm soapy water and a pessary then inserted, this process being repeated every three or four days.

The San-Kresyl Pessaries are also recommended for the use of brood mares 48 hours prior to service, as a preventive against venereal disease conveyed by an infected stallion.

SEE PAGE 29

Medical Appliances and Sundries.

Bandaging, Elastic Web.

		2in.	2½in.	3in.
Per doz. yards	...	9/6	12/-	15/-

Bandages.

Calico, Bleached, 6 yds.

	1in.	2in.	2½in.	3in.	4in.	6in.
Per doz.	2/8	5/4	6/8	8/-	10/8	16/-

Calico, Unbleached, 6 yds.

	1in.	2in.	2½in.	3in.	4in.	6in.
Per doz.	2/6	5/-	6/3	7/6	9/9	14/9

Dommette, 6 yds.

	2in.	2½in.	3in.	4in.	5in.	6in.
Per doz.	11/-	13/9	16/3	21/9	27/6	32/9

Elastic Adhesive, 3-yd. rolls (unstretched).

	2½in. wide	...	per doz.	34/- net.		
	3in.	"	"	40/- "		
Flannel.	1in.	2in.	2½in.	3in.	4in.	6in.
Per doz.	11/-	21/9	27/3	32/9	43/3	65/6

Lint, absorbent, white, open wove, best, 6 yards.

	1in.	1½in.	2in.	2½in.	3in.	4in.
Per doz.	2/1	3/-	4/-	5/-	6/-	8/-

Lint, absorbent, white, open wove, B.P.C.

	1in.	1½in.	2in.	2½in.	3in.	4in.	6in.
3 yds. per doz.	1/6	—	—	—	—	—	—
4 yds. "	—	2/5	3/2	3/9	4/6	—	—
6 yds. "	—	—	—	—	—	8/3	12/3

Plaster of Paris, in tins.

	1in.	1½in.	2in.	2½in.	3in.	4in.
Per doz.	7/9	9/6	11/6	13/3	15/3	18/-

Selvage, 6 yds. long.

	1in.	1½in.	2in.	2½in.	3in.	4in.
Bleached	5/10	7/8	10/3	12/6	15/3	20/-

Bandage Rollers ... each 8/-

Bottles, Dispensing, Flats, Plain or Graduated.

Ozs.	2	3	4	6	8	10	12	16
Gross	21/6	23/-	23/6	25/6	28/-	34/-	39/6	45/- net
Washed and Papered up to and including 8 oz., 1/6 per gross extra. Over 8 oz., 2/- per gross extra.								

Bottles, White Flint, Vials, moulded, plain or graduated in teaspoons.

Ozs.	...	...	½	1	1½	2
Per gross	...	...	11/3	11/3	13/9	16/-

Bottles, Deep Blue, for poisons or liniments.

Ozs.	½	1	2	3	4	6	8
Per gross	18/3	20/6	24/-	26/9	32/-	38/6	46/-

Bottles, White Flint Stoppered, round.

Narrow Mouth.							
Oz.	1	2	3	4	6	8	10
Per doz.	...	...	...	...	...	...	...
Ozs.	...	12	16	20	24	32	40
Per doz.	...	...	...	...	...	...	...
Wide Mouth.							
Ozs.	1	2	3	4	6	8	10
Per doz.	...	...	...	...	...	...	...
Ozs.	...	12	16	20	24	32	40
Per doz.	...	...	...	...	...	...	...

Bottles, for oil with tubes and caps.

Ozs.	...	...	...	...	10	20	32
Each	...	...	...	...	...	...	...

Bottles, for Ether, capped and stoppered.

Ozs.	...	...	...	...	...	10	20
Each	...	...	...	...	...	...	...

Bottles, for Syrup, with plugs.

Ozs.	...	...	...	...	...	16	32
Each	...	...	...	...	...	...	...

Bottles, Dropping, patent stoppered, white and amber.

Ozs.	...	...	...	...	...	½	1
Per doz.	...	...	...	...	...	18/-	21/-

Brushes, Bottle.

		½ pint	½ pint	1 pint
Per doz.	...	24/-	30/-	36/-

Boxes,

Chipettes, best quality, deep or cut down.

		Nested.						
Ozs.	...	2	¼	½	1	1½	2	4
Per gross	...	24/-	4/-	4/6	5/9	7/-	9/9	15/-

"Corruganza" Seamless Ointment.

	No.	1	2	3	4	5	6
Cut down	Size	1dr.	2dr.	3dr.	½oz.	1oz.	2oz.
Per gross		5/6	6/-	6/9	7/6	8/9	11/-

	No.	7	8	9	10	11	12	13
Deep	Size	1dr.	2dr.	½oz.	1oz.	2oz.	3oz.	4oz.
Per gross		6/3	7/6	8/9	11/-	12/-	14/9	15/3

Paper, Pill, deep and cut down.

		Nested.			Single.		
		1oz.	½dr.	1dr.	2dr.	½oz.	1oz.
Pink in or out, deep or cut down, ordinary quality	...	11/-	1/7	1/6	2/2	4/-	5/2

Ditto ditto best polished ...

Purple, white edges deep or cut down 26/6 — 4/7 5/2 7/- 8/6

Purple flanged, pill, per gross ... 11/9 11/9 14/- 14/9 18/6

Sealite Ointment. per gross ... 7/9 10/6 15/3 20/-

Camel Hair Pencils.

Per doz. Large Medium Small Assorted

Camel Hair Brushes, throat, bent or straight. Wood, 9/- Wire, per doz.

a Capsules, Nitrite of Amyl.

3 and 5 minims each, 12 in box ... per box 3/3

Capsicum Gamgee Tissue.

Each ... 2oz. 1/3 6oz. 3/6 1b. 7/9

Chamois Skins ... each

Cork Pressers, iron ... each

MEDICAL APPLIANCES AND SUNDRIES—Contd.

Corks.		1oz.	2oz.	4oz.	6oz.	6-8oz.	
A. quality	...	1/9	1/10	1/11	2/7	2/7	per gross
E. "	...	1/2	1/2	1/5	1/8	1/8	"
M. "	...	—	1/2	—	2/3	2/3	"
S. "	...	—	—	1/8	1/11	1/11	"
		8oz.	12oz.	16oz.	20oz.		
A. quality	...	2/7	2/10	3/3	4/3	per gross	
E. "	...	2/7	1/11	2/3	—	"	
M. "	...	2/3	—	—	—	"	
S. "	...	1/11	2/2	—	—	"	
Cellulose Absorbent Wadding							per lb. 1/5
" " Tissue							" 2/4
Cotton Wool (12 lbs. 2d. per lb. less).							
Prepared, white, non-absorbent							per lb.
J. R. & Co.'s Absorbent No. 1, rolled or interleaved with tissue paper							per lb. 4/7
Absorbent, No. 2							" 4/-
" B.P.C.							" 3/9
" No. 3							" 3/7
" No. 4							" 3/1
Grey (Unb.eached)							" 2/2
a Dangerous Drugs Act Registers							each 15/-
Drainage Tubing, Rubber							per yd. to
Dressings, First Aid Flexible Plaster.							
Boxes of 1 gross assorted (3 sizes)							per box 6/-
" 3x1 yd. 1 1/2" 2 1/2" 3"							" 3/3
" 3x1 yd. 1 1/2" 2 1/2" 3"							" 6/-
Envelopes, Powder							per 100 2/3
Evaporating Dishes.		Composition.					
No.	...	1	2	3	4	5	6
Capacity	...	1oz.	2oz.	3oz.	4oz.	6oz.	10oz.
Diameter	...	2 1/4	3 1/4	3 5/8	4	4 1/2	5
Per doz.	...						
No.	...	7	8	9	10	11	12
Capacity	...	12oz.	16oz.	20oz.	1 1/4 pt.	1 3/4 pt.	2pt.
Diameter	...	5 1/2	6	6 3/8	7	7 1/8	8 1/4
Per doz.	...						
No.	...	13	14	15	16	17	18
Capacity	...	3pt.	3 1/2 pt.	4pt.	5pt.	8pt.	9pt.
Diameter	...	9	9 1/4	10	11	11 1/2	12
Per doz.	...						
Extract and Ointment Jars, earthenware.							
White, tall shape, with flat covers, per dozen				4oz.	8oz.	1lb.	
				14/-	21/-	32/-	
				2lb.	3lb.	4lb.	6lb.
White, tall shape, with flat covers				6lb.	7lb.		
Per doz.				64/-	96/-	122/-	180/-
				215/-			
				1 1/2 oz.	1oz.	1 1/2 oz.	2oz.
				3oz.	4oz.	6oz.	8oz.
White Opal							
Pots with							
Celluloid							
Covers							
							per doz.
Filter Papers, Circular.							
Nos.	11	15	19	25	33	40	45
Diam.	4"	6"	7 1/2"	10"	13"	16"	18"
Grey, pkt.							
White "	1/2	1/8	2/7	3/4	4/9	6/8	9/-
							10/6

Funnels, Composition, Fluted.

Number	...	1	2	3	4	5
Capacity	...	1oz.	2oz.	4oz.	10oz.	1pt.
Composition	...					
Glass	...	1/6	1/9	2/-	2/6	4/3
Number	...		6	7	8	9
Capacity	...		1 1/2 pt.	2pts.	2 1/2 pts.	3 1/2 pts.
Composition	...					
Glass	...					

Gauze Absorbent Plain.

6 yd. Cartons	...	...	...	...	per doz.	24/-
---------------	-----	-----	-----	-----	----------	------

Gauze and Cotton Tissue Absorbent.

No. 2	...	...	per lb.	5/3
Gamgee Tissue, best quality	...	...	"	5/3
" Hospital quality	...	...	"	4/9
" No. 3 quality	...	...	"	4/4

Gutta Percha, thick, for Splints

per lb.

Gutta Percha Tissue, best, in 3 yd. boxes, per yd.

Jaconet, white

per yd.

			per 100	1000
a Labels, Dispensing	...	...	7d.	4/6
a " Blank, large	...	...	8d.	5/6
a " " medium and small	...	...	7d.	4/6
a " " Litho	...	...	9d.	6/-
a " " Red	...	...	8d.	5/3

Printed with name and address, 9d. per 1000 extra.

a Label Dampers

each

Lint (12 lbs. 2d. per lb. less).

Boric	...	...	per lb.	7/3
Boric B.P.C.	...	...	"	7/-
Surgeon's Cotton	...	...	"	7/3
Hospital	...	...	"	7/-
Plain B.P.C.	...	...	"	6/9

Litmus Books

per doz. 2/-

Measures, Glass, Graduated, conical and cylindrical—

Size	...	1oz.	2oz.	4oz.	6oz.
Unstamped	...	3/9	4/-	4/3	5/3
Stamped	...	5/-	5/3	5/6	6/3
	...				7/-
Size	...	8oz.	10oz.	16oz.	20oz.
Unstamped	...	6/6	6/9	7/9	8/9
Stamped	...	7/6	8/-	9/3	10/3
	...				14/3
	...				19/-

Graduated to min.	1dr.	2dr.	4dr.	1oz.	2oz.
Unstamped	4/-	4/3	4/6	4/9	5/9

Graduated to min.,					
Stamped	4/9	5/3	5/6	6/-	7/-

Tumblers, graduated for tea or tablespoonfuls, each 1/2 doz. 12/-

Mortars and Pestles, composition and glass.

Number	...	0000	000	00	0	1	2	3
Capacity	...	2	3	4	5	8	12	16.
	...	oz.	oz.	oz.	oz.	oz.	oz.	oz.
Composition	...	3/6	4/-	5/3	5/6	6/9	7/6	9/9
Glass	...							
Number	...	4	5	6	7	8	9	10
Capacity	...	22	26	36	2 1/2	3	5	6
	...	oz.	oz.	oz.	pt.	pt.	pt.	pt.
Composition	...	12/9	15/-	17/3	22/6	28/-	35/-	43/6

MEDICAL APPLIANCES AND SUNDRIES—Contd.

Oiled Silk, best non-adhesive, in 1 yard boxes **7/3**
 Yellow, French " " **6/9**

Oiled Muslinette " " "

Parcel Post Boxes.

To hold ... 2oz.	3oz.	4oz.	6oz.	bottles
2/9	3/-	3/6	4/-	per doz.
To hold ... 8oz.	10oz.	12oz.	16oz.	bottles
4/6	5/3	5/9	7/3	per doz.

Palette Knives, balance handles, rivetted.

		3in.	4in.	5in.	6in.	7in.
Palette ... each				3/6		5/-
Bone ... "						
		8in.	9in.	10in.	11in.	12in.
Palette ... each		5/6				
Bone ... "						

Paper, White Demy.
 18lb.

20lb.
 per ream.

Cut for 4oz., 6 or 8oz., and 12 and 16oz. bottles, in
 4 lb. parcels, per lb.

Pill Tiles, earthenware, plain and graduated.

Size ...	...	4in.	5in.	6in.	7in.
Plain ... each		2/4	2/7	2/10	4/-
Graduated	"	2/10	3/1	3/4	4/9
Size ...	...	8in.	9in.	10in.	11in.
Plain ... each		5/-	6/6	8/3	10/6
Graduated	"	5/8	7/4	9/6	12/4

Safety Pins ... per gross**Scales.**

On mahogany pedestal, with drawer and extra glass pan	...	net.
On mahogany pedestal, sliding pillar with drawer and extra glass pan	...	net.
Cords	...	per set

Weights. (See below).

Sealing Wax, red or black, 20 to lb., in lb. boxes,
 per lb. **4/-** **5/3**

Spirit Lamps, glass, 1oz., 2oz. & 4oz. each **2/9**, **3/-**, **3/9**

Sponges, fine Turkey and Honeycomb, various.
 " small Surgical per doz.

Spongio Piline ... per yard

Stirring Rods (Glass) ... per doz. **5/-**

Syringes, glass, 2dr. **6/6**, $\frac{1}{2}$ oz. **8/-**, 1oz. **12/3** 2oz. **16/6**
 per doz.

Test Tubes ... per doz. **1/9** & **2/-**

Test Tube Stands, for 6 and 12, with pegs,

" " with 6 and 12 holes, each **9/-** and **12/-**
 each **6/6** and **7/9**

Tooth Brushes ... per doz.

"Toujours Pret" Cabinet and Six Caddies
 (empty) ... each **77/-**

"Toujours Pret" Caddies (empty) " **4/6**

Tow, fine Surgeons' per lb. **2/2** Hospital, per lb. **1/9**
 " Carbolized ... per lb. **2/-**

Twine, fine pink, in 4 oz. balls ... per lb.

" " White, in 4 oz. balls ... "

Weights, Drachm ... per set **1/6** Stamped **6/6**

" Grain ... " **9d.** " **6/6**

MANGE DRESSING

(RICHARDSON)

A Reliable Anti-Sarcoptic Dressing for Mange in Horses, Dogs, Cattle, etc.

KILLS FLEAS, LICE AND OTHER PARASITES.

Rapidly destroys the Acari, relieves the irritation, assists in the promotion of new growths of hair in bad cases, and prevents the casting of the coat in minor ones.

A very important advantage of this preparation is that it effectually destroys Lice and Fleas, two of the most dangerous carriers of not only Mange, but many other diseases.

A gentle Aperient during the treatment is recommended.

... M.R.C.V.S. states that he has been using the Anti-Sarcoptic Dressing supplied by us for some years, and has no hesitation in saying that it is without question the best of the Anti-Sarcoptic washes he has ever tried. He has tried others, but ours is the only one which he can give to a client with the assurance that "it will cure."

The above is an authentic unsolicited testimonial.

SEE PAGES 5 & 9

Veterinary Instruments.

Anæsthetic Masks. £ s. d.
Canvas mask, with straps each

Aprons.
Waterproof Battiste, with large bib
front „ 1 0 0

Artery Forceps
5-in. S.W. Stainless Steel „ 0 12 9
5-in. S.W. Nickel Plated „ 0 9 6
6-in. S.W. Stainless Steel „ 0 16 6
7-in. S.W. „ „ „ 0 18 9

Bitch Forceps.
Light pattern „
Heavy „

Bull Holders.
With slide and spring „ 0 7 6

Bull Nose Punch „
„ „ „ heavy pattern „

Bull Rings.
Copper, three sizes, self piercing each 4/6, 4/9, 5/-

Castrating Clamps.
With slide handle each
c adjustable rack „
Wood c leather end cap per doz.

Castrating Forceps.
Gregory's each
Australian „

Castrating Knives.
Small, folding, all-metal each
Large, „ „ „

Catheters.
Dog. Brown gum elastic, 16-in. each
Nickel plated „
Cat. Brown gum elastic, 13-in. „
Gray's, nickel plated „
„ „ „ extra fine
Horse. Gum elastic, cane stilette, 42-in.
Mare. „ „ „ „ 36-in.

Caustic Cases.
Electro-plated each 0 10 6
Vulcanite, with silver quill point „ 0 8 6

Clamps. West's "Vulva."
7-in. 4½-in. 3¼-in. 2½-in. long

Clinical Thermometers. Best English make.
½ min. Magnifying Lens, with stubby
bulbs per doz. 1 6 0

Clyster Syringes.
Brass, 2 pint, c two pipes each
„ 1 pint, c two pipes „

Directors. £ s. d.
With scoop end each 0 5 6
With probe point „ 0 7 6

Dissecting Forceps.
Stainless Steel each 6 6
„ „ with teeth „ 0 11 6

Drainage Tubing.
Assorted sizes, in carbolic, in screw
capped tube per tube

Drenching Bits.
For horses or cattle „

Drenching Tins, Conical „ 0 9 6

Enemas.
Red india-rubber, each in box each 0 5 6
(See also Clyster Syringes, brass).

Foaling Hooks.
Blunt or sharp „
Long Pattern, for live foals „

Gags.
Dog, with spring, I.R. jaw pads „
Horse, Eclipse pattern „
Cattle, Drinkwater's „

Gloves.
India-rubber, medium thickness ... per pair 0 3 4
Stout „ 0 5 6

Hypodermic and Serum Syringes.
1 cc./20 min. Record Syringes, naked,
best quality each 0 7 6
2 cc./40 min. Ditto ditto „ 0 9 0
5 cc. Ditto ditto „ 0 11 6
10 c.c. Ditto ditto „ 0 12 9
20 c.c. Ditto ditto „ 0 14 6
30 cc. Ditto ditto „ 1 12 6
50 cc. Ditto ditto „ 1 19 0
5 cc., 10 cc., 20 cc. with eccentric nozzles, 6d. each extra.

Washerless 1 cc. syringes for intra-
dermal test. Glass barrel each 1 17 6

Needles.
Record, Stainless, Ref. 325.
17 B.W.G. X 1-in. per doz. 0 10 0
Record, Stainless, Ref. 332
15 B.W.G. X 1¼-in. „ 0 12 0
Record, Stainless
22 B.W.G. X ½-in. „ 0 8 6

Knives.
Scalpels, solid forged each 0 5 6
S.M. B.P. Type handles „ 0 3 6
S.M. „ blades ... packet of 6 0 2 3

Lancets, Bleeding each 0 3 6

VETERINARY INSTRUMENTS—Contd.

Ligatures.

£ s. d.

Silkworm gut, in screw-cap glass tubes, 50 X 12-in. lengths. Fine, medium or stout per tube 0 9 9

Silkworm Gut, dry, 100 X 12-in./14-in.
Fine Medium Stout
14/6 15/9 17/- per box

Horse Hair in screw cap glass tubes. 50 X 12-in. lengths per tube 0 4 0

Horse Hair, dry, 100 strands per box 0 4 6

Catgut, 5-ft., hermetically sealed glass tubes per box of 12 tubes 1 5 0

Silk Braided, single per card 0 2 6
" " 4 ass. sizes " 0 7 0

Silk Twist per hank 0 2 6

Milk Fever Syringes.

Consisting of all-metal syringe, with air chamber, flexible metal tube, and special large teat tube, in black japanned case each

Consisting of india-rubber Enema, metal air chamber and teat tube, in cardboard box "

Milking Tubes.

With 2 rings, various sizes " 0 1 10
With bulbous ends " 0 2 0

Needles.

Aneurism each 0 5 6
Exploring " 0 2 6
Post Mortem doz. 0 7 6

Seton, sharp or probe pointed :
6" 7" 8" 9" 10" 12"
Suture, straight, curved, or half-curved
per doz. 0 4 6

Pocket Cases, Veterinary.

£ s. d.

Containing Symes' knife, castrating knife, artery forceps, bow dressing forceps, straight and curved scissors, thermometer, needles and silk, in leather case each

Any other selection may be made up to customers' requirements, with adjustments in price to cover the articles selected.

Probangs.

Leather covered, with corkscrew ended stilette each 2 10 0
Elastic, gum covered " 0 6 6
For dogs, bristle-ended gum elastic " 0 6 6
For cats " " " " " 0 6 6

Probes.

Silver 5" each 0 2 6
" 8" " 0 3 9
" 10" " 0 7 0

Scissors.

5" Dressing, Stainless Steel each 0 13 6
5" " N.P. " 0 8 6
5" " curved, N.P. " 0 9 6

Stethoscopes.

Folding Headframe only each 0 12 6
Chestpieces, various... .. from 0 8 6
Binaural, folding head frame, tubing and chestpiece complete 1 3 6
I.R. Tubing per yard 0 3 0

Syringes, Pewter.

1 oz. per doz.
2 oz. "

Tenotomy Knives. Solid forged each 0 6 6

Tooth Forceps.

For dogs " "

Tooth Rasps.

Plain " "
With guard for gum... .. " "
Adjustable " "

Trocars.

Set of 3, nested " 1 10 0
Single " 0 17 6

a Liver Fluke in Sheep.

(RICHARDSON)

Carbon Tetrachloride has for some time past received recognition as a specific for the treatment of Intestinal Parasites, and special attention is now called to its value for Liver Fluke in Sheep.

The enormous loss caused by this parasite is well known to all Veterinary Practitioners and Stock Breeders, to whom the prospect of a remedy will appeal strongly.

Carbon Tetrachloride is dispensed in Flexible Gelatine Capsules, each containing 30 minims, of which one should be given at intervals of a month during the Autumn and Winter seasons.

1 c.c. 3/- per 100 24/- per 1,000 net.
2 c.c. 5/3 " 45/- " "

Domestic and Dietetic Articles.

Arrowroot , Best Bermuda	per lb.	
„ St. Vincent, Opt.	„	
„ „ Sec.	„	
Baking Powder	„	
Bath Crystals (Perfumed), 8 & 16-ounce bottles	per doz.	
Bath Cologne , in globe stoppered bottles.....	each	
Cigars .—Richardson's "M.D.," in boxes of 25, 50 and 100	per box	
„ „ „ "Cabots," in boxes of 25, 50 and 100	„	
Cigarettes .—"Cabots" in 2-oz. and 4-oz. boxes. Virginia.....	each	
„ Valuna in 2-oz. and 4-oz. boxes. Virginia.....		
Coffee :—French, ground.....	per 1-lb. tin	
Dentifrice , Liquid, Antiseptic, in 3-oz., 8-oz. and 16-oz. bottles.....	each	
Eau de Cologne , Oxygenated (J. R. & Co's) for sick rooms in scarlet fever, etc., in 4-oz., 8-oz. and 16-oz. bottles	„	
Essences , Flavouring, assorted, in ½-oz. and 1-oz. bottles	per doz.	12/- 21/-
Ginger , Preserved, jars. Chyloongs	per jar	
Hair Wash (Stimulating), in 8-oz. and 16-oz. bottles	each	
Salad Oil (Finest Cream) Reputed ¼-pt., 1-pt. and 1-qt.	per doz.	
Sardines	„	
Sauces .—Burgess' Essence Anchovies	„	
Harvey's Sauce	„	
Leicestershire (J. R. & Co.'s) ½-pt. bottles.....	„	
Worcestershire Sauce (Lea & Perrin's) small and large	„	
Chutney, Bengal and Mango	„	
Soaps, Household and Toilet .—Bath Tablets in boxes of 12 assorted Composite Household Soap, in ½-lb. blocks, dried, compressed, and stamped by machinery.....	per lb.	
Calvert's Carbolic Household Soap, in bars	per doz.	
„ „ Domestic Soap, in bars	„	
Richardson's Double-Scented Brown Windsor , in tablets, four and six to the lb.	per lb.	
Richardson's Assorted Toilet Soap , in boxes containing 12 tablets.....	per box	
Royal Primrose, in bars	per lb.	
Richardson's Superfatted Soaps .—Thymolodyne, in boxes of 3 tablets... ..	„	
„ „ „ Cream „ „ „	„	
„ „ „ Carbolic „ „ „	„	
„ „ „ Coal Tar „ „ „	„	
„ „ „ San Kresyl „ „ „	„	
„ „ „ Shaving (in sticks)	per doz.	13/-
Seltzogenes (best English manufacture)—cane covered	each	
Powders for ditto, in boxes of 12 charges	each	
Soups .—Crosse & Blackwell's, in 1-lb. tins	per doz.	
Tea .—Finest blended Assam, in 1-lb. tins	each	
„ Finest Ceylon, in 1-lb. tins	„	
Toilet Rolls	per doz.	
Tooth Brushes		
Tooth Pastes .—Richardson's "IDEAL"	per doz. tube	7/6
Tooth Powder .—Richardson's Alexandra Dentifrice, in bottles	each	1/6 and 3/-
„ „ „ Antiseptic „ „	„	1/6 and 3/-
Violet Powder .—Richardson's Rose Scented and Tinted, in bottles	„	

TELEPHONE No. 58065

VETERINARY SURGICAL INSTRUMENT DEPARTMENT

Lillie House

London Road

(Next to L. M. S. Station)

LEICESTER

FOR LIST OF INSTRUMENTS, See Pages 44 and 45

ORDERS FOR DRUGS

may be left here, and requests by telephone will receive immediate attention.
Also, for the convenience of our clients, goods will be sent to this address
for collection.

INDEX

	Page		Page
Analyses	2	Hypodermic Tablets	29
Antiseptic Tablets	39	Hypodermic Injections	30
Antiseptic Jellies	11	Instruments	44, 45
Appliances, Sundries and Dressings	41—43	Jellies (Antiseptic)	11
Aqueous Tinctures	40	Jellies (Hæmorrhoidal)	11
Bisma-Calna	4, 7, 8 & Cover	Liver Fluke in Sheep	45
Bougies (Medicated)	34	Mange Dressing	5, 9 & 43
Canine and Feline Specialities	12	Oleates of the Metals	6
Capsules	35	Ophthalmic Discs	34
Cattle Drenches	28	Pessaries (Veterinary)	29, 40
Compressed Tablets	38, 39	Pills	31—33
Dog Pills	31—33	Powders for Dogs, Cats, etc.	36, 37
Dog Granules	33	Powders for Horses	27
Draughts for Horses	28	Poultry Pills	30
Drenches for Cattle	28	Pigeon Pills	30
Drenches for Calves, etc.	28	Scour Cure... ..	5, 10 & 39
Dressings (Hæmorrhoidal)	11	Specialities (J. R. & Co.'s)	4—12
Drugs and Chemicals	13—24	Sundries	41—43
Ear Bougies	34	Suppositories	29, 34
Feline Specialities	12	Tablets (Compressed)	38, 39
Glycerine Suppositories	34	Tablets (Hypodermic)	29
Hæmorrhoidal Dressings	11	Terms	1
Hæmorrhoidal Jellies	11	Tinctures (Aqueous)	40
Horse Powders	27	Vaccines	3
Horse Balls	25, 26		

BISMA-CALNA

(VETERINARY)

The Combined Carbonates of
BISMUTH, MAGNESIUM, CALCIUM AND SODIUM

BISMA-CALNA will be found most effective in the treatment of Acute Gastritis.

Ordinary cases of Indigestion are speedily relieved, and in the more serious digestive troubles gratifying results will be obtained by the continued employment of **BISMA-CALNA**.

Dose for Dogs.—In acute cases half teaspoonful to two teaspoonfuls, according to size and breed, every two hours ; later reduced to twice daily.

PRICE : 4/6 per lb. 7-lb., 4/3 per lb.

BISMA-CALNA CREAM

(VETERINARY)

Dose for Dogs.—In acute cases half teaspoonful to one tablespoonful, according to size and breed, every two hours ; later reduced to twice daily.

PRICE : 1/9 per lb. Winchester, 1/6 per lb.